
DEVOKE PRODUCTS

Accessories, furniture and supplies for Information Processing



- **Workstations & Accessories**
- **Media & Supplies**
- Cables & Interconnects
- **Protection Products**

Satisfaction Guaranteed!



Mazimile entirment

We're on the move with more new products, ready to go, from larger facilities

Thank you! All you wonderful customers have helped us grow our way into new larger facilities and we appreciate your support. As a customer group, you reach into every corner of the 50 states and possessions, and into every segment of business, industry, professions and institutions where information processing is at work. You're on drilling rigs at sea, on Wall Street, Main Street, and in out-of-the-mainstream places like Cut Bank, Montana, too.

You're VPs, MISs, WP supervisors, Presidents, titled and untitled busy people. You're Fortune's 500, small business people, service giants, corporate farmers and solitary entrepreneurs. You bring us a great perspective on the diversity of the technology with which we all work!

We feel challenged — more than ever to anticipate your product needs and to offer solutions to both small and large problems in your work environment. And it's a pleasure to put our new, larger warehouse at your service through the pages of our catalog.

This catalog edition brings you more people-sensitive workstation furniture and accessories - new concepts in media storage - new security and protection products - more "black boxes" and interconnects - more ways to maximize your investment in areas from floor space to computer paper. Whether you work with data generation or application, you'll find products of help to you as you turn through these pages.

Order by mail or telephone — the convenience of one-stop shopping is yours, with the security of our 100% satisfaction guarantee.

Cordially DEVOKÉ CO.

Chuck Volwiler Marketing Mgr., **Data Products**



Look for these new products in this issue:

More people - sensitive workstation like our new adjustable stand bring you ergonomics at very sensible prices--Page 13. Shop other great furniture values, Pages 7-12.



Double cable transmission distances with starbooster, our RS232-compatible "Power stretcher" page 53. Order today and skip the hassle and expense of modems and line drivers.



Computer time is reduced to desktop size-see our new 24-Hour LED Clock, Page 43. On the same 24-Hour clocksboth dials and digitals, to keep you on schedule.



If you can't hear yourself think when your microprinter performs for you, order SoundTrap, a nifty acoustical cover that brings noise to a screeching halt. See back cover.



Our new Micro Stand brings everything together for you in one thoughtfully designed, compact piece of furniture. Notice the built-in copy bridge, a winner. See back cover.



Plus much, much more — you'll find helpful ideas on every page.

SATISFACTION GUARANTEED

You must be completely satisfied with every product you order from Devoke. If for any reason you are not satisfied, products may be returned within 30 days of our invoice date for replacement, credit or refund. To assure prompt adjustment, please advise our Customer Service Department by telephone or separate mail when a return is made.

For complete ordering details, please refer to the Order Form inside the back of this catalog.

Index

Order form 63
Acoustical Enclosure for printers 15
Acoustical Panels 15
Air Filtration Device 62
Antistatic Products 44-45
Binders Floppy Disk 19, 21 Printout 31, 32 Other 41, 58, 59
Burster
Cables 51-52 Cable Covers 62 Connector Kits 52 Interfaces/Switching Units 52-55 Junction Panels & Wall Plates 51
Carrying Cases
Cartridges
Cassettes
Clocks
Control Boards 56
CRT Accessories 4-5 Copyholders 6 CRT Trays 6 Data Trak Splice Kit 30 Elevator Stand 3 Footrest 3

Lamps	
Decollators	
Emergency Lights 50	
Fire Extinguishers	
Flexible Disks	
Flexible Disk Storage & Accessories . 18-21, 34-37	
Furniture 34-37 Cabinets 34-37 Chairs 14 Data Stands 7-13 Micro Computer Desk 61 Printer Stands 10, 17, 61	
Hygrometers 44	
Labels	
Locks 50	
Magnetic Tape Accessories	
Micro Accessories 61	
Microfiche Storage and Accessories 57	
Minicomputer Regulators	
Paper, Computer Fanfold	

Printer Accessories
Printout Storage 31-37
Printwheels
Programming Aids 42-43
Reference Racks 60
Ribbons 26-28
Rulers
Safe 61
Shredders
Splicers 30 Forms Splicer 43
Switching Devices
Thimbles
Turntables 4
Vacuums
Voltage Surge Protectors
Waste Receptacles
Water Alarm 56
Workstation Accessories 3-6, 12, 33, 41, 62

Please browse through for items not listed.

CRT Elevator Stands take unnecessary physical fatigue out of keying operations. Watch the difference as input and accuracy go up!

Did you know that CRT operators typically turn their heads from side-to-side as many as 15,000 times a day? Head and eyes move constantly from copy to screen and back again. No wonder fatigue sets in. And no wonder efficiency can drop.

That's why we developed these Elevator Stands for CRTs with detachable keyboards. By setting your terminals on these stands, you create space for a copyholder "bridge" between keyboard and screen. This brings reference material directly in front of operators — in a single, shorter line of sight. Head motion is radically reduced, refocusing is faster. Keying speed improves. Fatigue goes down.

And that's not all. Elevator Stands are height adjustable in 1" increments so screens can be elevated for operator comfort in a range from 2" to 8" at back, 2" to 6" in front. This means screens can be tilted, too, to effectively cut glare — a giant bonus in itself.

Stands are made of wood particle board, nicely finished in Walnut woodgrain. Select platform inside width of 16" or 22" to fit your CRTs. If you have pedestal-mounted units, you'll still find the extra elevation eases focusing problems. Order Copy Bridges separately; non-magnetic line guide is included.

				ce eacn
Width	x Depth x	Height	1	4 & up
16"	16"	9"	\$54.95	52.20
22"	16"	9"	56.95	54.50
idge				
16"	111/2"	_	29.50	28.00
	16" 22" idge	16" 16" 22" 16" idge	22" 16" 9" idge	16" 16" 9" \$54.95 22" 16" 9" 56.95 idge



Elevator stands put reference material and CRT in a single line of sight: fight operator fatigue by reducing head motion.



Simple assembly, height and slant adjustment —requires only a standard screwdriver



Copy Bridge and keyboard slide neatly under Elevator Stand when not in use.



Elevator Stand is ideal for use with Micro-Computers.

CRT Accessories reduce operator fatigue, increase efficiency



Wrist Support cuts stress

Wrists straight and elbows at 90°— that's the comfort posture learned by keyboard operators. But if keyboards are elevated more than 1½" at the front, tension can develop. To the rescue comes Devoke's new Wrist Support—a little platform that slips under keyboards to provide a slanted deck extension to support palms, relieve wrist stress. We've designed the support with a barely perceptible springiness that responds to the weight of hands and makes the support adaptable to most keyboards 1½" high or more. Made of durable Black plastic with non-skid backing; 13½" wide.

		ice caci
1	3	6
\$ 9.95	9.50	8.95
\$	1 \$ 9.95	1 3

Price each



Footrest fights fatigue

Elevate your feet and overcome that old dull feeling that creeps into the lower back and puts your legs to sleep! Metal footrest has ribbed rubber facing, slip-proof rubber feet. It's 14" wide x 12" deep; 5" high at back, 3" high at front. Front lip prevents feet from sliding off. By scooting footrest forward and backward you can compensate for your height in relation to working surface height. And, you can change your fixed position throughout the day for stress relief. Ideal for programmers, CRT operators — everyone who's deskbound.

		P	Price each	
Item #	1	3	6	
7409-X	\$28.00	26.50	25.00	



New Workstation Lamp

No squint, no strain, no hot spots of glare! Workstations need controllable light that illuminates keyboards and paperwork without washing out images on the screen. This assymetric design is a highly functional task lamp that directs light obliquely, eliminates glare. The shade can be rotated 360° in a horizontal plane to cast light where it's needed. The 40" arm is adjustable within a wide work area. Lamp mounts to work surface with a simple clamp. UL-listed for 75 watts. Good looking Almond enamel finish on metal base. Seeing is believing — efficiency goes up when there's no glare bouncing around work areas!

1	3	6	
\$59.95	57.00	53.95	
	1 \$59.95	1 3 \$59.95 57.00	

360° Turntables give you more productivity from people & equipment



All 4 styles rotate full 360°

With CRT's mounted on any of these turntables, two or more people can have rapid access to one terminal, so you maximize the use of your equipment. And, easy rotation means each operator can quickly adjust equipment for personal keying and scanning comfort.

The four models here offer a great choice of features-- from low-profile platforms, to space-saving open-leg models, to breakstop units for locked-in positioning. Note, too, the added adjustability of the tilt-top models. All turntables have steel ball bearings for quiet, reliable rotation.



Turntables allow shared access to CRTs, maximize the use of your equipment.

Low Profile Turntables



These popular platform turntables swivel with ease, yet stay put where positioned. Walnut high pressure plastic laminate on wood is attractive and durable. Base is cushioned so units won't slide or mar work surfaces.

		Price eac		
Item #	Size	1	4 & up	
7328-X	15" x 18"	\$45.00	43.50	
7329-X	19½" x 24"	55.00	53.50	


Brake/Stop Turntables

For locked-in place position-ing these models feature an accessory for positive braking action.



	Price each		
Size	1	4 & up	
15" x 18"	\$49.00	48.25	
19½" x 24"	59.00	58.00	
	15" x 18"	Size 1 15" x 18" \$49.00	

Adjustable Leg Turntable



All-steel unit has four bracket legs that can be angled, extended or retracted to hold machine feet. In or out adjustment is maximum of 105/8" from centerpoint of base. Tension adjusting device in base of turntable compensates for various load weights. Steel is zinc plated. No-mar cork pads protect work surfaces.

	Price ea		
Item #	1	4 & up	
7351-X	\$33.50	31.25	

Tilt-Top Turntables



Tension build-up that comes from working in a fixed position can be eased with this tilt-top turntable. It adjusts five degrees up or down, in one degree increments, to fit the needs of each operator who works the station. The tilt feature reduces head and neck motion and maximizes keying efficiency. Visibility is better, eye focus is faster and accuracy improves. Tilting can also significantly reduce glare on the CRT screen. Turntable adjusts with positive mechanical lock in round metal base. Top is woodgrain laminate over solid particle board. Finish is Walnut.

			Price each
Item #	Size	1	4 & Up
7504-X	15" x 18"	\$99.00	95.00
7505-X	19½" x 24"	110.00	105.00

"No hands" convenience! Electric Copyholders move copy automatically with foot control



Get maximum productivity from all keyboard operations with electric copyholders that function by foot command — on single sheets or continuous forms. You get precise, silent, line-by-line positioning with start/stop, forward/reverse action as required. Wide angle magnification bar has built-in light so all reference material is easier to read. Pedestal models have telescopic height adjustment; flex arm models move up/down; right/left; in/out and rotate. Standard 14" and wide 18" copy areas handle everything from DP forms to double-page statistical copy. Beautifully engineered with certain pay-back in efficiency.

Price each

Item #	Model	Document Width	1	2 & up
8500-X	Pedestal	14"	\$139.50	135.00
8501-X	Pedestal	18"	169.50	165.00
8502-X	Flex Arm	14"	194.50	190.00
8503-X	Flex Arm	18"	209.50	205.00

Item #

6342-X

6343-X

6310-X

6330-X

6331-X

6341-X

Select from 6 copyholders — all adjust to individual needs for best viewing angle. All help clear space in work areas

See for yourself — once you've worked with one of these copyholders you won't want to be without it. By positioning work where you need it, there's less stress and strain and eye focus is easier. Line guides have clear strips to highlight the copy being keyed.

360° Swivel Copyholders have flexible arms that twist, turn and stretch to put copy where you need it within a 33" radius of mounting. Flex springs on the big widetrack 12 x 19" DP size are enclosed in metal housing and a knob locks the heavy duty elbow in position to hold copy up to 2.4 lbs. Letter size holds up to 25 sheets of paper 8½ x 11". Units are made of steel, finished in Oyster White. Copy platforms are plastic, in Smoke color.

Easel Desktop Copyholders adjust with the hinged back support that also folds flat for storage. Round paper holder and line guide are magnetized, respond to fingertip movement. Stacks of paper are held securely by 1" lip at bottom. Order these very popular holders in Letter, Legal or Widetrack DP sizes.

Pedestal Base Holder gives you up-and-down, plus side-to-side adjustment. It's very compact—ideal for use in limited working space. There's an extra-ordinary range of positions possible with the two-way tilt feature. Base is steel, finished in Oyster White. The 6" arm and side-motion assembly are steel; the copy platform is plastic in Smoke color. Clip at top is magnetized. Line guide moves mechanically. It's easily portable and it folds down to less space when not in use.

Description

Swivel Arm, Letter size

Easel Desktop, Letter size

Easel Desktop, Legal size

Easel Desktop, DP size Swivel Base, Letter size

Swivel Arm, DP size



	D	
rice each	PI	
6	3	1
40.75	42.75	\$44.95
76.75	80.75	84.95
18.85	19.80	20.85
20.45	21.50	22.65
27.10	28.60	30.10

33.25

31.75

6341-X Swivel Base, Letter Size

Non-Magnetic Copyholders in Standard or Electric models

34.95


Compact, lightweight, light touch

We know how sensitive you and your equipment can be, so detachable page clips and line guides operate mechanically, not magnetically, in this group of copyholders. Line guides have both pica and elite scales, highlight three lines of type at one time. Holders are metal with deep lip at bottom to hold single sheets or stacks of paper. All fold flat for storage. The same sleek designs are available in electric models that automatically advance or reverse the line guide. It tracks three lines of type also, with virtually noisless operation, controlled by foot pedal. (For heavy production work, electric copyholders that move the paper are shown on the facing page.) Color: Putty

		Pri	ce each
Description	1	3	6
Standard Letter size	\$17.95	17.10	16.25
Standard DP size	27.95	26.55	25.25
Electric Letter size	139.95	132.95	127.00
Electric DP size	159.95	151.95	145.00
	Standard Letter size Standard DP size Electric Letter size	Standard Letter size \$17.95 Standard DP size 27.95 Electric Letter size 139.95	Description 1 3 Standard Letter size \$17.95 17.10 Standard DP size 27.95 26.55 Electric Letter size 139.95 132.95

Make your work stations as neat as the information you generate

Organize program notes with Devoke's new Data Terminal Reference Guides



Mount vertically



... or horizontally

Scoop up all those operator notes tacked and taped around your work stations and transfer them to one of our new operator guides

These little guides are compact, easy to use and easy to update. With your program notes inside, they put answers right where they're needed for fast reference. Down goes frustration – up goes efficiency.

Menu-Minder

Menu-Minder mounts directly to side or deck of terminals with unique adhesive-backed fasteners. Mounting is permanent or guide can be switched among terminals as you wish. Overall size is $61/2" \times 51/2"$. Unit includes 5 flexible vinyl page holders, 5 colored index dividers and 20 reference cards. (Menu-Minder also can be mounted to the side panel of Visi-Visors, shown below.)

			P	rice each
Item#	2	5	10	25
5030-X	\$7.50	6.95	6.50	5.95

ATTENTION Systems & Software Houses, other volume users: Yes, we will supply base units only (Menu-Minder backplates and rings; Menu-Master easels with rings) to hold your preprinted instruction sheets. For quantities of 100 & up, ask for price and delivery information.



Menu-Master

These guides sit like a tent on skidproof feet for fingertip reference. #5035-X has 1" rings, includes 20 flexible vinyl page holders that provide 40 facings; 25 reference cards; 10 colored indexes. #5034-X has ½" rings; 5 page holders; 5 indexes and 25 reference cards. On both units, reversible front cover fastens into rigid extension so 2 pages can be read at one time. Cover drops down to close unit. Overall size is 6½" W x 5" H; height goes to 8½" with extension in place.

Item #	2	5	10	25
5035- X Large	\$14.95	14.25	13.50	12.50
5034- X Small	10.50	9.75	8.95	7.95



Visi-Visors solve the No. 1 complaint of CRT operators – glare on the screen

Solve that No. 1 complaint right here – with light-blocking Visi-Visors. This attachable hood intensifies contrast on screens, sharppens the image for faster focus and improves readability to a remarkable degree.

Easy-to-add Visi-Visor adjusts on the spot to fit the outside of your CRT or microfilm reader – from 15" to 21½" * wide. It's 7½" deep and sidewings extend down 7½". The visor attaches with unique peel/press dual-locking fasteners. It's made of .080 Black plastic, sturdy enough to support your CRT Tray on top, your Menu-Minder at the side. Remarkable relief for operators – a great boost for productivity!

ioi productivi	·y·			Price each
Item #	1	5	10	25
5047-X	\$19.95	19.50	18.95	18.50

* If you have microfilm readers or terminals less than 15" wide, tell us the width you need when you place your order and we'll adjust Visi-Visors to fit.



CRT Trays improve work flow, increase operator comfort, boost efficiency

Finally, a solution to CRT work station clutter. This open front tray fits on top of CRT units to keep in-use materials neatly stacked within easy reach. Tray is made of crystal clear plastic, measures 16" W x 12" D x $2^{1/2}$ " H and will hold business forms up to $14^{7/6}$ " wide. Handy thumb notch at tray front allows easy pick-up of contents. Four rubber feet keep tray steady and in place. It saves time and motion and takes weariness out of work.

Add trays to the left or right of operators, too — the curved front lip of the tray hooks over tabletops and effectively organizes the inflow and output of paperwork around terminals.

				Price each
Item #	1	4	10	25
5051-X	15.95	15.50	14.95	14.50

Split-level Workstations are comfort engineered for individual needs

Get fast pay-back by reducing fatigue and increasing productivity at your CRTs



Desktop Add-On Unit

For use on surfaces 27 to 31" high. Notice in photo directly above that keyboard area drops 3" below table surface to bring keying into "comfort zone" height. Overall depth of this unit is 35" of which 101/2" overhang at front.

Color: Walnut, Teak, Oak.

Price each

Item #	Keyboard Area Width	1+	4+	
6707-X	22"W x 10½"D	*	\$266.00	
6708-X	26"W x 10½"D		304.00	



Typing Height Add-on Unit

For use on surfaces 25" to 26" high. In this unit, keyboard extension is flat with table top. Overall depth of unit is 35" of which 101/2" overhang at front.

Color:	Walnut, Teak, Oak.		Price each
Itam #	Kouboard Area Width	4 .	4 :

Item #	Keyboard Area Width	1+	4+
6705-X	22"W x 101/2"D	\$225.00	\$214.00
6706-X	26"W x 101/2"D	295.00	280.00



Work Tables

Quality tables, sold seperately, feature top and matching modesty panel made of high density particle board with high pressure laminate on both sides to prevent warpage. 1 x 2" double steel legs on glides.

Color: Wa	alnut, Teak, Oak.	Р	rice each
Item #	WxDxH	1+	4+
6709-X	48" 30" 26"	\$285.00	\$271.00
6710-X	48" 30" 28"	295.00	280.00
6711-X	60" 30" 26"	315.00	299.00
6712-X	60" 30" 28"	325.00	309.00



Select our popular stand-alone Workstation or two new table top add-ons...the same great features apply to all.

If you're a manager with a microcomputer in your office--or a CRT operator with a heavy workload-this split-level Workstation will pay off in productivity. It's comfort engineered to adjust your individual needs, to reduce stress and strain.

Look at the reasons why; first, it adjusts to hold your display terminal at an elevation that suits your vision requirements. Beyond that, it tilts your monitor to reduce glare on the screen. And what a difference that makes!

Next, there's a copy "bridge" to hold source documents in front of you, between keyboard and screen, so you don't have to constantly look off-side at reference material. This feature eliminates virtually thousands of headturns a day--speeds keying, and boosts accuracy

And there's more. The copy bridge itself can be adjusted in degree of tilt. It also lifts up for access to storage area behind the keyboard. Compare the user benefits!

These Workstations are quality manufactured of 1 x 2" tubular steel and particle board with high pressure laminate in attractive Walnut or Teak finish. Height to keyboard is 26" overall depth of unit is 381/2". Depth of video display is 18". Select proper keyboard width in table below

Stand-alone Workstations

Color: Walnut, Teak, Oak

Price each

Item #	Keyboard Area Width	1+	4+	
6700-X 6702-X	22"W x 11"D 26"W x 11"D	\$395.00 450.00	\$375.00 428.00	
6701-X	Modesty panel for #6700-X	35.00	33.00	
6703-X	Modesty panel for #6702-X	35.00	33.00	
6704-X	Casters, Set/4	25.00	24.00	

Just check these ergonomic features:

Feature: Video level can be adjusted


Benefit:

You can raise or best individual focusina

Feature: Video level can be tilted

Benefit:

You can position screen to reduce




Feature: Copy bridge tilts

Benefit:

You get best angle for individual viewina

Feature: Shelf lifts for access behind keyboard

Provides a convenient extra storage



Is you rs the best Add fu

Fact after fact tells you why Devoke offers the best Data Stand value on the market today:




A full 13/16" thick, self-edged top provides longlasting strength and beauty. It's made of dense particle board, finished with a tough high pressure plastic

laminate in beautiful walnut grain. All materials meet or exceed NEMA specifications.



Sturdy, 3" x 1" tubular 16 gauge steel legs—many similar stands use 2" x 1", which is neither as strong or attractive. Legs are welded and ground smooth; full width modesty

panel of 18 gauge steel adds lateral stability. All tables will hold up to 400 pounds.



Fast Shipment!
Because so many
of our customers
need their tables
NOW, we keep a
full stock of our
Data Stands on
hand. Twenty-four
hour shipment
means you could

have your tables in place, ready to use right on schedule!



Compare our features, service and price—and you'll agree that Devoke offers the best Data Stand value on the market today. The facts speak for themselves.

New add-ons for popular Data Stands

Add function by adding accessories

Ordering Information

To guide your selection of accessories for use with specific Data Stands, please note these recommendations and restrictions:

- 1. Return Wings are for use only on 60" and 72" wide tables, and attach either left or right.
- Pencil Drawers mount to 48", 60" and 72" wide tables, centered under the table itself or centered under the available space when other drop-mounted accessories are used.
- Electronic Enclosures can be attached to 48", 60" and 72" wide tables; however, a second accessory such as drawers cannot be added to the 48" or 60" widths. Enclosures mount left or right.
- Two-Drawer Pedestals and Locking Storage Modules attach only to 48", 60" and 72" wide tables either left or right.
- 5. Casters fit all tables. Power Strips mount on any table any place that's convenient.

RETROFIT IS EASY! To the thousands of customers who are currently using Devoke Data Stands, its easy to add any of these accessories even though mounting positions have not been pre-drilled on the underside of your tables. Simply hold accessory in place, mark for screw positions, then drill and mount units with hardware.



Devoke	Data S	Stand	S			Price each
Item #	Width	x Depth	x Height	1	6	12
5892-X	30"	26"	26"	\$119.00	111.00	105.00
5900-X	36"	26"	26"	128.00	117.00	110.00
5899-X	36"	30"	26"	135.00	122.00	115.00
5898-X	48"	30"	26"	161.00	145.00	137.00
5897-X	60"	30"	26"	179.00	167.00	153.00
6257-X	60"	30"	28"	179.00	167.00	153.00
6258-X	72"	30"	26"	212.00	191.00	180.00
6259-X*	72"	30"	28"	212.00	191.00	180.00
5894-X**	30"	26"	36"	145.00	132.00	124.00

* New workable height ** Stand-up height





Powerstrips and Casters

Put 3-plug power outlet where you need it with mounting track and adhesive fasteners. Circuit breaker protects from overloads, has reset button. On/Off rocker switch has light indicator. Casters add portability for data stands. Set of 4 features 2 with locks Powerstrips and casters fit all data stands shown. Price each

Item #	Description	1	3
6255-X	Powerstrips	\$21.95	20.50
7316-X	Caster (4)	15.00	14.50



Return Wing

Wing adds 4½ sq. ft. to work surface! It's 36" W x 18" D and includes modesty panel, leg, laminated top that matches basic stands, plus mounting brackets that attach left or right. For use with 60" and 72" wide stands, in both 26" and 28" heights.

	Price ea				
Item #	1	3			
6250-X	\$142.00	137.00			



Electronics Enclosure

Ideal for micros such as Altos, NEC, Northstar, Dynabyte and similar configurations. Enclosure is 205%" W x 201/2" D x 8" H, made of 16-ga. steel and installs left or right. For use with 48", 60" and 72" wide stands. When used with 48" and 60" widths, other drop-mounted accessories in this group can't be used.

e each	
3	Item #
67.00	6252-X
(6252-X

Item #5898-X

48" W x 30" D x 26" H

Our Data Stands are handsome, sturdy, priced right and ready to ship!

Shop and compare! You won't find a better value on the market today

Designed for the specific needs of today's office, these stands maximize operator comfort and efficiency. Table height of 26" is ideal for accurate keying. And now with our new 28" desk height tables, you can fill all of your furniture needs here for a total systems look. There's a stand-up height, too, for walk-up access.

And better yet, you can now pick and choose from a full range of accessories to customize each piece to fit its function. The 48", 60" and our new 72" widths are ideal for these optional add-ons. Standing alone,

or fully accessorized, the good looks and quality construction of these stands will enhance any work area.

No wonder Devoke Data Stands set the standard for value! Laminated tops are a full 13/16" thick, finished in rich Walnut woodgrain. The pedestal design allows easy access and unrestricted movement. Leg structure is 1" x 2" and 1" x 3" tubular steel with handwelded crossbars and bases for lasting strength. Units will hold up to 400 lbs. even though most CRTs weigh 50 lbs. or less. Leveling glides adjust for minor height adjustments and solid placement on uneven floors. Steel modesty panel and legs are finished in Black baked enamel for a sleek overall appearance.

Stands are shipped knocked down, easy to assemble in only 10 minutes. Accessories take just a few minutes more to mount in predrilled holes. Order yours today — they're in stock and ready to ship.

Ideal for Micros Item #5892-X 30" W x 26" D x 26" H

Item #5900-X 36" W x 26" D x 26" H

Item #5899-X 36" W x 30" D x 26" H Order chairs to go with your workstations see Page 12 for full selection

> Item #5897-X 60" W x 30" D x 26" H Item #6257-X Same, except 28" H


> > Item #6258-X 72" W x 30" D x 26" H Item #6259-X Same, except 28" H

Stand-up Data Stand Item #5894-X 30" W x 26" D x 36" H



Desk Drawer

This space-maker is 15" W x 19" D and overall height of 18" is made up of a 6" H top drawer and a 12" H bottom drawer. Rugged 18 ga. steel on smooth moving steel glides. Brushed aluminum handles. Mount left or right on 48", 60" and 72" tables as a handy place for reference materials.





Locking Storage Module

Full length piano-type hinge and lock with 2 keys secure this unit, made of 18 ga. steel. It has 2 vertical dividers within its 12" W x 15" D x 12" H overall size. In addition to fitting under 48", 60" and 72" wide stands, it can also be mounted on Return Wings.



Pencil Drawer

Easy gliding drawer with woodgrain finish on front panel. It's thin-line — only 21/6" H for working comfort. It's 21" W x 203/4" D and great for writing instruments, notepads, rulers, etc. For use with 48", 60" and 72" tables — neat, out-of-the way organization.

	P	rice each
Item #	1	3
6254-X	\$105.00	101.00

	ile caeii
1	3
\$29.95	28.00
	1

Here's how to select the Workstation Furniture System to meet your needs today. And don't worry - you can expand and reconfigure as your needs change

- 1. Select the table size and height you need.
 - a. Choose tables 30" or 36" wide for terminals accessed intermittently or by more than one person
 - b. Choose the 48", 60", or 72" widths for higher usage, dedicated workstations where more workspace is required or when a return is to be attached.
 - Height of 261/2" is ideal keying height, 291/2" is desk height, and 381/2" is great for standup, quick access applications.
- 2. Select the accessories you need refer to descriptions and specifications below.
- 3. Select your finish from two attractive color combinations:
 - a. Walnut with Black metal trim
 - b. Oak with Putty metal trim
- 4. Take advantage of price breaks! All Workstations Modules and Accessories are combinable for quantity discounts - that means maximum value for you. For example, if you buy one table, one return, and one storage module; you get the quantity three price break on
- 5. Place your order today! *Excluding casters

Workstation Modules

Tables



Item #	Item #			Size				Price eac	h
Oak	Walnut	Width	X	Depth	×	Height	1	3	6
7201-X	7231-X	30"		24"		261/2"	\$175	160	154
7202-X	7232-X	36"		30"		261/2"	205	187	179
7203-X	7233-X	36"		30"		381/2"	220	200	192
7204-X	7234-X	48"	14	30"		261/2	245	224	215
7205-X	7235-X	60"		30"		261/2"	280	255	245
7206-X	7236-X	60"		30"		291/2"	280	255	245
7207-X	7237-X	72"		30"		261/2"	315	287	276
7208-X	7238-X	72"		30"		291/2"	315	287	276





For use with any 60" or 72" wide table: mounts right or left. Adapter brackets allow attachment to either

Item #	Item #			Size				Price each	
Oak	Walnut	Width	X	Depth	X	Height	1	3	6
7262-X	7263-X	24"		48"		261/2"	\$ 215	196	188

Connectors



Can be used to connect any two 30" deep tables, except Stand Up model

Item #	Item #			Size				Price each		
Oak	Walnut	Width	X	Depth	X	Height	1	3	6	
7212-X	7242-X	30"		30"		-	\$ 145	133	128	

Printer Stands



Accommodate both bottom and rear feed printers. Both sizes feature top slot (31½" x 17¾") finished T-mold edging for bottom feed printer; modesty panel slot of 3" x 18" permits paper the panel and into rear feed printers.	

Item #	Item #			Size				Price each	
Oak	Walnut	Width	X	Depth	X	Height	1	3	6
7209-X	7239-X	30"		24"		261/2"	\$ 185	169	162
7210-X	7240-X	36"		30"		261/2"	215	196	188

Accessories

Paper Catcher



Receives output paper in neatly folded stack. A box of input paper can fit easily between the legs (on the floor) to flow up to rear feed machines

Item#	Item#			Size				Price each	
Oak	Walnut	Width	X	Depth	X	Height	1	3	6
7211-X	7241-X	181/2"		11"		241/2"	\$ 60	55	53

Locking Storage Module



Mounts to either side of tables 48", 60", or 72" wide. Door is woodgrained laminate and swings on a hidden piano type hinge. Insert rack with dividers can be turned vertically, horizontally, or removed completely. Includes two keys.
Includes two keys.

Item # Oak	Item # Walnut	Width	x	Size Depth	x	Height	1	Price each 3	6
7213-X	7243-X	12"		12"		15"	\$ 105	96	92



Electronics Module Mounts to either side of tables 48", 60", or 72" wide. Adjustable mid-shelf provides user's option of microcomputer placement, leaving additional room for storage. Cables pass through "knock-out" holes in modesty panel of all tables and returns.

	Item # Oak	Item # Walnut	Width	x	Size Depth	x	Height	1	Price each	6
for tables	7214-X	7244-X	22"		141/2"		131/2"	\$ 62	57	55
or returns	7254-X	7259-X	22"		141/2"		18"	65	59	57

Center Drawer

Casters



Woodgrained front panel to match your system: includes slides for mounting.

Item # Oak	Item # Walnut	Width		Size Depth	v	Height		Price each	
Oak	wainut	width	X	Depth	X	neight	1	3	6
7260-X	7261-X	141/2"		161/2"		2"	\$ 39	36	35

Set of four, two with brakes, includes adapters. Fits all tables except stand-up model (381/2" high)





Select Basic Tables in several sizes

If your investment starts with a single piece, it's starting well! Now or later, it's easy to accommodate spread-out work needs or tight space constraints with the width and height choices shown in the chart at left. Add wings and connectors and you can assemble clusters, straight runs. U and L shapes, and other creative configurations to match work flow, personnel and space needs.



Printer Stands in two sizes, two finishes

Printer stands continue uniform appearances with design and finish that match basic workstations. Two sizes 30 x 24 x $26\frac{1}{2}$ " and 36 x 30 x 26%" have top slot for paperfeed, and both accept casters for mobility. To complete this part of your system, add Paper Catchers to receive printout in a neat stack. A carton of input paper fits between catcher legs to minimize space requirements.



Storage modules, drawers, casters

Storage and electronics modules can be added to table sizes indicated in the chart at left. Storage unit has a compartmented rack insert that slides in vertically or horizontally or removes entirely. Electronics module has knockout holes for cable runs and shelf adjusts at three levels. Center drawer is smooth-running on slide mounts. For mobility, add casters. In a set of four, two have brakes.

Sound investment begins here with Devoke's new open-end Data Stations

Each piece is part of a system so flexible you'll benefit for years to come

Here's a system so complete that it offers practically every piece of furniture you'll ever need for workstations. Our Data Station system is open-ended in design so you can buy a few pieces now - then add on as your needs expand.

This is what we mean by flexibility: Pieces come in three heights - work table, keying and stand-up - to allow for different needs in the same work area. Even if every piece you select is different in size and height, you maintain a single matched look. And it's a top-of-the-line look - good solid furniture, eye-attractive and built to last.

Most work table and keying height pieces can be interconnected, regardless of varying widths and heights. Wings and connector modules mount left or right to give you what you need right now in your work areas. If your needs change next week, next month or next year, you can move and remount wings, add tables and accessories. So beyond the piece-by-piece value, the flexibility of this system pays off for years to come.

And there's more flexibility in the size range of Data Station furniture. The sit-down heights come in two depths, in five widths ranging from 30" to 72". These choices allow you to put together a uniform system of compatible pieces to handle the widest variety of tasks - in the same room, in the same department or throughout your organization. Even printer stands and paper catchers match other pieces.

Over the years you can make the moves to solve even unique problems of space and room configurations! A hodge-podge? Never! What you'll have is sound investment.



30" data stands. It provides within-reach storage for reference manuals - even bulky printout binders. And you can load up every inch of its no-sag, extra-strength span. There's a special channel welded beneath for maximum support - an unseen but important point.

Beyond that, the shelf serves as a horizontal joiner trestle, along with the modesty panel, to provide solid-as-a-rock stability to each assembled table. And assembly is easy. Just allow 10-20 minutes, depending on the Data Station you choose. A mediumsize regular and Phillips screwdriver are the only tools required.

Stand-up height of $38^{1}\!/\!\!z''$ gives you easy-to-see convenience for CRTs, microfilm readers and other references where walk-up access is important. The $29^{1}\!/\!\!^{2}$ height offers standard desk top elevation for sitdown while the 261/2" height is specifically designed

for CRTs so keyboards are at proper working height.

Comfort for every application! Select from 3 Heights:

381/2"

These heights are the recognized standards for convenient, comfortable floor-toworktop distances. All furniture pieces have four adjustable leveling glides to compensate for uneven floors. And level placement is important to minimize vibrations that can set off problems in sensitive equipment.

Data Station's cantilevered support design is contemporary and attractive. More important, it's functional. It permits freedom of movement from any position, yet provides a base that supports weight and stress without wobble or torque.

Woodgrained laminate tops are self-edged for solid, top-of-the-line appearance. They're a full 1" thick so there's no dishing, no disappointments over long use.

All-Steel Legs have woodgrain panel inserts for quality furniture look

Self-Edged Tops are a full 1" thick,

top-of-line look

dishing from

Never bowing or

equipment weight

have solid one-piece

Check these features:

You can see the good looks, but also check these quality construction/value

Never wobble or torque from cantilever design


10" Deep Shelves on tables are double supported No sagging! Hidden welded channel reinforces storage space







Choice of 2 color combinations:




And now, for the beauty of it all! Select Oak laminate finish, combined with Putty metal legs - or, Walnut laminate finish with Black metal legs. Either way, you'll bring nice aesthetics into your workplace.

DEVO (= DATA PRODUCTS

Devoke's new Wall-Mounted Workcenter extends, retracts, adjusts






Retracted, shelves extend only 161/2"



Keyboard shelf can be locked when extended



Slotted wall mounts adjust by 1" levels

What a wonderful way to save space! All working gear and accessories for your desktop computer fit into this compact Workcenter that projects only 16½" from the wall when not in use. Ready to work? Just roll out the keyboard shelf to any extension you'd like, up to 25". For more versatility, you can adjust shelf heights in 1" increments so both monitor and keyboard are set up for your comfort.

The basic Workcenter consists of two 60" heavy-duty steel wall standards with hardware for mounting to wood or hollow walls; two shelves that measure 36"W x 16"D x 1¼"H. Shelves are high pressure wood laminate with T-molding to protect edges. Both have steel mounting brackets that first latch, then lock, in place so they can't be jarred or bumped out of position in the uprights. The pullout keyboard shelf extends 9" on ball bearing glides and can be left free-moving or can be locked at any spot in its extension that you choose.

Next, just add accessories described below to complete your Workcenter. It's a great solution for tight quarters or where you don't want your computer to intrude into your main office area. (Specify Oak or Walnut)

Item #7050-X Wall-Mount Workcenter

\$195.00

Optional Accessories

Storage Cabinet has hideaway door with lock, 2 keys, 5 adjustable 6" vertical dividers. Heavy-gauge, 35-3/4"W x 15-3/4"H x 12-3/4"D with built-in mounting brackets. Color: Tan

Disk Drive Shelf holds two Apple drives or equivalent. Heavy-gauge steel, 12½"W x 9"D x 4"H. Fastens under monitor shelf. Color: Tan

Flat Shelf (not pictured) with built-in mounting brackets. Heavy gauge steel, 36"W x 10"D. Color: Tan

Keyboard Light Fluorescent 18"L with in-line Off/On switch; mounts with self-adhesive included. Color: White

Item #	Description	Price each
7051-X	Locking Storage Cabinet	\$165.00
7052-X	Disk Drive Shelf	16.50
7053-X	Flat Shelf 36" x 10"	18.00
3999-X	Fluorescent Keyboard Light	24.50

Desktop Space Makers put up-front space within easy reach



High-Rise Space Maker

Without encroaching on your desk surface, this spacemaker's top shelf divides into useful partitions by 1" increments. Three 7" and two 4" vertical dividers can be positioned as you wish. Vertical clearance from table top to shelf is 13" so you can use your micro or other equipment without interferance. Entire unit is made of heavy gauge steel. Just assemble and set down on work surfaces on mar-proof rubber feet. Unit helps suppress area noise, lends a touch of privacy.



Pigeon-Hole Space Maker

All those things you need around you work best when they're organized This space maker has a center shelf positioned 8" from the work surface and a top shelf that's 12" high. Vertical dividers adjust at 1" increments. Lowest shelf can be mounted left or right. The 47" model includes three 7" and five $2\frac{1}{2}$ " vertical dividers; one more of each divider comes with the 58" model. This all-metal desk topper sets up easily; 10" side wings are hinged to back panel and shelves easily click into mounting slots. Adds privacy, reduces area noise.

SPECIFY COLOR—Trim used on Black is Walnut Wood Grain. Overall dimensions are shown in tables.

Item #	Color	$W \times D \times H$	Weight	Ships	Price ea
		44¼" x 10" x 18"	33 lbs.	UPS	\$132.95
		44¼" x 10" x 18"	33 lbs.	UPS	147.50
		58¼" x 10" x 18"	39 lbs.	UPS	147.50
3721-X	Black w/trim	58¼" x 10" x 18"	39 lbs.	UPS	159.95

Item #	Color	$W \times D \times H$	Weight	Ships	Price ea
		47" x 10" x 18" 47" x 10" x 18"	49 lbs. 49 lbs.	UPS UPS	\$133.95 151.50
		58" x 10" x 18" 58" x 10" x 18"	60 lbs. 60 lbs.	Truck Truck	151.50 169.95

Great price/value Workstation with adjustable keyboard area


Go ahead — look at the prices first, if you'd like. Then, evaluate the features of this workstation in relation to its modest cost. It adds up to exceptional price/value!

Like the workstation above, this unit was designed to answer user needs for different degrees of adjustability. Here, the keyboard area can be positioned 2" lower than the work surface, and extended 2" forward of the work surface. It also can be tilted 10° forward. These adjustments accommodate operator differences in physical stature, visual acuity, focal range — even environmental conditions such as adverse lighting.

It's a pleasure to "detail" these workstations. Three widths are available, with keyboard area centered in the 36" wide model. Both the 48"

and 60" wide model. Both the 48" and 60" wide models are available with left or right keyboard areas to preserve maximum work areas.

Tops are wood composition, a full 1¼" thick, with high pressure plastic laminate finish. Corners are rounded. Edges are protected with vinyl T-molding. Legs are 3" x 1" 16 ga. steel, fully welded and ground smooth. Table top assembles with permanently installed threaded nutserts. Table height is 28½", with floor glides for leveling.



Specify color/finish: Oak w/Putty, as shown, or Walnut w/Black.

		Price e	acri
Item #	Description	1	3 & up
8225-X	36"W x 30"D, Centered Keyboard	176.00	165.00
8226-X	48"W x 30"D, Right Keyboard	197.00	185.00
8227-X	48"W x 30"D, Left Keyboard	197.00	185.00
8228-X	60"W x 30"D, Right Keyboard	213.00	199.00
8229-X	60"W x 30"D, Left Keyboard	213.00	199.00

New Workstation moves and tilts both keyboard and screen areas


No matter how many operators use it, you can expect a long, functional life from this new workstation. It adjusts three ways, in two areas. By simply turning knobs, it's easy to find the best comfort level for both keyboard and screen. Both areas extend and retract. Both move up or down. Both tilt forward-plus, the screen area also tilts backward. This flexibility in positioning the VDT helps dodge glare on the screen and provides positive adjustment to meet stature and visual needs of each operator.

These ergonomic values are backed by quality construction. Wood composition tops are 1½" thick, with high pressure plastic laminate finish, Edge protected by vinyl T-molding. Permanently installed threaded nutserts assure structural stability. Legs are 3" x 1" 16 ga. steel, fully welded. Overall workstation size is 36" W x 36" D. Optional working space wing is 12" W x 36" D, with full length piano hinge plus can be attached to left or right side of workstation. Wing can be lowered when not in use. Specify oak or walnut.

		Price each
Item #	Description	1 3 & up
8230-X	Adjustable Workstation	239.00 233.00
8231-X	Optional Space Wing	35.00 32.00







Keyboard area 24"W x 10"D







Workstation Chairs—Popular Choices


Now you can choose from three chairs well suited to your computer room environment – all three are comfortable, durable and good looking. CRT chair with Walnut finish wood arms has a back and seat that tilt together. CRT posture chair has a tilt back; and the regular CRT chair has an adjustable back. All swivel a full 360°. Chairs are upholstered in rich Brown vinyl with "breathable" fabric seat inserts. Sturdy base has heavy-duty rectangular legs wtih full circumference welding and non-corrosive casters that insure excellent chair mobility.

				Price each
Item#	Description	1	6	12
5440-X	CRT chair w/arms	\$138.00	134.00	126.00
5441-X	CRT posture chair	108.00	102.00	98.00
5442-X	Regular CRT chair	100.00	95.00	90.00

Totally Adjustable! Body Conscious™ chairs are ergonomically designed to take weariness out of your work days.

Seating comfort begins with people-sensitive design. These workstation chairs feature adjustments that literally let you personalize a chair to fit comfort and support needs of your body build and stature. And adjustments aren't just accomplished in standard notches and turns – each can be fine-tuned to fit the nuances and needs of your body. Not only are they thoughtfully designed – they're also quality built for exceptional value.





First, you can adjust seat height up or down, mechanically or pneumatically, depending on model selected. Next, you can control seat depth by how you position the upright backrest member. The height, angle and tilt of the backrest itself adjusts independently for firm support of lumbar and thoracic regions of the back. Contoured roll-off seat edge allows proper knee clearance, reduces thigh pressure, promotes unrestricted circulation to legs. The net result is reduced stress and fatique – and that's reflected in productivity.

If you select optional cantilevered arms, you'll find your chair can be pulled close to work surfaces without bumping. And there's great mobility from the hooded dual casters. Plus, you can be absolutely free-wheeling with the 5-point cast aluminum base that provides maximum stability and balance.



Item #7700-X has rotary control knob to adjust seat height. Item #7702-X has pneumatic seat control for one-hand, one-touch regulation of chair height while seated.



Upholstery is exceptionally durable, flame resistant 100% Nylon. Length of life tests more than double fabric industry standards. Seat edge plastic piping reduces wear also. Aluminum chair base is cast in one solid piece to last a lifetime.

Value Engineering

These chairs are so well engineered they disassemble into a compact package that we can ship to you via U.P.S. for faster service. On-site assembly is fast and positive – and another opportunity to see the built-in value.

Colors: Brown, Rust

Item#	Description	Price each
7700-X	CRT Chair, Manual lift	\$223.00
7701-X	CRT Chair, Pneumatic lift	261.00
7702-X	Optional Arms/CRT Chair	45.00









Body-Fit Chairs adjust 3 ways to fight fatigue

This workstation chair gives you a lot of human engineering for the price. Its range of adjustability means you can personalize the way it "sits" and the way it fits your body and your work environment. Seat height adjusts 17" to 22" from the floor with lever activated air lift. Backrest adjusts two ways with hand-turned knobs: up/down by 3½" and in/out by 4". Generous seat size of 17½" x 17½" has curvedover front to take pressure off legs and thighs and its thick molded foam interior is an effective cushion against that old tired feeling. The backrest measures 15½" x 11" for full support. Upholstery is tightly woven 100% Nylon--edge-protected by vinyl molding so bumps and scrapes don't show.

All this seating comfort sits atop a five star welded steel base, attractively chrome finished, with easily rolled casters. Ships unassembled via UPS. Easy to put together.

		Price	each
Colors: Bei	ge, Charcoal		
Item #	1	3 &	Up
7705-X	\$139.00	129	.00


Versatile, changeable Space Screens divide areas for privacy and productivity

Plan and organize, divide and modify the high cost of floor space with these attractive Space Screens. They're so versatile you can create offices, hide backroom clutter and bring quiet and privacy to busy, noisy areas. They're so easy to set up and so portable, they can be rearranged within minutes as needs change. And we've searched the market to bring you all this function at a very modest price.

First, we looked for quality plus attractive presence. The unseen interiors of these space dividers are a durable sandwich of polystyrene molded core, backed both sides with hardboard panels. On the exterior, tightly woven Nylon fabric, bonded to a polyfoam base, presents a soft, low nap without the shine or glisten typical of synthetics. And for more quality, note the four radius corners and neoprene cushion trim that runs the full circumference of the panels for long wear and resistance to impact.



Top quality radius corners are used on these moderate priced Space Screens.



Interior of panels layers polyfoam core between hardboard panels. Ex-terior Nylon fabric is bonded to polyfoam

Versatility adds value, too. Use one, or combine both panel sizes. The 60" x 72" panel can be mounted with either dimension upright to achieve divisions either 60" or 72" high. This panel weighs about 60 lbs. The 60" x 60" panel weighs around 50 lbs. so repositioning is a lightweight chore. Screens slip into and out of stabilizer bases for fast set-up or rearrangement. And that's an important part of the value story virtually unlimited flexibility in sectioning space, and as changeable as needs require.

Whether you have large open areas to be office landscaped, or simply have printers chattering away to distraction, the .55 Noise Reduction Coefficient of these panels will improve your working environment. Then, use the attractive colors to brighten and decorate the atmosphere. Mix or match!

Space Screens are a cost-efficient, convenient, durable and attractive way to maximize useable floor space with minimum investment.









Panels erect upright or lengthwise. Larger unit extends 72" up or across.



Item #8400-X

Item #8408-X

Item #8409-X

Item #8410-X

Item #8411-X

fan required.)

Item #8405-X





\$389.00

\$390.00

\$520.00

\$350.00

\$480.00

	Beige		Rust	Brown		
	Specify	Color		Pri	ce each	
	Item #	Size	1	2	4 & up	
	8815-X	60 x 60"	\$230.00	218.00	210.00	
•	8816-X	60 x 72"	265.00	250.00	240.00	

Qume RO (Receive only) with power pack (freestanding); CPT 8000; Phillips (Qume). (Ext. Dim.: 25%"W x 23%"D x 12"H.)

Qume 3, 5, 8 & 10, NEC 3500, 5500, and 7700

For above printers with sheetfeeders. (Ext.

Qume Sprint 7 & 9, DEC LA 34 & LQ PO2. (Ext.

For above printers with sheetfeeders. (Ext.

series. (Ext. Dim.: 311/2" W x 26" D x 16" H.)

Dim.: 31½"W x 26"D x 14"H.)

Dim.: 28"W x 24"D x 14"H.)

Dim.: 311/2" W x 26" D x 24" H.)

Acoustical Enclosures for Printers cut noise to boost productivity

Noise can make people irritable, interfere with concentration, and cause costly mistakes. So maybe you move your printer to another room — that's inconvenient. Or maybe you have to work with it in the same room — and either shut it off or try to talk above it when you talk to co-workers or on the phone — that's inefficient.

But now there's a solution — an Acoustical Enclosure from Devoke. They soak up noise so efficiently you'll be amazed. They also protect equipment from dust, dirt and accidental damage. They keep



Don't let the good looks fool you-these enclosures put a real damper on printer noise.

your printer accessible, too. Knobs and controls are easy to reach. The see-through acrylic tops raise and lower easily, or stay in any desired position in-between. Paper slots allow free flow of forms. And they're so handsomely designed they'll blend in with your original equipment. If you don't see your exact printer listed below, give us a call - we may have many more to

Centronics 700, 706, 707, 761 Series; Apple II. (Ext. Dim.: 28" W x 22" D x 16" H.)

Item #8404-X

DEC LA 36, DECWriter III, LA 120; Carterphone LA 36 (Ext. Dim.: 31"W x 271/2"D x 131/2"H. No fan required.)

Item #8403-X

\$370.00

Diablo RO (Receive only) Freestanding 1300 and 600 Series; Four Phase 8126 RO (Receive only); Sanders 3105; Xerox 1710 RO (Receive only). (Ext. Dim.: 261/8"W x 213/4"D x 161/8"H.)

Item #8402-X

\$359.00

\$400.00

Diablo KSR 1200, 1300, 1620, 2300, 1650, or any freestanding Diablo printer with keyboard. Also Xerox 1700 KSR with keyboard. (Unit includes platen knob extenders for paper adjustments with lid down.)

Item #8401-X

\$420.00

\$390.00 Wang 5541-W, 6581-W, Daisywheel. (Ext. Dim.:

31½"W x 24"D x 17"H.)

T.I. 810 (Ext. Dim.: 281/4" W x 233/4" D x 15" H. No

Item #8406-X

Wang 5541-W, 6581-W, with twin sheet feeder, Daisywheel. (Ext. Dim.: 311/2" W x 24" D 27" H.)

Item #8407-X \$560.00

DP Paper Caddy



Great utility! While this caddy doesn't have all the features of the one shown right, it will take the huff-and-puff out of handling computer paper. This caddy is made of 16 gauge steel, welded construction, with a 12" x 16" platform and 1½" corner walls. Handle/rod is 36" long, hooks into front of caddy for pull action. 2½" stem swivel casters make movement easy. Finish is tough epoxy, in Grey.

		Pri	ce each
Item #		1	2 & Up
2930-X	Caddy	\$41.00	40.00
2931-X	Pull Rod	9.50	9.00

The Transporter ™ makes light work out of heavy paper

Drawbar works on all four sides—easy to push, pull and turn in tight areas

Moving stacks of heavy printout paper is a tough chore, tough not only when you do it by hand, but also when you do it in a cart that's not really made for the task.

You'll move forms easily and quickly with Devoke's Transporter because it was designed with data room conditions in mind. Check these features:

- Durable 22-gauge steel construction. You'll probably never put more than a forty-five pound stack in the Transporter at one time, but no matter if you did. It's built to carry up to 4½ times the weight.
- Heavy-duty 2½" Shepard ball casters. Do printers and other standing equipment create tough corners for you to turn? No problem. The smooth swivel action of these casters will let you move easily around any roadblocks you might encounter. Do you move paper from a room with a tile floor to one that's carpeted? These casters will move with ease on any surface.
- A heavy gauge tubular steel drawbar. The unique 'sure grip' edge of this drawbar attaches easily and positively to any side of the Transporter. That makes any side the front, a feature you'll appreciate when confronted by the one-way streets that standing equipment can create. This drawbar pushes, pulls and turns with equal ease.

Do you need two or three Transporters for the same work area? One drawbar may be enough.

The Transporter has a durable, baked enamel finish that resists oxidation. The Transporter itself is Beige, the drawbar Black. Inside dimensions: 15%" x 12%" x 3%".



Big, easy-going Shepard ball casters, plus push-pull drawbar make the Transporter exceptionally maneuverable when fully loaded.

Price each

Item #				
5431-X	Transporter	\$69.95		
5432-X	Drawbar	17.95		

Printer Forms Cart

Feed, catch and store forms at your printer



Accessorize as you wish—the basic cart holds a full carton of the widest forms on the bottom shelf. Add a paper guide so output paper flows flawlessly onto the top shelf. Then, for word processing, microcomputers or anywhere frequent paper changes occur, add two auxiliary shelves to hold smaller forms. Overall cart size is 25"W x 14½"D x 20"H. Add-on shelves each measure 10½W x 7¾"H. Space between auxiliary and bottom shelves is 6½". Cart is heavy gauge steel, finish in Grey enamel. Rolls to work on 2" stem swivel casters. Handy pull rod (shown on Page 13) makes mobility easier.

energin and i Ga day includes including acceptant		Price each	
Item #	Description	1	2 & Up
2804-X	Basic Chart	\$89.50	87.00
2805-X	Paper Guide	19.00	18.00
2806-X	Pair of Add-On Shelves	33.00	32.00
2931-X	Pull Rod	9.50	9.00

Mobile Forms Rack

Rugged workhorse eases paper handling



Here's the best way we've found to handle paper feeding and catching hassles at your printer. Compact forms rack holds feed paper on lower shelf, and output paper on top shelf. A cleverly designed paper guide assures smooth stacking of output printout and also serves as a convenient handle for portability. So you get two products for one-a forms rack and a paper dolly! Rack is heavy gauge chromeplated wire with locking casters. Streamline your computer room—order several!

		Pric	Price each	
Item #	Description	1	4+	
5449-X	Moblile Forms Rack	\$79.00	75.00	

Dimensions: 18"W x 291/2"D. Distance between shelves is 123/4".

Universal Printer Stand Doubles As Mobile Workstation

Check out these options



Worksurface Shelf Adds workspace to either side of



Modem Tray Puts modem in the most convenient location



3-Plug **Power Strips** Features selfadhesive mounting, on-off switch power on light and circuit breaker protection



Paper Catch Refolds continuous forms neatly

Not only does this heavy-duty stand provide bolt-on security for your printer, but by adding optional accessories featured at left, you can build a complete functional workstation! First we start with a stand similar to our Universal Stand (shown below), but we make it even more rugged. Extra heavy 16 gauge tubular steel is used in making the chasis. A steel base shelf is added for lateral support and also serves as a forms rack to hold feed paper. Extra deep (23") pedestal "T" legs are gravity centered for maximum stability. Precision drilled mounting plates are permanently welded on top of legs to provide bolt-on security for all printers listed below under our Universal Printer Stand.

Complete your printer stand with the following accessories: Worksurface side shelf adds valuable workspace to either side of stand. Slips into receiving channel on chasis. Textured walnut plastic top is 16" W x 18" D. Modem tray is a 10" W x 14" D steel shelf with 1/2" side rails to hold modems securely. Paper catch neatly stacks and refolds continuous forms. Adjusts up and down in 1" increments. Power strips reduce cable clutter and protect equipment with circuit breaker.

Or convert your printer stand into a terminal workstation, that can accommodate all the above accessories, by adding 223/4" W x 22" D Terminal Table Top.

Stand with casters is 26" high, ideal for accurate keving Price each

		Г	nce each
Item #	Description	1	6
8250-X	Deluxe Printer Stand	\$145.00	135.00
8251-X	Worksurface shelf	35.00	33.00
8252-X	Modem Tray	25.00	23.50
8253-X	Paper Catch	30.00	28.50
6255-X	Power Strip	21.95	20.50
8254-X	Terminal Top	39.95	37.50



Universal Printer Stand

Maximum structural support, bolt-on security

Proper balance, support, and paper feeding of your printer is prerequisite for top printer performance. Our new printer stands provide not only maximum structural support with bolt-on stability, but smooth paper feed via a built-in paper basket. Basket is made of heavy gauge welded wire to hold a full box of paper weighing up to 60 lbs. In addition to improved printer performance, your computer room will look cleaner, more professional. Shipped knocked down to save freight. Assembly takes only 10 minutes and a standard screwdriver. Printer bolts directly to stand through pre-drilled holes in frame. Dimensions: 24" H x 24"W x 25" D.

FITS ALL THESE PRINTERS: Anadex 9500 and 9501, Centronics 700 series, DEC LA34, Diablo 1600 and 2300 series, LA Decwriter 34, Lear Siegler 300, NEC Spinwriter, Okidata Slimline, and T.I. 810 and 820.

			P	rice each
Item #	Description	1	6	12
5445-X	Universal Printer Stand	\$135.00	129.00	125.00

Front to back measurement of top is 161/2" For added mobility order casters. Item #7316-X on page 8 of this catalog.





VERSI-TABLE™ from Devoke:

It can fit virtually any line printer made!

Tired of looking for the right stand for your line printers? End your search here! Not only will Versi-Table handle traditional rear feed printers, but its top has a 51/4" x 153/4" x 3/4 opening to accommodate bottomfeeders as well

And that's not the end of Versi-Table's features. Tubular steel construction is made to hold 400 pounds, eight times the weight of most line printers. Finished in a handsome walnut wood grain, it comes with or without a paper catcher basket. Generous 17" x 19" basket is con-

structed of sturdy, heavy gauge steel wire to easily hold a whole carton of printout. Leveling glides are standard, casters may be added. Dimensions: 24"W x 24"D x 261/2"H.

And the next big plus is that Versi-Table's price actually beats the competition. Order today — they're in stock, ready to ship!

		Price each		
Item #	Description	1	6	
5443-X	Versi-Table w/o basket	\$125.00	122.00	
5444-X	Versi-Table w/basket	152.00	148.00	

For added versatility, order casters, Item #7316-X on page 8 of this catalog.




Diagram of top showing location of cutout.




Here's how unique design protects your media

Suspended pockets with a built-in cushion keep floppy disks flat – free of stress and pressure. It's a great idea used in the Album and Stands shown here.

A flared crimp pattern in each pocket creates a cushion that functions as a "stand-off" between floppies — whether the filing unit is open or closed, underloaded or filled to capacity. Two inverted tabs exert just enough tension for positive hold, but not enough to create stress. Mounting axles turn without resistance so there's no possibility of stress in use.

Pockets are strong PVC plastic – the material with a memory so the cushion protection that's designed in stays in.

Albums in two sizes for floppies and minifloppies




Protective pockets prevent disk damage

Cushioned pockets, described at left, are assembled in rigid vinyl album covers with snap closure. Axles "float" with spine movement to prevent stress. There's a clear pocket on outside backbone of the album for

indexing contents. Index area also runs full length of each pocket page. Inserts for indexes are included. Cover is Black, pockets are Blue.


Item #	Description	Dimensions (W \times H \times D) Price
5322-X	20 Capacity Floppy Album	9½ x 9 x 4"	\$57.00
5329-X	10 Capacity Floppy Album	9½ x 9 x 2"	41.00
5767-X	20 Capacity Mini-floppy Album	6½ x 6 x 4"	42.00



Fast access! Pockets are axle mounted in a stand that rotates smoothly on ball bearings. Insertable indexes run full length of pockets so your flexible disks are easy to identify. Ideal when you need high capacity storage within reach. Choose from two sizes to fit your needs. Item #5320-X comes with 5 indexes, holds 100 floppies. Item #5321-X comes with 10 indexes, holds 200 floppies.

Item #	Description	Price each
5320-X	Single stand—100 capacity	\$358.00
5321-X	Double stand—200 capacity	592.00





Desk Stands fan out for easy access to floppies and close down for compact desktop storage

Cushioned pockets are axle mounted to a compact desk stand for a highly functional Floppy Disk File. Full length colored indexing strips at the outside edge of each pocket give you instant reference. When not in use, outer legs of the stand swing in, draw the file to a compact 4½" width when closed. File is

about 10" H, 20" W when open. Frame holds 20 pockets for 20 diskettes. Stand is Black, pockets are Blue. Stand also may be wall mounted; screws are included. Convenient to use for the years of service you can expect from this top quality file.

Item # 5323-X \$84.00

Total Versatility! A floppy filing system that grows as your needs grow

FLEXIBLE DISKS

FLEXIBLE DISKS

Carriers go in file drawers, binders and cases


When you need an open end retention system that can grow as your needs grow, it's hard to beat standard file drawers. That's why we developed the Floppy and Minifloppy File Carriers. The Floppy File Carrier snugly holds a diskette in one pocket, a reference index in the

other. The Minifloppy File Carrier holds two minifloppies in individual pockets, with corresponding indexes in separate pockets. File Carriers have .015 rigid vinyl backs in Beige and clear vinyl fronts. Index cards and tab labels are included to clearly identify


Workbook Portability, Bookshelf Organization: And we solved the problem of portability to work stations by three hole punching file carriers for use in our oversized 3-ring Floppy File Binders. Binders include distinctive white floppy disk identification on spine and a magnetic exposure warning on the front cover. With the included spine label holder, bookshelf organization is simplified and contents can be identified at a glance. Each binder comfortably holds 10 File Carriers, plus you can file related hard copy right in the binder with your media. Binder is Navy Blue, has 1" capacity, and is made of heavy gauge Polyoak – a rugged, long-life plastic. Cover size is 121/2" x 11". Or order our deluxe file carriers with a full-size pocket on back for hard copy.

File Case portability: When you need portability for more flexible disks than binders can handle, our Floppy File Cases fit the bill. Sized just right for over 100 File Carriers, capacity is 100 floppies or 200 minifloppies. A recessed handle makes it easy to carry and 2 adjustable file dividers keep contents well balanced. Construction is aluminum reinforced ABS plastic, the football helmet material that won't rust, chip, dent, peel or scratch. Color is black and overall size is 13½" W x 11" H

Whether you fill a drawer, a file cabinet, a binder or a carrying case, File Carriers offer a universally accepted file format and are a practical mode for a long-range flexible disk filing system.



File hardcopy right along with your floppies by ordering our Deluxe File Carriers with back pockets (Item #'s 5006-X & 5008-X.)



File Carriers are sized to fit standard file drawers for convenience, accessibility, economy and versatility.



File Cases provide both portability and lockable security for over 100 floppies or 200 minifloppies. Rugged case will last for years.



File Binders let you turn any shelf or table top into a data library. Bold white let-tering and spine index cards clearly identify con-

File Carriers

				P	rice each
Item#		20	50	100	250
5001-X	Floppy Carrier	\$1.53	1.45	1.33	1.27
5006-X	Above w/back pocket	1.85	1.77	1.65	1.59
5007-X	Minifloppy Carrier	1.59	1.51	1.39	1.33
5008-X	Above w/back pocket	1.92	1.84	1.72	1.66

File Binders & Cases					Price each	
Item#		1	5	10	25	
9037-X	File Binder	\$ 6.50	6.20	6.10	5.95	
5301-X	File Case	38.50	36.25	34.75	33.50	

Starter Sets

Order a Starter Set - it's an easy way to get acquainted with the versatility and portability of File Carriers, Binders and Cases.

For Floppies

Item#	Set Includes	Price each
5010-X	1 #9037-X Binder, 10 #5001-X Carriers	\$ 21.95
5025-X	1 #5301-X File Case, 25 #5001-X Carriers	68.50
5050-X	1 #5301-X File Case, 50 #5001-X Carriers	98.50

For Mini-Floppies

Item #	Set Includes	Price each
5026-X	1 #9037-X Binder, 10 #5007-X Carriers	\$ 21.50
5027-X	1 #5301-X File Case, 25 #5007-X Carriers	69.50
5028-X	1 #5301-X File Case, 50 #5007-X Carriers	101.50

DATA PRODUCTS

Hanging Floppy Pockets

For a versatile filing system





Build a floppy storage system that meets your needs. These transparent pockets are welded to strong clear plastic hangers – fit any letter size file drawer equipped with a suspension frame. Or, take them with you in a case, as shown below. Each pocket holds one diskette and reference material and comes with a full width insertable index strip. Start your storage system now, add on later!

			Price each
Item#	20	40	100
5768-X	\$2.40	2.20	2.10



Portable Floppy Case Locks out contaminants

We've added this portable file case with side suspension rails to handle the vinyl floppy pockets shown above. Case is made of ABS, the football helmet material, so you know it can take heavy use and still keep its good looks. Handle is recessed in cover. Case locks; 2 keys included. Overall size is 13½" W x 11" H x 9½" D. It will hold up to 50 vinyl-pocketed disks.

Color: Bla	ick		Price eacl	
Item#	1	2	4 & up	
2200-X	\$48.50	47.50	46.50	

Floppy Flip Sort for attractive desktop storage

Protect floppies from dust and other contaminants

Ideal! Finally you can have what you've been looking for in desktop floppy storage – easy filing, easy retrieval. Flip the lid up – access up to 50 diskettes. Flip the lid down – you have dust-tight storage. There's a handy five tab set of index dividers and the tabs can be set where you need them for speedy identification of your disks.

Flip Sort is made of durable acrylic, in transparent Smoke color, so it makes a great looking desk accessory. For mobility, the flipup lid doubles as a carrying handle.

		Pri	ce each
Item #	Description	1	4 & up
5436-X	Floppy Flip Sort	\$39.50	36.00
5437-X	Minifloppy Flip Sort	33.50	30.00




Are you sending your floppies into early retirement?

No need to. With Devoke's Disk-Pro-Tek® you can nearly triple the useful life of your floppies and minifloppies.



Devoke's Disk-Pro-Tek can triple the life of your floppies for less than 25¢ per application.



Dimpling, coating removal, permanent distortion – these are the damages caused when a disk has a weak or torn spindle hold or when it's improperly positioned on the spindle. You can prevent damage and data loss by strengthening each floppy with Devoke's Disk-Pro-Tek.

Disk-Pro-Tek is a 6 mil Mylar O-ring that you apply to your new diskettes. The result: spindle holes with ten times their original factory strength.

Disk-Pro-Tek kit includes: precision applicator tool for use with both 8'' and $5^{1/4}''$ disks; 20 reinforcing rings for both sizes of disks; complete instructions.

Item #5423-X Complete Kit #5429-X Additional rings Pkg. of 20 each \$14.95 each

Pkg. of 20 each of both sizes

4.50 each



DiskBank Boxes

Dust-free boxes hold ten diskettes in a slide-out drawer that pivots on a hinge. When opened, a retaining gate automatically tips forward so media is easy to file or retrieve.

Boxes have nesting tracks that interlock one to another to build stable, stackable rows of storage in small space. They stack horizontally or vertically – the retaining gate can be repositioned to match the direction of filing. Boxes easily fit into file drawers if you wish and they make great carry-along containers when you travel. Two sizes; color is Beige.

Item#		1	3	6	12
7913-X	Floppy	\$10.95	9.50	8.50	8.00
7914-X	Minifloppy	9.50	7.95	7.25	6.75

Floppy and Minifloppy Holders are 3-hole punched for storage in binders



Build a practical and economical library with these vinyl diskette pages and Devoke's oversize binders made especially for floppy





Floppy page (#5308-X) is pocketed on both sides to hold two disks. A separate pocket holds index cards that are included.

Minifloppy page (#5070-X) houses two disks and included index cards on one side.

Both pages are 9" x 111/4" and are 3-hole punched for storage in binders.

Special binders are 121/2" x 11" and have distinctive white floppy disk identification on the spine and a caution (as shown) on the

FLEXIBLE DISKS CAUTION: Do not expose to magnetic field

front cover to protect your media. Start a library that will grow as your needs grow!

Diskette Pages			Price each
Item#	50	100	250
5308-X	\$.89	.85	.82
5070-X	.87	.83	.80
Binders		Price each	
Item#	1	5 10	
9037-X	\$6.50	6.20	6.10

Library Cases for floppies and minifloppies



Open these file cases and an easel swings forward to position 10 floppies within easy reach. Two flexible front tabs hold diskettes upright, ready for selection. To close the file, just open the cover wider and the easel swings back into boxed position. Click! You get positive closure and you lock out dust, condensation and moisture.

Cases are made of rigid long-life plastic; spine labels for indexing are included. Order

#5303-X for 8" floppies or #5300-X for minifloppies. Capacity per case in both sizes is 10 diskettes. You can actually house 100 floppies in less than 19" of shelf space!

Color: Bei	ge		Price each	
Item#	4	8	12 & up	
5303-X	\$4.85	4.35	3.95	
5300-X	3.85	3.35	2.95	

V-File holds 20 Minidisks



Press the raised thumb-notch marks and an inside tray swings out of these storage boxes to form an open V. You get fast access to twenty 51/4" disks because this fan-out display makes selection easy. You get more help from the five tabbed dividers, included. Neat, compact boxes are easy to carry about, easy to store, and provide certain protection from dust, dirt and spills when not in use. Attractive Beige/Brown plastic. Overall size of each box is 61/4"H x 21/2"W x 61/2"D.

		Pri	ce each
Item #	2	6	12&Up
7319-X	\$10.95	10.50	9.95

Verbatim Head Cleaning kit keeps your floppy drive operating at peak performance

Easy! Just put the presaturated cleaning disk into the special jacket and turn on the system. In less than 60 seconds the drive heads are clean. Available for floppies and minifloppies, each kit contains a special reusable disk jacket, and two individually wrapped presaturated cleaning disks.

Because the disks are presaturated and individually wrapped in foil pouches, there's no guesswork about how much cleaning solution to use - too much or too little can be bad for your heads. And, because you use a new disk for each cleaning there's no chance of contaminating your heads with debris from a previous cleaning.


No clean-up either. Just put the disk back in its foil wrapper and throw it away. Additional cleaning disks are available in packages of 10. Dollar for dollar you won't find a better head cleaning system.

Kits

Item#	Description	Price each
5556-X	For floppies	\$12.50
5557-X	For minifloppies	12.50

Additional cleaning disks

Item #	Description Price each	
5558-X	For floppies — Pkg/10	\$20.00
5559-X	For minifloppies — Pkg/10	20.00







Flexible Disc Selection Guide
For pricing see schedule at bottom page to right.

		Verbatim	Memorex
Manufacturer	Model	Devoke #	Devoke #
A.B. Dick	Magna SL, II	5579-X	5671-X
Advanced Electronic Design	2500, 8000 3100, 3100LP	5580-X 5566-X	5670-X 5664-X
Alpha Micro	AM 200 AM-1010, 1011	5566-X 5584-X	5664-X 5674-X
Altos Computer	ASC-80001S	5566-X	5664-X
Systems	ACS-80002S, 5 ACS-80002D, 5D	5562-X 5584-X	5669-X 5674-X
Anderson Jacobson	AJ1500	5562-X	5669-X
Baron Data Sys	Satellite 1000	5566-X	5664-X
BASF	6100, 6103	5566-X	5664-X
Bell Systems CDC	Comm Stor II (Sykes) 421-60	5566-X	5664-X
Charles River	FD-11, MF-11	5566-X	5664-X
Data Systems	FD-211, MF-211	5562-X	5669-X
Compucorp	491, 492	5579-X	5671-X
Comugraphics	7500, MDT-35, 7700, Edit Writer Advantage	5579-X 5566-X	5671-X 5664-X
O-t-10.1	MCS-8400	5562-X	5669-X
Control Data Corporation	9400 9404	5566-X 5562-X	5664-X 5669-X
Pata Canaval	9406	5584-X	5674-X
Data General	Nova, CS-20, CS-40, Eclipse, 6030 6031, 6038, 6103 A/B	5579-X	5671-X
	6097A, 6093, 6096, 6098, 6099, 6039 6100, 6101, 6102, 6103, 6104, 6105,		
	CS-10-30-50-60, Eclipse MV3000	5584-X	5674-X
Datapoint	1100, 1130, 1150, 1160, 1500, 2200 5500, 6600, 1170	5566-X	5664-X
	1800	5562-X	5669-X
Delta Data Systems	4700, 6500, 4000, 5000, 7000/7008 Z-80	5566-X 5562-X	5664-X 5669-X
Digital (DEC)	MINC, Classic, RX02, MS-800,		
	RX8, RX11, Datasystem 310, PDP-11V03, PDT 11/50, RX01,		
	WS Series, 200, Decmate, Decwriter	5566-X	5664-X
Dynabyte	DB 8/4	5566-X	5664-X
	DB-81, 5600 5300, 5400	5584-X 5562-X	5674-X 5669-X
EMI	Cat Scanner	5566-X	5664-X
	Rad 8 Mod 10-05	5580-X 5584-X	5670-X 5674-X
Entrex	600/30	5579-X	5671-X
Fairchild	Microflame	5566-X	5669-X
Four Phase	IV/40, IV/70, 4140, 850	5566-X	5664-X
Harris Heathkit	Slash 4, 5, 7 H-11, WH-27	5566-X	5664-X
	H-47	5584-X	
Hewlett-Packard	250, 1000, 3060A, 5427A, 8986A 9825, 9830A, 9845, 9885, 9886		Name of the last
	9896	5562-X	5669-X
Hitachi	3000 Series 33, 125, 9895A FDD-201	5584-X 5566-X	5674-X 5664-X
Honeywell	6140, 6150, VIP 7500, 7700,		
All Francisco	700, 60 Series, Level 6 Dr 9101/ 9102	5566-X	5664-X
IBM	Sys 32, 3730, 3737, 3740, 3741	3000 X	3004-X
	Sys 3 MdI 8, 3742, 3776, 4964	5566-X	5664-X
Incoterm	PDS-4 D-250	5566-X 5580-X	5664-X 5670-X
Incoterm	D-252, D-251	5566-X	5664-X
Intel	7400	5562-X	ECCA V
Intel Intelligent	MDS, Intellec 888, Series II 8070 Series I, 8354, 8354H,	5562-X	5664-X
Systems	8353, 8353H	5584-X	5674-X
Intertec Data Sys	System 10	5566-X	5664-X
Jacquard	J100, J500	5566-X	5664-X
Lear Siegler	VDP-1000	5579-X 5584-X	5671-X 5674-X
Lear Siegler Linolex (3M)	3000, 4000, 4500, 5000	5566-X	5664-X
Megadata	SIR-100, P1001FD, MACS-8000	5566-X	5664-X
Memorex	651	5580-X	5670-X
	652, 655, 550	5566-X	5664-X

Manufacturer	Model	Verbatim Devoke #	Memorex Devoke #
Merganthaler Linotype	Linotext S2, VIP Alpha	5579-X 5566-X	5671-X 5664-X
MFE	700/750	5584-X	5674-X
Mohawk Data Sci	Series 21	5566-X	5664-X
Motorola	EXOR Disk, EXOR II	5566-X	5664-X
National Semiconductor		100000	ceen V
NCR	Starplex System II Century 101 & 161, 7520, 7616,	5562-X	5669-X
Nippon (NEC)	7642, 7644 NEAC 100E/100F, VPD 372	5566-X 5566-X	5664-X
	Astra 210, 230, 250, 270	5584-X	5674-X
Nixdorf	8815, 8830, 8840, 8865, 8870 8820, Entrex 600 Series	5579-X	5671-X
Northstar	System 420	5587-X	
Ohio Scientific	C3-51, C3B, C2N C3A C3A 2+2	5566-X 5562-X 5584-X	5664-X 5669-X 5674-X
Olivetti	B603, A-6, A-7, TC 800, DE 525, P 60/60, BCS 3030 A-5	5566-X 5580-X	5664-X 5670-X
Per Sei Inc	TEX 621	5587-X	
Per Sci Inc	75, 270 699	5566-X 5584-X	5664-X 5674-X
Pertec	FD 400, FD 500, 510, 3712, FD 650, MITS 300/25, Fortron 80 511, 514, 3812, PCC 2000	5566-X 5562-X	5664-X 5669-X
Phillips	SB 5000 BC, 3431, WB 5000, WB 5000 B/C, P-820, PTS 6000 3200	5566-X 5584-X	5671-X 5674-X
Prime Computer	4166	5566-X	5664-X
Qume	Data Trak 8	5584-X	5674-X
Radio Shack	Model II, Model 16	5562-X	5669-X
Remex	RFS 1210, 1200 & 1220, RCD, RFD 7400 & 1000, 11/11, 11/12 RFD 1000 A 4800	5566-X 5584-X 5587-X	5664-X 5674-X
Sanyo	NBC 3000	5584-X	5674-X
Scientific Micro Sys	FD 0222D FDO 0300	5562-X 5566-X	5569-X 5664-X
01	FD 1227	5584-X	5674-X
Sharp	2600, BA 2700	5566-X	5664-X
Shugart	800, 900 801, 901 850, 860	5566-X 5579-X 5584-X	5664-X 5671-X 5674-X
Siemens	Transdat 920	5566-X	5664-X
Smoke Signal	LFD, DFD682, Chieftain II,	3300-X	3004-X
Broadcasting	LFD-1, LFD-2, DFD-2 812, 9812	5566-X 5562-X	5664-X 5669-X
Sperry Univac	UTS 700-400, BC/7. UPS 2000 9060, 90/30 Sys (8413), 8406	5562-X 5566-X	5569-X 5664-X
Sycor	145, 250, 350, 340, 404, 410 440, 450	5566-X	5664-X
Sykes	7000, Comm-Stor 9000	5566-X 5587-X	5664-X 5669-X
TAB Products	700, 701, 702	5566-X	5664-X
Techtran	9512 Micro Disc	5566-X	5664-X
Tektronix	4081, 8002 4907 8507	5579-X 5587-X	5671-X
Texas Instruments	FS990, 770, 1100 DS990, ST100	5584-X 5566-X 5584-X	5674-X 5664-X 5674-X
Vector Graphics	Dual Star	5566-X	5664-X
Vydec	1200, 1146, 1400, 1800, 4400	5580-X	5670-X
Wang	640, 740, 2240 WSC/5, 10, 10A, 20, 25 & 30, 2270, 2200, MPV, VS & T, 5505, 5511, 5520, 5541, 6581, OIS-100, 140, 1, 2, 3, 125 & 145,	5580-X	5670-X
	Alliance 015250 2200 LVP	5579-X 5584-X	5672-X 5674-X
Wordplex	WP 1 & 2	5566-X	5664-X
Xerox	820, 850, 860 145, 1350	5566-X 5584-X	5664-X 5674-X
Zilog	Z-280, MC21/05, 20, 30 & 25 PDS-8000, ZDS-140	5579-X	5671-X

If you don't see your system listed above please call us at (408) 980-1360 so that we may determine the proper diskette for your drive.

The choice is yours ... Verbatim's new Datalife, for the performance of a lifetime; or Memorex at considerable savings!



Verbatim's new Datalife diskette features innovative data shielding improvement for a longer lifetime of trouble-free data recording, storage and retrieval than ever before possible! Here's why:

A longer lasting lubricant that's more resistant to diffusion. Because the lubricant stays in longer your valuable data will too.

An improved liner to clean and remove debris from the disk better than ever before. That means more surface durability—more resistance to wear!

A thicker, more durable coating, thicker by a critical number of microinches. This provides even more of the superior Verbatim lubricant and an optimized signal resolution.

An advance in polishing technique makes Verbatim diskettes more uniformly smooth for better data transfer, less head abrasion.

Testing standards that go far beyond the industry standard—every disk meets or exceeds the most demanding of IBM, Shugart, ANSI and ECMA standards. And, of course, each diskette is certified 100% error free.

Try Verbatim today—for the performance of a lifetime.

We are happy to offer both the Verbatim and Memorex brands of quality flexible disks. Whichever you choose, you can be sure you're getting a premium product designed and manufactured to deliver years of reliable performance.


Flexible Disk Guarantee

All Memorex flexible disks from Devoke are guaranteed to read and write 100% error free for one year from date of shipment.

All Verbatim flexible disks from Devoke are guaranteed to read and write 100% error free for five years from date of

If you should ever receive a defective disk, please notify Devoke, return the product, and we'll replace it at no charge. Sorry we cannot assume responsibility for damage due to accident, abuse or mishandling.

Construction of the Flexible Disk





Save now! Take advantage of our low, low prices on quality Memorex flexible disks. Here's what you buy every time you buy Memorex:

Quality. Quality that starts with a carefully formulated proprietary magnetic coating on a strong sheet of polyester base film. These proprietary ingredients assure maximum durability and signal output. Then the disks are precision punched and polished to an ultrasmooth surface for optimal performance. A protective jacket with a very effective "cleaning liner" keeps the disk safe and clean for millions of passes.

100% Error Free Certification. Every track of every Memorex flexible disk is individually tested to meet or exceed certification standards. That means you'll be getting quality media performance first time, every time.

Full Year Guarantee. Every Memorex flexible disk is guaranteed for a full year against defects in material and workmanship, as outlined to the left.

Packaging. Attractive boxes not only provide excellent protection for your disks, but also serve as a suitable mode for storage and filing. Stock up today—Memorex quality at these savings is a value that's hard to find!

Flexible Disk Description & Pricing Schedule —for system compatibility check guide on facing page

Verbatim

Datalife "for the performance of a lifetime"



Devoke Item #	Verbatim Part #	Product Description	10-20	30-50	60-90	100-240
5563-X	FD34-9000	Single Side/Single Density, 26 Sector 128 B/S	4.50	4.15	3.85	3.50
5566-X	FD34-9000	Single Side/Single Density, DEC Initialized	4.70	4.35	4.00	3.65
5562-X	FD34-8000	Single Side/Double Density, 32 Sector 256 B/S	4.90	4.55	4.20	3.80
5579-X	FD32-9000	Single Side/Single Density, 32 Sector Holes + 1 index	5.10	4.75	4.35	3.95
5587-X	FD32-8000	Single Side/Double Density, 32 Sector Holes + 1 index	5.50	5.10	4.70	4.25
5580-X	FD65-9000	Single Side/Single Density, 32 Sector Holes + 1 index	4.90	4.55	4.20	3.80
5584-X	DD34-4001	Double Side/Double Density, Soft Sector Uninitialized	6.10	5.65	5.20	4.70

Price each

Price each

MEMOREX

Memory Excellence Check these low, low prices!

San				7-17-17-17		ice eaci
Devoke Item #	Verbatim Part #	Product Description	10-20	30-50	60-90	100-240
5664-X	3062	Single Side/Single Density, 26 Sector 128 B/S	3.35	3.05	2.85	2.70
5665-X	3104	Double Side/Double Density, IBM equiv. #1669045	5.45	5.00	4.70	4.40
5669-X	3090	Single Side/Double Density, soft sector	4.35	4.00	3.75	3.50
5670-X	2003	Single Side/Single Density, Memorex format	5.20	4.75	4.45	4.20
5671-X	3015	Single Side/Single Density, 32 Hard Sector, Shugart comp.	3.35	3.05	2.85	2.70
5672-X	3087	Single Side/Single Density, 32 Hard Sector, Wang comp.	4.10	3.75	3.50	3.15
5674-X	3102	Double Side/Density, Soft Sector, Unformatted	5.10	4.65	4.35	4.10



Choose from Verbatim Datalife or Memorex Minidisks

Both are certified 100% error-free, both have longer-life hub rings



Five year guarantee: Verbatim's Datalife minidisks top the quality scale. Now better than ever with extensive dateshielding improvements, more durable coating, longer lasting lubricant, upgrated liner--quality features that boost media performance. With 5 years of satisfaction guaranteed!

One year guarantee: Check our low prices and you'll know Memorex Minidisks offer you excellent value. Each is manufactured to meet strict quality standards and passes through testing at every step in the manufacturing process. Cost-efficient media from a name you know and a guarantee you can count on.



Verbati	m Datalife Minidisks			Pri	ce each
Item #	Description	10-20	30-50	60-90	100-240
5590-X	Sgl Side, Dbl Dens, Soft Sect	3.80	3.45	3.20	2.95
5591-X	Sgl Side, Dbl Dens, 10 Sect	3.80	3.45	3.20	2.95
5592-X	Sgl Side, Dbl Dens, 16 Sect	3.80	3.45	3.20	2.95
5593-X	Dbl Side, Dbl Dens, Soft Sect	5.20	4.75	4.35	4.00
5600-X	Dbl Side, Dbl Dens, 10 Sect	5.20	4.75	4.35	4.00
5601-X	Dbl Side, Dbl Dens, 16 Sect	5.20	4.75	4.35	4.00
5602-X	Sgl Side, Dbl Dens, Soft Sect	5.00	4.55	4.20	3.85
5605-X	Dbl Side, Dbl Dens, Soft Sect	6.60	6.00	5.50	5.10

Memorex Minidisks Price eac							
Item #	Description	10-20	30-50	60-90	100-240		
5667-X	Sgl Side, Sgl Dens, Soft Sect	3.50	3.20	3.05	2.85		
5668-X	Sgl Side, Sgl Dens, 10 Sect	3.50	3.20	3.05	2.85		
5673-X	Sgl Side, Sgl Dens, 16 Sect	3.50	3.20	3.05	2.85		
5675-X	Dbl Side, Dbl Dens, Soft Sect	4.60	4.25	4.00	3.75		
5676-X	Dbl Side, Dbl Dens, 10 Sect	4.60	4.25	4.00	3.75		
5677-X	Dbl Side, Dbl Dens, 16 Sect	5.20	4.75	4.45	4.20		
5678-X	Sgl Side, Dbl Dens, Soft Sect	4.60	4.25	4.00	3.75		
5679-X	Dbl Side, Dbl Dens, Soft Sect	6.30	5.75	5.40	5.00		

Minidisk Selection Guide

Manufacturer	Model	Devoke Verbatim #	Devoke Memorex #
ADDS	System 25, Multivision 1, 2 & 3	5593-X	5675-X
Altos	5-5D	5605-X	5679-X
Apple	II, II Plus	(a) (c)	5667-X 5667-X
Archive	Model II, III	5605-X 5605-X	5678-X 5679-X
Atari	400, 810, 815 800	5590-X 5590-X	5667-X 5675-X
Basic Four		5601-X	5677-X
Billings Comp	BC-12FD	5593-X	5675-X
Commodore	2040 Pet 3040, 4040 CBM 8032, 8050 VIC 20	5593-X 5590-X 5602-X 5605-X	5677-X 5673-X 5678-X 5678-X
Compucorp	655 Omega 20	5592-X	5675-X
Compugraphic	MDT 401/402, 225 & 350, 8600	5590-X	5667-X
Cromemco	Z2D Z2H	5590-X 5593-X	5667-X 5675-X
Data General	MPT/83, 87, Enterprise 1000	5593-X	5675-X
Digital (DEC)	VT 180	5590-X	5667-X
Dynabyte	5200, 5400, 5500, 5800 DB 8/2	5590-X 5602-X	5675-X 5667-X
Heathkit	WH-17, H-77, H-80, H-89	5591-X	5668-X
Hewlett-Packard	85/Series, 82900, 82901M, 82902, 9836, 9286A	5593-X	5675-X
IBM	Personal Comp. 100-1 Personal Comp. 100-2	5590-X 5593-X	5667-X 5675-X
Intelligent Systems	8031, 8051 8351, 8352, 8351H, 8352H	5591-X 5600-X	5667-X 5667-X
International Systems	Bank System ISSI	5591-X 5605-X	5668-X 5678-X
Intersil	Communication System	5593-X	5675-X
Intertec	Super Brain Super Brain QD Compustar 40	5590-X 5593-X 5605-X	5667-X 5675-X 5679-X
Kontron	PSI-80-Q Series All Others	5593-X 5590-X	5675-X 5667-X
Lane	4500	5590-X	5667-X
Lexor	Lexoriter	5590-X	5667-X
Micropolis	Mega Floppy 1015 I, Macro Floppy Mega Floppy 1015 III Mega Floppy 1035 IV,	5592-X 5601-X	5673-X 5677-X
	1055 IV	5605-X	_

		Devoke Verbatim #	Devoke
Manufacturer	Model		Memorex #
Mitsubishi	Multi 16	5593-X	5675-X
Motorola	Exorset 30	5590-X	5667-X
Nippon (NEC)	PC-8000	5593-X	5667-X
North Star	Horizon 1-Q, 2-Q Horizon 1-D	5600-X 5591-X	5668-X 5668-X
Ohio Scientific	C24P	5590-X	5667-X
Osborne	Osborne I	5590-X	5667-X
Panasonic	JD 700 JD 740	5590-X 5593-X	5667-X 5675-X
Perkin-Elmer	The Beaver/3500 3600	5590-X 5593-X	5667-X 5675-X
QYX	Intellegent Typewriter Level 4	5592-X 5601-X	5673-X 5677-X
Radio Shack	TRS-80 I & III, Color Computer	5590-X	5667-X
Rana Systems	Elite One	5590-X	5667-X
Sanyo	NBC 2000 NBC 100	5602-X 5593-X	5678-X 5675-X
Shugart	SA 400 SA 450 410 460	(a) (c) 5602-X 5605-X	(b) (d) 5678-X 5679-X
Siemens	Maxi-Mini FD-100-5, FDD-111-5, 82 Maxi-Mini FDD-200-5, FDD-211-5, 282 Maxi-Mini FDD-221-5 Maxi-Mini FDD-121-5 T-1000, PT-80	(a) (c) 5605-X 5602-X 5590-X	(b) (d) 5679-X 5678-X 5667-X
Smoke Signal Broadcasting	Chieftan 9512 9522 9524	5590-X 5593-X 5605-X	5667-X 5675-X 5679-X
Tandon	TM-100-1 TM-100-2 TM-100-3 TM-100-4	(a) (c) 5602-X 5605-X	5667-X 5675-X 5678-X 5679-X
Televideo	Sytem I & II, TS-801, TS-802, TS-802H	5593-X	5679-X
Texas Instruments	99/4, 99/7 VPU-200	5590-X 5593-X	5667-X 5675-X
Toshiba	T-200VSBC	5593-X	5675-X
Vector Graphics	Vector 1+, 1++	5591-X	5668-X
Victor	9000	5602-X	5678-X
Wang	PCS-II OIS-140	5591-X 5593-X	5668-X 5675-X
Wordplex	Wordplex 2	5590-X	5667-X
Xerox	820	5590-X	5667-X
Zenith	Z87, Z89	5591-X	5668-X

- You may choose from 5590-X, 5591-X, or 5592-X, depending on your needs (c) You may choose from 5593-X, 5600-X, or 5601-X, depending on you needs (d) You may choose from 5675-X, 5676-X, or 5677-X, depending on you needs
- (b) You may choose from 5667-X, 5668-X, or 5673-X, depending on your needs

140' and 300' Data Cartridges

Fully compatible, guaranteed performers

These Data Cartridges incorporate precision computer-grade tape and components for high data reliability and long life. All of the below cartridges are individually tested to meet or exceed all ANSI/ ECMA and ISO standards.

140' 3M DC-100A Mini Data Cartridges - A highly reliable bidirectional tape of medium shirt pocket size, this tape comes in a high impact plastic case supported by a heavy gauge metal baseplate. A manually operated sliding tab provides file protect capability. Fully compatible with HP 9162-0061.

300' 3M Quarter-Inch Data Cartridges - A seamless, isoelastic drive belt controls all tape motion and keeps tape tension constant, while a sophisticated roller and hub retaining system reduce skew and bit-to-bit jitter. Cartridge is easy to load and manually operable to provide internal file protection. It's fully compatible and interchangeable with IBM 5100 and 3M DC-300A cartridges. Also for users of IBM 5110, NCR 1-8100 Series, Spectron Data Scope, and Tektronix.

			Pi	rice each
Item#	Description	1	10	50+
5502-X	3M DC-100A Mini Cartridge	\$19.95	19.50	19.00
5500-X	3M DC-300A 300' Cartridge	22.95	22.50	21.95



Each cartridge is individually tested to meet stringent specifications.

Digital Cassette and Data Cartridge
One Year Guarantee

Every Data Cartridge and Cassette you buy from Devoke is guaranteed to be free of defects in materials and workmanship for one year from the date of shipment. If you should ever receive a defective cartridge, please notify us immediately—we'll replace it at no charge. Sorry, we cannot assume responsibility for damage due to accident, abuse, or mishandling

Digital Cassettes are 100% error-free and guaranteed for a full year!



Look no further for a reliable source of high quality digital cassettes – cassettes designed to provide your system with the highest possible media performance and reliability. Here are some of the important features found in all Verbatim cassettes from Devoke.

- Precision computer-grade tape certified 100% error-free.
- · Pressure pads with low-drag, non-debris-generating surface maintain exacting pressure and accommodate read-after-write
- Corner rollers specifically designed for ultra-smooth tape guidance with minimal friction.
- Rigid, anti-warp case construction.
- Cassettes meet or exceed all ANSI/ECMA/ISO standards.

Select the cassettes you need from the compatibility chart below. If your system is not listed, contact Devoke for proper compatibility.

Cassette Compatibility Guide

			Devoke		Price	В
Manufacturer	Model(s)	Verbatim #	Item #	10 - 40	50 - 90	100+
Adds	580, 780, 880	WP2-300 3780	6510-X	\$5.75	\$5.30	\$4.75
Ampex	TMC	T-300 3788	5517-X*	6.30	5.80	5.10
Anderson Jacobson	700, 8400	R-300 3769	5508-X*	5.50	5.10	4.50
	140, 1400	R-300 3768	5507-X	5.50	5.10	4.50
Beehive	Mini 1, Super 2, 3	T-300 3789	5518-X	6.30	5.80	5.10
CDC	751-10	T-300 3788	5517-X*	6.30	5.80	5.10
Computer Automation	LSI 1, 2/10, 2/20	T-300 3789	5518-X	6.30	5.80	5.10
Datapoint	1100, 2200, 5500	R-300 3768	5507-X	5.50	5.10	4.50
Dicom	170, 172, 173, 330, 331, 374, 4100	R-300 3769	5508-X*	5.50	5.10	4.50
GE	Terminet 30	R-300 3769	5508-X*	5.50	5.10	4.50
	Terminet 300, 1200	WP2-300 3780	6510-X	5.75	5.30	4.75
Hazeltine	2000, 3000, 5000	T-300 3789	5518-X	6.30	5.80	5.10
Hewlett-Packard	2100, 9800, 9821, 9830	R-300 3768	5507-X	5.50	5.10	4.50
IBM	System/7,3651	T-300 3788	5517-X	6.30	5.80	5.10
Inco-term	SPD 10/20, 20/20, 904A	T-300 3789	5518-X	6.30	5.80	5.10
Interdata	74	T-300 3788	5517-X*	6.30	5.80	5.10
Memorex	1280	T-300 3788	5517-X*	6.30	5.80	5.10

			Devoke		Price	9
Manufacturer	Model(s)	Verbatim #	Item #	10 - 40	50 - 90	100+
NCR	399, 499, 7200, 7218,	T-300 3788	5517-X*	\$6.30	\$5.80	\$5.10
NEC	100E, 100F, ACOS77	T-300 3788	5517-X*	6.30	5.80	5.10
Raymond	6106, 6406, 6440	T-3003788	5517*	6.30	5.80	5.10
Savin	500, 250	T-300 3788	5517-X*	6.30	5.80	5.10
Sycor	340, 350, 440, 250	R-300 3767	5506-X	5.50	5.10	4.50
	135D, 340E	R-300 3769	5508-X*	5.50	5.10	4.50
Techtran	817, 8400, 8410, 8420, 815	R-300 3768	5507-X	5.50	5.10	4.50
Telex	138	T-300 3789	5518-X	6.30	5.80	5.10
Texas Instruments	700, 860B, Mini 700	R-300 3769	5508-X*	5.50	5.10	4.50
Tymshare	213, 524, 600	R-300 3769	5508-X*	5.50	5.10	4.50
Univac	Uniscope 100, DCT 524, 625, 90/30	T-300 3788	5517-X*	6.30	5.80	5.10
Varian		R-300 3768	5507-X	5.50	5.10	4.50
Wang	525, 725, 1200, 2200, 2217 2218, WCS-10, 1222	WPI-1503779	6512-X	5.50	5.10	4.50
Western Union	EDT 35, 300	WP2-300 3780	6510-X	5.75	5.30	4.75
Xerox	800	WP3-300 4239	6511-X*	6.30	5.80	5.10

Indicates BOT/EOT holes

Get the most out of your printer with quality ribbons from Devoke.

The finest fabrics and films with precision inking give you sharp, clear impressions every time!

Now you can have it all — superior quality, low prices, fast service, and a large selection.

Superior Quality because every ribbon we offer you must meet or exceed all specifications set forth by the manufacturer of your printer. Each ribbon is manufactured according to exacting quality control standards. We're so sure you'll like our ribbons that we unconditionally guarantee them to work as well or better than what you are presently using — or, we'll take them back.

Low Prices whether you order 1 or 100. And, there's no minimum quantity order or small quantity penalty on any of our printer ribbons.

Fast Service because we keep all these ribbons in stock, ready to ship.

A Large Selection means we probably have the ribbon you need for your printer. Use the chart at the right to find the correct ribbon for your machine. If you don't see your printer listed, give us a call at (408) 980-1360 and we'll find the ribbon you need.

♦ Epson MX 70, 80 & 82 Item #5248-X

Ribbon Selection Guide:

		Devoke	Pr	ice each	
Manufacturer	Models	Item #	1-11	12-35	36+
Anderson-Jacobson	System 1500, 832, 833	5237-X*	\$ 3.90	3.45	3.20
A.B. Dick	Magna I, II, SL	5237-X*	3.90	3.45	3.20
Alanthus	Data Comm T450	5237-X*	3.90	3.45	3.20
AM	Antext 425	5237-X*	3.90	3.45	3.20
Artec Int'l	Display 2000	5238-X*	5.85	5.15	4.80
Atlantus	T450	5237-X*	3.90	3.45	3.20
Basic Four	Dataword II, 1345A, 3150 3100, 3102 3151, 3510, 905 3200, 3230, 3232 3410 Line Printer	5238-X* 5224-X² 5228-X² 5234-X¹ 5232-X¹	5.85 7.95 12.95 4.95 4.65	5.15 7.00 11.40 4.40 4.10	4.80 6.50 10.60 4.05 3.80
Bell Telephone	Dataspeed 40, 4540	5230-X1	3.50	3.10	2.85
Billings	P510	5246-X	10.55	9.30	8.65
BRD, Inc.	Dolphin	5238-X*	5.85	5.15	4.80
Burroughs	AP 1300	5238-X*	5.85	5.15	4.80
C. Itoh	Starwriter II, F 10 Printmaster	5238-X*	5.85	5.15	4.80
Cado	Database 40 System 20 150	5230-X1 5233-X1 5246-X	3.50 4.95 10.55	3.10 4.40 9.30	2.85 4.05 8.65
Centronics	M101, 102, 102, 300, 301, 306, 308 & 508, KP, IP, MSR, KSR & RO, 330, 398, 501, 503, 588 700 Series Zip Pack	5224-X ² 5243-X	7.95 3.95	7.00 3.50	6.50 3.25
Codex	CDX-SP2	5243-X	3.95	3.50	3.25
Compucorp	Word Processing Printer	5237-X*	3.90	3.45	3.20
Compugraphic	MDT 400	5237-X*	3.90	3.45	3.20
СРТ	Rotary IV, VI, VII Rotary V Rotary VIII	5237-X* 5238-X* 5248-X	3.90 5.85 14.35	3.45 5.15 12.70	3.20 4.80 11.75
DCI Comp Sys	C-45 (Hytype II)	5238-X*	5.85	5.15	4.80
Data Term Comm	DTC 382	5238-X*	5.85	5.15	4.80
Datapoint	Freedom Printer, 9232	5233-X1	4.95	4.40	4.05
Data Royal	IPS-7000 5000	5233-X1 5246-X	4.95 10.55	4.40 9.30	4.05 8.65
Data South	DS 180	5246-X	10.55	9.30	8.65
Dennison	Wordplex I & II	5237-X*	3.90	3.45	3.20
Design 100	Cleantype 40X, 45	5237-X*	3.90	3.45	3.20
Diablo	Hytype II (M/S Black)	5238-X*	5.85	5.15	4.80




Narrow and Cartridge Ribbons

fanufacturer (Models	Devoke Item #	1-11	ce each 12-35	36+
DEC	LA 120 Decwriter III, LA 180 Decprinter I, LS120 LA30/36 Decwriter II	5235-X1 5234-X1	6.95 4.95	6.15 4.40	5.70 4.05
	LPQ-XX-AC, LOP-01, LQP-8E, WS202, WS78, WS80, 310W	5238-X*	5.85	5.15	4.80
	LS01, LS11, LS8, LS08, MA30	5224-X2	7.95	7.00	6.50
ntrex	515 (Hytype II)	5238-X*	5.85	5.15	4.80
pson	MX-70, 80, 82	5248-X	14.35	12.70	11.75
acit	4525, 4526	5246-X	10.55	9.30	8.65
lorida Data	110, 120, 130	5238-X*	5.85	5.15	4.80
our Phase	821, 8125, 8126	5238-X*	5.85	5.15	4.80
lewlett-Packard	2601A 82905A	5238-X* 5248-X	5.85 14.35	5.15 12.70	4.80 11.75
вм	Sys 34 Mdl 3262 Sys 34 Mdl 5211 Sys 6 Mdl 6 442, 452,	5242-X 5216-X ² 5237-X*	13.80 11.65 3.90	12.15 10.25 3.45	11.30 9.55 3.20
	3736, 5257, 6240 1443, 2203, 2306 5152 3287, 4974, 4975, 5103,	5232-X1 5248-X	4.65 14.35	4.10 12.70	3.80 11.75
	5256, 535 Cartridge Models	5250-X	5.35	4.80	4.45
nfoscribe	500, 1000	5246-X	10.55	9.30	8.65
nstruments Lab	Pixel LP 300	5238-X*	5.85	5.15	4.80
ntegral Data	125, 225, 440 Prism 80, 132, 2080, 2132	5209-X ² 5218-X	2.75 11.65	2.45 10.25	2.25 9.50
TT	8742	5243-X	3.95	3.50	3.25
acquard Sys	1355P (Hytype II)	5238-X*	5.85	5.15	4.80
anier	Sprint III, LTE-2D, 3D, 2S, 3S No Problem III, 1600	5237-X* 5249-X	3.90 9.05	3.45 7.95	3.20 7.40
.CS Corp	Computex 1 & 2	5237-X*	3.90	3.45	3.20
ear Siegler	300 Ballistic	5233-X1	4.95	4.40	4.05
exitron	Videotype 91, VT 1000, 1101, 1102, 1201, 1202, 1303, 913, 921, 942	5237-X*	3.90	3.45	3.20
Micom	2000, 2001	5237-X*	3.90	3.45	3.20
Mini-Comp Sys	300 LPM Printer	5243-X	3.95	3.50	3.25
Mohawk	2110	5238-X*	5.85	5.15	4.80
Mohawk Data Sci	2144	5246-X	10.55	9.30	8.65
Multiterm Corp	T-3000, T-4000	5238-X*	5.85	5.15	4.80
IBI	System I & II	5237-X*	3.90	3.45	3.20
IEC	Spinwriter 5500 Series (M/S Black)	5239-X*	7.20	6.35	5.90
lixdorf	515 (Hytype II) 620, 800, 820 & 880	5238-X*	5.85	5.15	4.80
	Line Printer, 8300	5224-X ²	7.95	7.00	6.50
lorthern elecom	Striker Sprinter	5238-X* 5243-X	5.85 3.95	5.15 3.50	4.80 3.25
Okidata	CP110, CP210 Microline 80, 82 & 83 Slimline, 125 & 160,	5209-X ² 5251-X ²	2.75 2.50	2.45 2.25	2.25 2.00
Olivetti	LPM, 22 DE523, SV160 TES 701	5224-X ² 5224-X ² 5238-X*	7.95 7.95 5.85	7.00 7.00 5.15	6.50 6.50 4.80

Manufacturer	Models	Devoke Item #	1-11	ice each 12-35	36+
Omnidata	Printer	5237-X*	3.90	3.45	3.20
Omnitext	1500	5237-X*	3.90	3.45	3.20
Ontel	DP 269	5238-X*	5.85	5.15	4.80
Perkin-Elmer	120, 180	5243-X	3.95	3.50	3.25
Point 4	Image 800	5246-X	10.55	9.30	8.65
Printronix	150, 300, 600 NS	5228-X ²	12.95	11.40	10.60
Qantel	5001	5224-X ²	7.95	7.00	6.50
	5003, 5004, 970 Sys/Serial	5243-X	3.95	3.50	3.25
	5011, 5061, 5065	5230-X1	3.50	3.10	2.85
	5131	5246-X	10.55	9.30	8.65
•	900	5237-X*	3.90	3.45	3.20
Qantex	6010	5246-X	10.55	9.30	8.65
Qualterm	QFB-100, X-100	5237-X*	3.90	3.45	3.20
Qume	Sprint 5, Q, Sprint Micro 3	5237-X*	3.90	3.45	3.20
Radio Shack	Daisywheel II	5249-X	9.05	7.95	7.40
	I, TRS-80	5243-X	3.95	3.50	3.25
D	VI, VIII	5252-X	9.25	8.30	7.65
Raytheon	3472	5243-X	3.95	3.50	3.25
Redactron	Q-Pak Printer, Redactor I & II	5237-X*	3.90	3.45	3.20
Royal	7000 WP	5237-X*	3.90	3.45	3.20
Savin	950 Veritext	5237-X*	3.90	3.45	3.20
Shasta	Infoscribe 3320 Printer	5246-X 5238-X*	10.55 5.85	9.30 5.15	8.65 4.80
Sperry Univac	789	5238-X*	5.85	5.15	4.80
Sycor	3482	5224-X ²	7.95	7.00	6.50
Tally	2000, 2100, 2200, 2260	5220-X ²	6.85	6.05	5.65
Teletype	40	5230-X1	3.50	3.10	2.85
Telex	Datatext	5238-X*	5.85	5.15	4.80
	287D	5246-X	10.55	9.30	8.65
Texas Elec Inst	3431, 3432	5246-X	10.55	9.30	8.65
Texas Inst	LQ45	5237-X*	3.90	3.45	3.20
	810 820, 825	5233-X1 5235-X1	4.95 6.95	4.40 6.15	4.05
Toshiba	EW 100	5249-X	9.05	7.95	7.40
Vydec	Tex Printer, 1200, 1400	5237-X*	3.90	3.45	3.20
Wang	2200, 2281, 5511,			-	0.20
	5541D, 5581	5238-X*	5.85	5.15	4.80
	2200W, 2221W, 2261 2221, 2231, 2261	5226-X ² 5224-X ²	4.15 7.95	3.70 7.00	3.40
	5581W, 5581WC, 5581WD	5224-A-	7.95	7.00	6.50
	6581W, 6581WC	5241-X	5.55	4.90	4.55
Wordstream	1200, 2200	5237-X*	3.90	3.45	3.20
Xerox	1700, 1710, 1720, 1750	5238-X*	5.85	5.15	4.80
	also available in nylon fabric				
Fabric version of #5	237-X	5245-X	4.45	3.90	3.65
Fabric version of #5	238-X	5240-X	5.85	5.15	4.80
Fabric version of #5	239-X	5247-X	6.85	6.05	5.60

 Indicates ribbon comes with one spool. Second spool is available for \$6 per dozen. Specify when ordering.
 Indicates ribbon always comes with two spools.

Qume Sprint 5 Item #5237-X Multistrike Item #5245-X Nylon Decwriter LA30 & 36 II Item #5234-X





Line after line our Wide Ribbons insure sharp, clear impressions

All wide ribbons from Devoke are manufactured from top quality fabric for maximum wear.


Only the finest domestic fabrics are used in these nylon ribbons, manufactured under rigid control to assure you of easy going for your hard pounding printers. They've been checked and tested for maximum wear, clear print quality and troublefree performance. All ribbons are 5 mil Nylon, except as noted.

Select the ribbons you need from the chart at the right. If you don't see your printer listed, give us a call at (408) 980-1360 and we'll look it up for you. Different weights and lengths are also available for specific applications. Ask us!

Cuality Guarantee

These ribbons are guaranteed to be equal or superior to the printer manufacturer's original products and/or specifications. If you are not satisfied with your ribbon purchase from Devoke just return it to us within 30 days of our invoice date for exchange, credit or refund.

La mara area			Devoke		rice ea	
Manufacturer	Model No.	Specifications	Item #	1-5	6-11	12-35
Basic Four	3500, 3600	15" x 20 yds.	7600-X	*	and the second	28.10
Burroughs	9246	14.5" x 20 yds.	7601-X		27.50	26.75
	321	17.5" x 50 ft.	7609-X	28.90	27.35	26.55
	9247 (A/H Rev)	1%" x 400 ft.	7610-X	26.75	25.25	24.55
Data General	4215, 4216, 4218,					
	4219, 4244	15"x 20 yds.	7600-X	30.60	28.95	28.10
Datapoint	9260, 9261,					
	9280, 9281	15" x 20 yds.	7600-X	30.60	28.95	28.10
Data Printer	5500, V132, V236	14" x 10 yds.	7602-X	16.25	15.25	14.80
	CT2323, CT2324,					
	CT3314, CT1334,					
	CT1344, CT4641	14" x 10 yds.	7608-X	15.70	14.85	14.40
	3121	1"x 100 yds.	7611-X*	14.25	13.50	13.10
Data Products	2230, 2260, 2290	15" x 20 yds.	7600-X	30.60	28.95	28.10
	2410, 2420, 2440	14.5" x 20 yds.	7601-X	29.10	27.50	26.75
DEC	LP 04, 10, 11	14.5" x 20 yds.	7601-X	29.10	27.50	26.75
	LP 05, 06, 07, 08	15" x 20 yds.	7600-X	30.60	28.95	28.10
Documentation	1000, 1200, 1400	15" x 25 yds.	7603-X	36.25	34.25	33.25
	1250, 1500	14" x 20 yds.	7604-X	25.95	24.50	23.80
	1800, 2250, 3000	17" x 20 yds.	7605-X	31.15	29.50	28.60
Four Phase	8145, 8148	15" x 20 yds.	7600-X	30.60	28.95	28.10
	8149	14" x 10 yds.	7608-X	15.70	14.85	14.40
Hewlett Packard	2613A, 2617A	15" x 20 yds.	7600-X	30.60	28.95	28.10
	2619A	14" x 15 yds.	7606-X	22.10	20.90	20.25
Honeywell	PRU 1200	17.6" x 22 yds.	7612-X	41.30	39.10	37.90
IBM	1403	14" x 20 yds.	7604-X	25.95	24.50	23.80
	3211	17" x 20 yds.	7605-X	31.15	29.50	28.60
	5225	1.5" x 150 yds.	7607-X*	27.50	26.00	25.20
Interdata (Perkin Elmer)	300-600 LPM	14"x 10 yds.	7602-X	16.25	15.25	14.80
Mohawk Data						
Sciences	2441, 2442	15" x 20 yds.	7600-X	30.60	28.95	28.10
Prime	3140/3150 (200 LPM)					
	3136/3146 (300 LPM)					
	3142/3157 (430LPM)					
	3137/3147 (600 LPM)					
	3166/3167 (1000 LPM)	14" x 10 yds.	7608-X	15.70	14.85	14.40
Qantel	5041, 5042, 2330	15" x 20 yds.	7600-X		28.95	28.10
RCA	Spectra 70	15"x 15 yds.	7613-X		21.90	21.25
Xerox	3461, 3462	15" x 20 yds.	7600-X	30.60	28.95	28.10



Typeface Cleaner

Blur-r-r-r from dirty type faces casts an unprofessional look to the professional work you do. But it need not. The solution is simple and low-cost. Feed our cleaner paper into your printer, set up a test pattern and let the printer clean itself. Fuzzy surface of the cleaner paper grabs dirty residue off your type faces, whether printwheels, thimbles or ball elements. After 6 strikes per character your type should be clean as a whistle. Order today; box contains 20 continuous fan-fold sheets, 11 x 147/8".

		Price per box
Item #	1	4 & up
2753-X	\$45.00	43.00



Paper Catcher Basket

Here's your all-around, really universal catcher basket for both back and bottomfed printers. (Although hidden in photo above, basket has open slot at back to accommodate bottom feeds.) Easy to fit, too. Slip-on clamps can be pinched down, or spread slightly, to fit thin or thick tops of printer stands. Basket is made of steel wire, coated in soft vinyl, for no-mar, no-snag use. Easy to attach, detach, transport. Overall size is 193/4" W x 141/2" D x 61/2" H to hold even the widest forms. Color is Black.

		Price each
Item #	1	4 & up
2754-X	\$38.95	37.50



Printer noise is irritating and counter productive. These new mats drastically dampen vibration noise while stabilizing the printer and aiding in proper cooling.

Wave Pad is constructed of natural rubber with a laminated layer of nylon on top-it doesn't lose its shape! It's been laboratory tested and proven to outperform and outlast traditional felt or foam pads. Bottom-feed printer? Cut a slot in the pad with a sharp knife. Reduce printer noise while adding stability-order today!

Color:	Brown or Blue	Price	each
Item #	Size/Description	1	6
5478-X	15 x 19" Typewriter	\$16.65	15.75
5438-X	18 x 21" Word Proc.	21.00	19.95
5439-X	25 x 26" DP Printer	38.35	36.40

Printwheels and Thimbles from Devoke

Compare our quality, price, service and selection

... and shop with confidence. All of our printwheels and thimbles are guaranteed to meet or exceed manufacturers specifications. Select from many popular typestyles — all in stock and ready to ship!

Plastic printwheels will give you up to a million sharp, clean impressions per character. Each printwheel is precision injection molded of high impact plastic to produce letter-quality printout. You'll find quality reflected in standard features like reinforced hub/spoke stress points, raised underscore, and a metal capped period.

Our metal printwheels have the hardest thermo-set plastic base in the industry. A unique design feature extends the spoke through the character for extra support. And, each character is hard nickel plated to provide the high quality print and long life you expect from a metalized printwheel.

Our NEC Spinwriter thimbles have a minimum life of 30 million impressions. Made of durable, specially reinforced plastic with a capacity of up to 128 characters.

			Pric	e each
Description	1	6		24
Plastic	\$ 7.00	6.50	6.00	5.50
Metal	50.00	47.50	45.00	42.50
NEC Thimbles	14.00	13.50	13.00	12.50

^{*}Plastic and Metal Printwheels are not interchangeable

Plastic Printwheels for Qume and Diablo Printers

Qume compatible

Item #5760-X	WP Courier 10	1: "#>28.()	01234:;<=	@ABCDEFGH	abcde
Item #5761-X	WP Prestige Elite 12				°abcde
Item #5763-X	WP Letter Gothic 12	!"#\$%&'()	01234:;<=	@ABCDEFGH	°abcde
Item #5766-X	WP Courier 12	!"#\$%&'()		GABCDEFGH	°abcde
Item #5764-X	WP Pica 10	1!"#\$%&'()		@ABCDEFGH	°abcde
Item #5778-X	WP Gothic 15	! " # \$ \$ & ' ()	01234:;<=	@ ABCDEFGH	°abcde
Item #5762-X	ASCII 96 Prestige Elite 12	¢!"#\$%&'()	01234:; <=	@ABCDEFGH	abcde
Item #5779-X	WP Prestige Pica 10	1!"#\$%&'()	01234: ; <=	@ABCDEFGH	°abcde
Item #5765-X	ANSI OCR-B 10	£!"#\$%&'()	01234:;<=	@ABCDEFGH	`abcde
Diable compa	atible				

steers at going at the state of	L. #5/00 ()	01234.1	WADCULIGH	abcue
Diablo compatible				
Item #5751-X Pica 10 Item #5752-X Elite 12 Item #5750-X Courier 10 Item #5755-X Courier Legal 10 Item #5755-X Courier Legal 10 Item #5753-X Prestige Elite Legal 12A Item #5756-X OCR-B 10 Item #5757-X APL 10	\$#%{}[]() \$#%{}[]() \$#%{}[]() \$#%{}[]() \$#%\\[]() \$#%\\[]() \$#%\\[]() \$#%\\[]()	01234,.:; 01234,.:; 01234,.:; 01234,.:; 01234,.:;	ABCDEFGHI ABCDEFGHI ABCDEFGHI ABCDEFGHI ABCDEFGHI ABCDEFGHI ABCDEFGHI ABCDEFGHI	abcdefg abcdef abcdef abcdefg

Metal Printwheels for Diablo/Xerox Printers

88 Characters

Titan 10 Elite 12 Pica 10 Titan 12	<pre>e!@#'\$%&(*) c!@#'\$%&(*) c!@#'\$%&(*) c!@#'\$%&(c!@#'\$%&(*) c!@#'\$%&(* [¶#'\$%&(*)</pre>	01234 ,?:"; 01234 ,?:" 01234 ,?:" 01234 ,?:"; 01234 ,?:"; 0] 234 ,?:"; 01234 ,?:"	ABCDEFGHI ABCDEFGHI ABCDEFGHI	abcdefg abcdefg abcdefg

96 Characters

Item #6859-X		\$£%^*æ<()			
Item #6860-X	Elite 12	\$£%^*æ<()	01234 ,;	ABCDEFGHI	abcdefg

^{*} Note: Proportional Spacing (PS) printwheels will only work on printers that have the software to support proportionally spaced printing.

Thimbles for NEC Spinwriters

				abcdef abcdef
Courier 72/Manifold	!"#\$%&'()	01234:;<=	ABCDEFGHI	abcdef
Focus 10	!"#\$%&'()	Ø1234: :<=	ABCDEFGHI	ABCDEF
				abcdefg
Elite 12	¢!"#\$%&'()	01234 :;<=	ABCDEFGHI	abcdefg
Courier 10	£!"#\$%&'()	Ø1234:;<=	ABCDEFGHI	abcdef
Courier Legal 10A	¢!"#\$%&'()	01234:; 4=	ABCDEFGHI	abcdef
Prestige Elite Legal	¢!"#\$%&'()	01234 :; 4=	ABCDEFGHI	abcdefg
	Pica 10 Courier 72/Manifold Focus 10 Prestige Elite/Prestige Ren Elite 12 Courier 10 Courier Legal 10A	Pica 10	Pica 10	Pica 10





Quality, economy, variety and fast shipment on computer paper

Order a little — with our speedy turnaround you'll have less paper inventory and fewer storage problems.

Or, order a lot — when you purchase more than two cartons at a time you can take advantage of our special quantity price breaks. All paper listed in the table at the right is combinable for quantity discounts.

All paper is high quality stock of uniform thickness for durability and ease of handling. As with all of our products, your satisfaction is guaranteed by the guarantee you'll find on the inside front cover of this catalog.

Just select the paper you need from the guide at the right and call us at (408) 980-1360. We'll ship from one of these 15 distribution centers, whichever is closest to you:

- Buena Park, California
- Boston, Massachusetts
- Chicago, Illinois
- Columbus, Ohio
- Denison, Texas
- Detroit, Michigan
- Gainesville, Georgia
- Houston, Texas
- Kansas City, Missouri
- Manhattan, New York
- Petersburg, West Virginia
- Philadelphia, Pennsylvania
- San Jose, California
- Seattle, Washington
- St. Louis, Missouri

Utility Bond Pap	er
-------------------------	----

This is the ideal paper for short lived reports, little used archival information, and test runs. Available from 12 of our distribution centers.

Market Inc.	and the state of the state of	Sheets/Sets	Shipping	Item			r Carton	
Paper Size	Description	Per Carton	Wt.	#	1-2	3-5	6-11	12
8 ¹ / ₂ " x 11" 72 Column	1 Part, Grn/Wht Bar, 15 lb. Bond	3500	28	6473-X	33.25	31.25	29.75	28.50
	3 Part, Grn/Wht Bar, 12 lb. Bond Carbon	1050	28	6475-X	42.50	39.75	38.00	36.25
9 ¹ / ₂ " x 11" 80 Column	1 Part, Grn/Wht Bar, 15 lb. Bond	3500	30	6479-X	36.25	34.00	32.50	31.00
9 ¹ / ₂ " x 11" 80 Column (Perforated	1 Part Wht Un- lined, 18 lb. Bond	2900	26	6472-X	34.25	32.00	30.50	29.25
Both sides 1/2")	2 Part, Blank	1750	30	6468-X	62.00	58.00	55.75	53.00
	Stock Forms, Carbonless							
	3 Part, Blank Stock Forms, Carbonless	1100	30	6469-X	59.25	55.50	53.00	50.75
	4 Part, Blank Stock Forms, Carbonless	800	31	6470-X	59.00	55.25	52.75	50.50
9 ⁷ /8" x 11" 80 Column	1 Part, Grayline, 15 lb. Bond	3500	32	6462-X	35.25	33.00	31.50	30.00
	3 Part, Grayline, 12 lb. Bond Carbon	1050	32	6464-X	47.75	44.75	42.75	40.75
12" x 8 ¹ /2" (Perforated Both sides	18# High Speed Bond, Blank Stock Forms, 1 Part	2600	26	6471-X	29.25	27.50	26.25	25.00
14 ⁷ /8" x 11" 132 Column	1 Part, Grn/Wht Bar, 18 lb. Bond High Speed	2600	44	6450-X	40.75	38.25	36.50	35.00
	1 Part, Grn/Wht Bar, 15 lb. Bond	3000	42	6451-X	42.50	39.75	38.00	36.25
	3 Part, Grn/Wht Bar, 12 lb. Carbon	950	42	6453-X	57.25	53.75	51.25	49.00
	6 Part, Grn/Wht Bar, 11 lb. Bond, Carbon	450	45	6456-X	54.25	50.75	48.50	46.50
	3 Part, Carbonless, Grn/Wht Bar	950	42	6458-X	64.25	60.00	57.50	54.75
	6 Part, Carbonless, Grn/Wht Bar	500	40	6461-X	92.75	87.00	83.00	79.50
14 ⁷ /8" x 11" 132 Columns	1 Part, Grn/Wht Bar, 15 lb.	2800	40	6483-X	33.75	31.50	30.25	28.75
	2 Part Grn/Wht Bar, 15 lb.	1150	41	6484-X	41.00	38.50	36.75	35.25
14 ⁷ /8" x 8 ¹ /2" 132 Column	1 Part Grn/Wht Bar, 15 lb.	2800	31	6485-X	28.00	26.00	25.00	24.00
	2 Part Grn/Wht Bar, 15 lb.	1150	33	6486-X	37.25	35.00	33.25	31.75



Carton Cutter


Safe and simple! Just four strokes with this handy cutter and your carton of printout is open. No broken fingernails. No blade damage to your paper. And no injuries. Molded of long-lasting plastic for years of service. Recessed blade is easily replaced by removing only one screw. One blade included.

		Pric	e each
Item #	1	3	5+
7410-X	\$7.95	7.50	6.95

Data-Trak Splice Kit cuts waste & reduces downtime

- Use up broken cartons of computer paper and odd lots of DP forms with fast, foolproof splices. You eliminate waste and your supply section is kept neat and efficient.
- Reduce down-time! You get longer, uninterupted print runs by linking cartons together, and more efficient output without manpower standing by.

Our splice kit has pin feed posts to hold paper or multi-copy forms in precise register. Then, you apply our special horizontally perforated tape and you're ready to run. Tape is %" wide, virtually invisible, won't interfere with mechanical or manual bursting. Vinyl-clad aluminum board and drop bar give you instant adjustment to handle 16 different widths: 14%", 13%", 12 27/32", 12", 11%", 10%", 10%", 10%", 9%", 9%", 8%", 8%, 6%", 5%", 4%", 4%", 80, order today-we're only a phone call away at (408) 980-1360.



Kit includes board, dropbar and one 36yard roll of tape with dispenser. Plastic dispenser is refillable.

	Price each	
1	5	10
\$38.50	36.50	34.95
5.25	5.10	4.95
6.25	6.10	5.95
	5.25	1 5 \$38.50 36.50 5.25 5.10

Long live your DP Binders with Presstex finish!

Time and testing proved the point--the special coating on these printout binders make them wear, tear and soil resistant, for an active life up to ten times longer than regular 20 pt. pressboard binders. Binders load from top or bottom so you can update contents the easiest way. Flexible poly coated 81/2" steel cables hold as much as a 6" stack of printout, and hold it without slipping. Cables are cinched tight by slide hooks that push out to provide for hanging binders in racks. Let their color work for you, too. Use it to code by date, subject, department. Our "assorted" boxes make using color easy!

14-7/8 x 11 for Unburst Printout--Choose light blue, dark blue, light green, gray, exec red, or assorted (two of each color)

		Pri	ce Per Box of 1
Item #	1-4	5-9	10+
5159-X	31.00	30.00	29.00

91/2 x 11 for Unburst Printout -- Choose light blue, dark blue, light green, gray, exec red, or assorted (two of each color)

		Pri	ce Per Box of 1
Item #	1-4	5-9	10+
5151-X	31.00	30.00	29.00

11 x 81/2 for Unburst Printout--light blue only Price Per Box of 10

	FIICE	rei	DUX	OI
5-9			10+	

Item #	1-4	5-9	10+	
5152-X	31.00	30.00	29.00	

12 x 81/2 for Unburst Printout--light blue only

		Pric	e Per Box of 1
Item #	1-4	5-9	10+
5153-X	31.00	30.00	29.00





Load top or bottom to update reports

Moisture-resistant

water on the run

Presstex covers keep





Hanger hooks slide and retract

Economy DP Binders--save with our low prices!



Even our low priced economy binders feature genuine 20 pt. pressboard covers, 10" steel re-inforced posts, and retractable hooks for hanging. Post locking tracks are made of nickel steel, riveted on for performance. Binders are top or bottom loading and hold up to 6" of 14%" x 11" printout. Covers are round-cornered for easy handling. Gummed labels for titling are included. The net result? A workhorse of a DP binder with more quality and more utility than you'll normally find at this price.

Color: Light Blue Price		e Per Box of 10	
Item #	1-4	5-9	10 & Up
5154-X	\$21.00	19.95	18.90

Economy Binding Post Kits

These low cost posts are ideal for binding short-lived or seldom used reports up to 21/2" thick. They're fast and easy to use, too--just thread post through forms, slip on the locking button, and snip off the excess with the clipper provided. Just two posts per report is enough to keep the






report neatly together, and easy to use. And they're great for preventing unwanted breaks in transit.

Kits include storage box, 50 posts and buttons, and one clipper. Keep some on hand

			Pri	ce each
Item #	2	10	20	50
5398-X	\$5.95	5.65	5.36	5.10

New! Bulk Pack--Includes 1000 posts and buttons and 2 clippers.

		11100 00011
Item #	1	5+
6004-X	\$55.00	50.00



Indexes for Data Reports

Speedier access to computer printouts! Data index sets are made of sturdy Buff stock for long use. All are reinforced at the binding edge with DuPont's Mylar. Indexes have six tabs per set and come with a supply of blank inserts for typing your own titles. Plus a set of inserts pre-printed with Months. For use with 11" x 14%" sheet size. Select Item # for Burst or Unburst forms as required.

		~	Price	per set
Item #		5	25	50
5380-X	Unburst	2.15	2.10	2.00
5375-X	Burst	2.15	2.10	2.00

For rack storage of printout, see 3-way system, Page 33 and the brand new Systemizer add-on units, Pages 34-35. For shelf storage of bound or unbound reports, see shelf units in two capacities, Page 33.



Snap-In DP Indexes

Great time-savers! New translucent plastic indexes snap securely around posts in binders after binders are assembled. No need to remove covers or insert binding posts through the indexes. Just position them anywhere within the body of a report via slip-on slots. Set of 6 indexes includes 12 pressure-sensitive labels for titling the tabs. Use indexes over and over again — size fits most popular cable post data binders.

			Pr	ice each
Item #	5	25	50	100
5175-X	5.45	5.30	5.10	5.00



Data Clamp Binders

Easy in, easy out — these printout binders are a breeze to use. All-steel spring-loaded clamp firmly locks or quickly releases data forms. Binder holds reports of different sizes at the same time — a time, cost and space-saving feature. Covers are .023 flexible plastic for years of service. Capacity is 1" (about 200 pages of printout). Particularly useful for short-term reference where permanent binding is not required.

			Pri	ce each
Item #	6	12	25	50
0665-X	\$6.00	5.80	5.60	5.45



Data Printout Rolling Rack

Compact, convenient and complete.Roll-around rack stores bulky reports in a scant 1½ sq. ft. of floor space, moves easily where needed. It's made of black tubular steel for strength, with woodgrain vinyl sides for good looks. Unit includes 4 pressboard data binders, in 4 different colors, that hold up to 3600 unburst printout sheets, 11" x 14%". Follow simple assembly instructions and it's ready to roll

		Price each
Item #	1	2 & Up
5365-X	\$83.50	79.50

Heavy-Duty Data Binders

Two sizes in larger 11/2" capacity

For hard use over a long life, these binders are made of supported vinyl over heavy boards with full-length metal hinges. Tempered steel rings have locking mechanism, open/close boosters. Sheet lifters are included. 300-sheet capacity.

Color: Medium Blue				Price each
Item#	Sheet Size	1	12	25
5134-X	11" x 14 ⁷ / ₈ "	\$26.05	24.75	23.50
5131-X	8½" x 14½"	25.75	24.50	23.25



Square Ring Data Binders

Keep up to 450 sheets neatly aligned

Square rings mounted on the back cover keep data pages well aligned, cut down wear and tear. Wrap-around cover is flexible 35 gauge Polyoak, tough and dependable for years of use. For burst forms, 11" at binding side and up to 147/8" wide.

Color: Me	dium Blue				Price each
Item#	4	8	12	25	50
0673-X	\$9.00	8.60	8.20	7.75	7.30

Hard Cover Data Ring Binders

Rigid protection for burst printouts

If you prefer rigid covers for data binders, these are made like standard vinyl binders but sized for burst data sheets. Rings are very thin so pages turn easily. 1" capacity holds up to 200 sheets.

Colors:	0826-X Blad	ck; 0830-)	Black or N	Navy	Price each
Item#	Sheet Size	6 (Min.)	12	25	50
0826-X	11" x 81/2"	\$5.50	5.40	5.10	4.80
0830-X	11" x 14 ⁷ / ₈ "	6.75	6.65	6.35	6.05





Wide Track Stack Trays

Jumbo 12" x 16" trays are the ideal size to hold data printout. Use them to add capacity to the Data Cart shown below, or stack where needed for desktop use. These smoke colored translucent plastic trays interlock to stack as high as you like. Six trays per carton.

Price per carton

Item#	1	2	4
1670-X	\$48.00	47.00	46.00



Data Carts

Save Sorting and Resorting Time

You'll appreciate the great mobility of this 7-tray cart that holds up to 4000 printout sheets, bound or unbound. Compartments are made of high-impact plastic that won't dent, rust or cut.

Rigid top is designed so you can add more trays to the same mobile base. (See extra trays at right.) Overall cart size is 277/6" H x 121/2" D x 167/6" W. Trays, with 2 label areas, hold items up to 147/6" x 11". Trays are Black, top is finished in Woodgrain, frame is satin-finished aluminum. Easy-roll casters included

When data is coming off printers, decollators or bursters, Data Cart can be rolled up to receive, then rolled away for distribution. It eliminates bulky piles of reports too heavy to handle, saves time wasted by re-sorting.

Price	eac	h
-------	-----	---

Item#	1	2 & up
5363-X	\$115.00	109.00


3-Way DP Printout Racks reverse, stack, expand for more storage in less space at less cost

Big benefits from a simple concept! Racks have a single metal bar at the bottom, double metal bars at the top. Because racks can be stacked, you can double the linear feet of filing on elevated racks by using both the single and double sets of rails. (See sketch, right)

And that's not all! When you need to expand your system just add one end piece and three rails (Item #5107-X). This way you gain another 36" of filing space for less than 60% of the cost of the complete 36" rack. As you add on, this economy adds up.

You can single point, by one retractable hook in your data binders, or drop file by both retractable hooks. For slide-out, lateral filing, use handle/hangers and channels shown below. For data binders compatible with this system, see Page 31 of this catalog

Rack end sections are metal, finished in Walnut woodgrain. Structural pieces are finished in Black. Overall size of a single rack is 36" or 24" long x 20¾"D x 23¾"H. Units are shipped flat, easy to assemble. Just follow instructions and use the tool supplied.







4 Files from 3 Racks: By elevating center rack (#2, above), both top and bottom rails can be used. To expand rack system, order 3-piece add-on (Item #5107-X) as indicated by (A) above.

For mobile deskside use, add Casters #5102-X to 24" wide Rack #5100-X or 36" Rack #5101-X.

Dring gooh

				Frice each
Item#	Description	1	2	4 & up
5100-X	24" Rack	\$149.95	138.95	130.95
5101-X	36" Rack	159.95	148.75	139.25
5107-X	36" Rack Add-on (A, above)	89.95	83.75	78.25
5102-X	Casters, Set of 4	26.95	25.00	23.50
5103-X	Handle/Hangers, Box of 10	35.00	32.75	30.50
5104-X	Channels, Box of 10	45.00	41.95	39.25

DP Printout Racks

Economical, high capacity storage


These racks give you a lot of easy-file, easy-retrieve storage for computer printout in less than 4 sq. ft. of floor space. A strong, furniture-quality steel shelf houses compartments made of Woodgrain corrugated cardboard. Molded plastic channels lock compartments together securely and feature slide-in label areas. Rack areas are available 36½"H with 18 compartments, or 71"H with 36 compartments. Each compartment is 18"W x 12½"D x 3½"H. Racks are shipped unassembled, set up easily with screwdriver.

Exterior Color: Sand or Black


Height	No. Bins	Price each
361/2"	18	\$79.95
71"	36	144.95
	36½"	36½" 18







For back-to-back expansion, order 2 legs, Item #7454-X, plus components for specific media.




For hanging tapes, order Suspension Bars #7455-X, which include mounting brackets.



Both Disk Cartridge Racks require use of Bracket Set #7461-X, order separately.



Disk Packs store on Open Shelf #7458-X, which can also be used for many other types of filing



Suspension Bar # 7455-X holds printout binders shown on Pg. 31, equipped with center notched handles shown on Pg. 33.



Microfiche Covered Tray

Lightweight plastic tray in Putty has smoke top to protect fiche from contaminants. Overall size 7¼"W x 12"L x 5%"H holds up to 1200 fiche. Includes 12-tab index set and 4 stop guides. Portable, practical!

		Р	rice each
Item #	1	5	10
#7495-X	\$23.95	22.95	21.85

HOW TO ORDER

- 1. List the media you want to file and select the filing method
- Select basic units by height.
 Select components from the lower table, and add up the vertical space required to provide free access to each media.
- Double-check to see that this vertical space does not exceed the basic unit height you have
- If you want to maximize your first installation, also order Add-Ons and/or additional legs and components for back-to-back expansion.

Basic Units & Add-Ons

Description	Dimensions	Wt.	Item #	Price each
Basic Unit, 42"H	42"H x 37"W x 21"D	37.9	7450-X	\$180.00
Basic Unit, 72"H	72"H x 37"W x 21"D	30.5	7451-X	235.00
Add-On for Item #7450-X	42"H x 36¼"W x 21"D	21.0	7452-X	110.00
Add-On for Item #7451-X	72"H x 36¼W x 21"D	26.0	7453-X	130.00
Extension Leg	72"H x 36¼"W x 18½"D	3.6	7454-X	38.00

Systemizer Components

Media to be housed	Vertical Space Capacity	Capacity Per Level	Component	Wt.	Item #	Price each
Hanging Tapes 600 Ft. 1200 Ft. 2400/3200 Ft.	11" 12" 14"	38 38 38	Suspension Bar	5.3	7455-X	\$35.00
Disk Cartridges Top Load Front Load *Bracket Set - required with be	17″ 17″ oth Wire Racks,	13 17 Order Item	Wire Rack* Wire Rack* # 7461-X, \$13.00 each	4.5 5.0 set.	7456-X* 7457-X*	37.00 37.00
Disk Packs	10"	2	Open Shelf	17.7	7458-X	65.00
Floppy Disks 8" boxed 5¼" boxed 8" in Tub #7462-X, below 5¼" in Tub #7463-X, below	11" 7" 11" 7"	180 250 240 320	Open Shelf Open Shelf File Frame File Frame	17.7 17.7 19.0 19.0	7458-X 7458-X 7459-X 7459-X	65.00 65.00 90.00 90.00
Microfiche In Tray #7495-X below	7"	4800	Open Shelf	17.7	7458-X	65.00
Printout Binders (Based on 14%"x 11" Size) with handles, drop filed with handles, center pt. filed with handles, channels lateral field Single point suspension	15" 16" 16"	35" Divided By Binder Thickness	File Frame Suspension Bar Suspension Bar Suspension Bar	19.0 5.3 5.3	7459-X 7455-X 7455-X 7455-X	90.00 35.00 35.00
Ring Binders On Top Cover**	13" N/A	n	Open Shelf Top Cover	17.7 11.9	7458-X 7460-X	65.00 35.00


**Top cover requires File Frame #7459-X for mounting. For upright filing, use Track nd Dividers shown below.



Floppy, Minifloppy Tubs

Store up to 80 diskettes in lightweight Putty plastic tubs, complete with 5 tabbed dividers and dividers and protective covers. Bonus! Both tubs also drop into any standard suspension file drawer, as well as File Frame component.

		P	rice each
Item #		1	4 & Up
7462-X	8" disks	\$34.95	33.00
7463-X	51/4" disks	29.95	28.50




Upright Book-Keeper

For use on Top Cover component, or on any open shelving, 35" track mounts with self-adhesive, holds Dividers that will scoot along track wherever needed to keep files upright. Even mounts to desk or work station tops!

		P	rice each
Item #		1	4 & Up
7464-X	Track	\$5.95	5.50
7465-X	Dividers, Box of 2	5.95	5.50

New Open-Access Storage System holds all types of media to keep pace with active information systems like yours



Here's how add-on unit doubles filing space at substantially less than double the cost. Filing space can be doubled again by adding back-to-back components as shown directly below.

- Expands back-to-back and side-by-side
- Full range of interchangeable components
- Totally versatile with uniform good looks.

What works for you today will keep on working for you tomorrow! This new Systemizer media filing/storage system has a full array of components so you can extend and reconfigure your files whenever needed. In the computer room it may be equipped to hold only disk packs. In an open office, it might hold only printout. You can store just one media type or many, in one system, in one department or throughout your organization. You select the components. Systemizer will do the job.


As you add to your system, you'll appreciate its economies. Here's why: You start each storage location with a basic rack. Uprights are double slotted front and back, so to double rack capacity, you simply connect an add-on unit to the side — or add legs, plus components, to the back. Either way, you get twice the storage at substantially less than twice the price.

Outfitted front and back, Systemizers can also function as space dividers in open areas, accessorized to provide approprate storage to each work area. The 42" high units, with solid cover top, function as counter-high reference areas. The 72" high units maximize verticle space. And, no matter how your system grows and changes over the years, it always retains a uniform appearance that says "good planning, wise investment".

Descriptions, Dimensions & Ordering Information

- Uprights are double-slotted front and back in 1" increments for maximum versatility in placing components.
- Basic Systemizer Racks are available in 42" and 72" heights and consist of 2 upright, 2 legs and Spacers
- Add-On Units consist of 1 Upright, 1 Leg, and 2 Spacers
- For back-to-back expansion, order 2 Legs, plus storage components required to handle specific media
- On 42" high units, drop-filing is recommended for the top position only
- Each basic unit occupies 21" x 37" floor space and provides 35" filing space per
- Side-by-Side Add-On Units require 361/2" additional floor space
- Extension Legs add 181/2" to existing depth of unit Systemizer units are welded, all-steel construction
- Maximum load for 42" high units is 350 lbs. per side;
- maximum load for 72" high units is 500 lbs. per side.

All units are shipped knocked down, easy to assemble with instructions included. No special tools required.



Filing space is doubled by adding legs and components back-to-back to original Systemizer. Top row of printout binders hangs on handles; bottom row also uses channels for pull-out access. (See page 33 for both handles and channels).



Hanging Tapes on Suspension Bar #7455-X





Printout Binders on Suspension Bar



Disk Cartridges on Wire Backs




Disk Packs on Open Shelf #7458-X



Floppy files in File Frame



Hanging folders in Tub File





Exterior cabinets offer uniform quality and good looks throughout your offices -You can custom design each interior to fill specific needs at each workstation

MediaCenter Cabinets

			Exterior Size		
Item#	Interior Height	Н	W	D	Price each
6100-X	663/4"	761/2"	437/8"	197/8"	\$686.40
6101-X	54"	631/2	437/8"	197/8"	582.35
6102-X	313/4"	391/2"	437/8"	197/8"	478.35
Wood (Grain Top				
6103-X		1/2"	437/8"	197/8"	52.60

Easy to order - here's how:

Use the table below and follow these steps:

- 1. Start by selecting the cabinet height: 39", 63", or 76". All units are 437/8" wide and 197/8" deep, outside dimension.
- 2. Determine from the table, left, the interior height of the cabinet selected.
- 3. Next, determine the height of each row of media to be housed. The figure is shown in the table below and includes the appropriate shelf, bar or rack height. The table also shows the capacity of
- 4. Add the number of rows to determine the number of components to order. Make sure the total height does not exceed the interior height of the cabinet.

40 Tapes 23 Canisters 2 Disk Packs 2 Disk Packs 2 Disk Packs 2 Disk Packs 15 Cartridges 15 Cartridges 6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Hanger Rail Wire Rack Roll-out Shelf Stationary Shelf Wire Rack Wire Rack Wire Rack Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6111-X 6108-X 6107-X 6105-X 6109-X 6109-X 6107-X 6104-X 6112-X 6107-X 6106-X 6106-X 6105-X	\$ 43.60 50.35 124.25 61.55 50.35 50.35 124.25 87.30 123.15 124.25 69.40 124.25
2 Disk Packs 2 Disk Packs 2 Disk Packs 2 Disk Packs 15 Cartridges 15 Cartridges 6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Roll-out Shelf Stationary Shelf Wire Rack Wire Rack Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6107-X 6105-X 6109-X 6109-X 6107-X 6104-X 6112-X 6107-X 6110-X 6106-X	124.25 61.55 50.35 50.35 124.25 87.30 123.15 124.25 69.40 124.25
2 Disk Packs 2 Disk Packs 15 Cartridges 15 Cartridges 6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Stationary Shelf Wire Rack Wire Rack Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6105-X 6109-X 6109-X 6107-X 6104-X 6112-X 6107-X 6110-X 6106-X	61.55 50.35 50.35 124.25 87.30 123.15 124.25 69.40 124.25
2 Disk Packs 15 Cartridges 15 Cartridges 6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Wire Rack Wire Rack Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6109-X 6109-X 6107-X 6104-X 6112-X 6107-X 6110-X 6106-X	50.35 50.35 124.25 87.30 123.15 124.25 69.40 124.25
15 Cartridges 6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Wire Rack Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6109-X 6107-X 6104-X 6112-X 6107-X 6110-X 6106-X	50.35 124.25 87.30 123.15 124.25 69.40 124.25
6000 Cards 10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Roll-out Shelf Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6107-X 6104-X 6112-X 6107-X 6110-X 6106-X	124.25 87.30 123.15 124.25 69.40 124.25
10 Binders 12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	Stationary Shelf with 10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6104-X 6112-X 6107-X 6110-X 6106-X	87.30 123.15 124.25 69.40 124.25
12 Binders 144 Cartridges 4000 Fiche 4000 Fiche	10 T-Bar/Channel Sets Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6112-X 6107-X 6110-X 6106-X	123.15 124.25 69.40 124.25
144 Cartridges 4000 Fiche 4000 Fiche	Roll-out Frame Roll-out Shelf Wire Rack Roll-out Shelf Stationary Shelf	6107-X 6110-X 6106-X	123.15 124.25 69.40 124.25
4000 Fiche 4000 Fiche	Wire Rack Roll-out Shelf Stationary Shelf	6110-X 6106-X	69.40 124.25
4000 Fiche 4000 Fiche	Roll-out Shelf Stationary Shelf	6106-X	124.25
4000 Fiche	Stationary Shelf		
170.0	D-11 - 15		61.55
170 Cassettes	Roll-out Frame	6112-X	123.15
4000 Cards	Roll-out Shelf	6107-X	124.25
500 Mini Disks	Roll-out Shelf	6107-X	124.25
400 Disks	Roll-out Shelf	6107-X	124.25
40 Bi- d	Stationary Shelf	6112.V	111.95
13 Binders		0113-7	111.95
	Roll-out Frame	6112-X	123.15
	Roll-out Shelf	6107-X	124.25
23 Binders	Stationary Shelf		
		6112 V	111.95
	13 Binders — — — 23 Binders	13 Binders 4 Dividers and Assembly Roll-out Frame Roll-out Shelf	13 Binders 4 Dividers 6113-X and Assembly Roll-out Frame 6112-X Roll-out Shelf 6107-X 23 Binders Stationary Shelf

^{*}Microfiche trays available on page 58. Floppy disk, cassette and card trays are shown below.

Add these accessories to complete your system



Card Trays

Each tray holds 1,500 punch or aperture cards; or 1,250 mag cards. Enameled steel unit with handle is easy to transport and very durable. Size: 75/8" W x 163/4" D x 31/2" H. Price each

		noc cacin
tem#	1	4+
128-X	\$ 27.65	26.25
120 /		



Cassette Trays

Trays are made of high impact plastic with dividers to keep each cassette upright. Tray is $12\frac{3}{4}$ " W x $12\frac{1}{2}$ " D x 2" H. Each tray holds 60 cassettes.

		Price each
Item #	1	4+
6116-X	\$38.00	36.10



Diskette Trays

Minifloppy tray #6118-X is $7^3/4''$ W x $9^3/4''$ D x $6^1/2''$ H. Floppy tray #6119-X is $10^3/4''$ W x $9^3/4''$ D x $9^1/2''$ H. Capacity of each tray is 100.

		Price each
Item#	1	4+
6118-X	\$36.50	34.75
6119-X	49.40	46.95



T Bar/Channel Set

Each set includes 1 plastic T bar for attachment to a data binder and 1 slide in channel for attachment to the underside of stationary shelf #6105-X. Fits variety of binder sizes. Price each

	nce each
1	4+
\$7.80	7.45
	1

Organize your media in versatile storage cabinets you design yourself

All cabinets have lockable, roll-down tambour doors for security and dust protection

Choose rails, racks, bins, trays and shelves to house computer tapes, disk packs, disk cartridges, cassettes, floppy disks, microfilm, printout binders and letter-size documentation

Yes, you can design these cabinets yourself in just a few minutes. Pick a height, select components to outfit the interiors, and you'll have cabinets to handle all the media you deal with. MediaCenter holds them all – separately, in combination – mixed any way that meets your needs.

And remember this – no matter how many different accessories you put inside, cabinet exteriors all look the same. This way, you have top quality, uniform appearance whereever this storage system is used throughout your offices.

It's easy - start with the cabinet

All units have interior width of 41". From there, select from three different heights. Choose 76" high cabinet for maximum capacity. Or select the 39" high cabinet, add the optional woodgrain top, and create an ideal stand-up work surface for fast access to CRTs, microfilm readers or reference racks. Or, consider the in-between 63" high cabinet and how it will accessorize to fit your needs.

Add rails, shelves, accessories

Choose from a variety of hanger rails, trays, wire racks, roll-out and stationary shelves — all are specifically designed for each media product to be housed. Shelves are equipped with Accuride* suspension tracks for smooth, dependable operation. A stop guide prevents shelves from sliding off the tracks and a special lock prevents accidental rollout of shelves.

Interior shelving channels are slotted at 1" intervals. Every 4th slot is marked to speed installation. Components can be easily arranged to suit immediate needs, rearranged later for future requirements.


Tambour doors for security

Lightweight, high-impact plastic doors roll up for full access, roll back down for total security under lock and key, included with unit. These doors require less aisle clearance than pull-out files or cabinets with swing-out doors. There are two recesses for opening and closing the doors, plus a third to hold a label.

Easy to order, easy to assemble

To order, just follow the steps above the chart on the opposite page. Note: Interior components are cartoned separately and shipped separately. They are not assembled in cabinets nor contained in the same shipping carton as the outer cabinets. This is to allow total, on-site flexibility in configuring your units. Assembly is easy – just follow directions enclosed for attaching components to channels in place inside the cabinets.

MediaCenter has 20% more capacity than most similar cabinets. This added storage space reduces the cost-per-inch of filing area.







Tape Hanger Rail #6111-X handles up to 40 tapes in seals



Wire Rack #6108-X holds 23 front-load Disk Cartridges or Tape Canisters



Roll-Out Shelf #6107-X holds a variety of Disk Pack sizes



Printout Binders suspended from stationary shelf #6105-X with 10 #6115-X T bar/channel sets



Hanging Printout Binders and File Folders in Roll-Out Frame #6112-X



Documentation Shelf with 4 Dividers #6113-X holds Procedure Manuals, other references



Minidisks in Trays #6118-X or 8" Disks in Trays #6119-X on Roll-Out Shelf #6107-X



Microfiche in Trays #7495-X on Roll-Out Shelf #6107-X (Trays are available on page



Reference Racks on Roll-Out Shelf # 6107-X, (Racks available on page 60)

Magnetic Tape Trucks for Transport and Storage



Deluxe tape trucks give you mobile storage for up to 288 hanging tapes. Efficient design permits easy access from front or back. Closed sides and top help protect tapes from bumps and jars that can knock tapes off of standard

Units move easily between work and storage areas on 4 heavy duty 4" casters — two with locks. Construction — durable metal in Beige with plastic laminate tops finished in Walnut grain. These trucks will give you years of reliable service!

Medium Capacity Truck is 38"W x 18"D x 34" H. Large Capacity Truck is 38" W x 24' D x 64" H. Both are shipped unassembled. Easy assembly requires only a standard Phillips screwdriver.

Item #	Description	Price each \$270.00	
5990-X	70 Tape Capacity		
6001-X	288 Tape Capacity	649.00	





Compact Security Cabinet

holds tape, printout, more

Full length piano hinged doors and 2point lock secure confidential data from unauthorized use. Top rack holds 28 hanging tapes. Adjustable center shelf and fixed bottom shelf hold additional media, printout or other items requiring security. Cabinet reguires only 3.75 sq. ft. of floor space, rolls as needed on 2" ball casters. Walnut finish plastic top. Durable metal body is finished in baked enamel in your choice of color: Light Tan or Black.

Item#	Dimensions	Price each
5810-X	30"Wx18"Dx30"H	\$295.00

MagTape and Cartridge Racks

Shelf Racks

On shelves, on furniture tops, inside closets - wherever you find the space these racks are low cost alternative to custom cabinets. They are built of heavy gauge steel wire, zinc plated for durability. They'll serve you for many years.

needs change. They're useful for temporary storage, too, when tapes and disks are out of permanent files.

There's a welded index strip that runs

the full rack length, with card and plastic window included to identify each tape or disk. Vinyl feet protect work surfaces, keep racks solidly in place.





Portable Mag Tape Rack

For take-along convenience order our Portable Mag Tape Rack. Angled handles are built into each end of this rack. Made of heavy gauge steel with a bright nickelchrome plate finish. Holds 1334" tape seal belts.



#5360-X Portable Mag Tape Rack.

	Overall	Divider	No.		Price	each
Item #	Length	Spacing	Spaces	Media Stored	1	4 & up
5450-X	35.6"	1"	30	3/4" Seal Belt	\$25.25	24.50
5451-X	35.6"	1 5/16"	24	3/16" Standard & Slimline	25.25	24.50
5455-X	32.9"	2 1/2"	12	5440 Cartridge	26.75	26.00
5456-X	34"	1 1/2"	20	2315 Cartridge	28.00	27.75
5360-X	16.5"	1"	13	3/4" Seal Belt	20.95	20.50

Mag Tape Racks

Increased capacity per square foot. Easy access. Attractive styling. Ideal for active or inactive tapes.

Safely store up to 72 hanging tapes per square foot of floor space! Notched channels hold tapes securely yet provide easy retrieval. Each notched channel is adjustable up and down on frame. Units are six levels high and easily expandable by using economical add on units. Capacity of starter units (#5998-X) and add-on units (#5999-X) is 216 tapes each, with 36 tapes per shelf. Sturdy metal construction is finished in baked enamel. Channel shelves are Light Tan, frame is Black.

Item #	Description	Weight	Price each
5998-X	Starter unit	105	\$255.00
5999-X	Add-on unit	93	207.00

Mag tape racks shipped unassembled to minimize damage and save on freight. Easy assembly requires only standard Phillips screwdriver.

Breakthrough in low cost forms separation Manual Decollator is fast, simple, and trouble-free

Finally, you can buy a low cost decollator that's fast and well-built too! This compact unit will decollate and re-stack computer forms at high speed with minimum effort. You can actually decollate a 300-page report in about a minute and still keep your hands clean. The basic unit separates paper and carbon, and an optional attachment permits separation of carbonless forms.

Because it's hand powered, the operating speed can be instantly adjusted to form requirements. You, not the machine, stay in control. And you'll be amazed how easily it operates. It's so well geared you can literally turn the handle decollate forms with one finger. Manual design can also save future servicing headaches.

Carbon is collected by a removable bobbin that eliminates unnecessary messy handling. For carbonless forms, specify optional attachment for instant conversion.

This unit will pay for itself many times over in saved time and frustration. Decollator comes fully assembled, ready to go to work!

Specifications

Width Dimensions: Depth Height in use 233/4" 24 41 not in use 171/2" 233/4" 24"

Shipping Weight: 26 lbs. (will ship U.P.S.) Color: Textured ebony with computer blue.

Speed: Variable to 350 feet/minute. Capacity: Up to one standard carton.

Paper Specifications:

- Up to 161/2" wide.
- Most standard weights.
- Removes one carbon at a time as many as desired.
- Separates carbonless with attachment.

Item#	Description	Price each
5472-X	Decollator	\$295.00
5473-X	Carbonless Attachment	45.00



One Year Guarantee
These manual decollators are guaranteed against any manufacturer's defects for one year. Should you receive a defective unit we will repair or replace it at our option.

Table Top Burster

Quickly separates forms



Streamline the handling of your continuous data and word processing forms! Separated into individual sheets, they're faster to mail, more manageable, easier to read, and easier to bind and file.

This lightweight, table top Swingline Burster will separate one part continuous forms into individual sheets up to 15 inches wide and 12 inches long at a rated speed of 125 feet per minute. Handles paper weights ranging from 10 to 120 pounds.

The Burster has been designed with a double-pointed tear bar which insures a clean, neat separation of forms without ripping. And with safety in mind, all moving parts are recessed including the manual feed knob and the tear adjusting knob.

Slitter blades are self-sharpening and all bearings are sealed, requiring no lubrication or maintenance. All-steel construction eliminates vibration and "creeping", while insuring greater durability.

The Burster is easy to load, requires no special installation, and can be operated by anyone with very little instruction. Comes equipped with "static bar" for smooth stacking.

This model is handsomely designed. Frame is constructed of heavy duty steel. Ideal for any computer installation.

\$1,299.00 each

Item #5859-X

Electric Decollators separate carbon and carbonless forms

Choose portable or stationary models to separate printer output

No wasted time with these Swingline decollators! Both take over messy job of separating printer output whether you're using carbon or carbonless forms. And they do it with great efficiency - no special skills are required to get the job done. Set-up, loading and take-away are fast and easy.

Both decollators have variable speed controls so your operators can regulate paper flow to fit the problem. Both have special triangular stacking wedges to keep forms neatly aligned after separation. Both are attractively finished in Grey pebble finish.



Desktop unit is portable, operates at 75 to 200-ft. per minute, handles about 1/3 carton of 2-part forms per load.

Item #5869-X Tabletop Decollator

A-Frame unit operates up to 450-ft. per minute, handles full carton lots of 2 to 6 part forms. For feeding carbonless paper at high speeds, a Paper Control Assembly is recommended.

Item#	Description	Price each
5870-X	A-frame Decollator	\$799.00
5871-X	Paper control assembly	39.00

Specifications

Full box 2 to 6-part forms

13 to 140 lb. bond paper (non-glued)

up to 20 inches

Specifications

Form size Paper weight Load capacity Speed Electrical

up to 15 inches 10 to 110 lb. bond paper (non-glued) 1/3 box standard 2 part forms variable — 75 to 200-ft. per minute Volts - 120 AC 60 Hertz Amps - 0.2 amp continuous,

no load Watts - 35 watts continuous, no load

Dimensions 40 lbs. Weight

Line cord - 6 foot, 3 prong ground 241/2" L x 203/4" W x 163/4" H

0 to 450-ft. per minute Speed Volts - 115 AC, 50-60 cycles, Electrical 1.2 amps Watts - 138 watts continuous, no load Line cord - 6 foot, 3 prong ground 85 lbs. (+ 1.5 lbs. for Paper Control Weight Assembly for carbonless paper)

All Swingline products are guaranteed for 90 days - Details available on request.

\$529.00

Form size

Paper weight

Load capacity





	Price	each
\	20	FO

Item #	10(Min)	20	50
5905-X	\$2.65	2.50	2.40

Magnetic Media Mailers

Ready-to-go convenience! With these custom mailers designed just for your media, you won't ever have to fuss with makeshift cartons again. Made of sturdy corrugated fibreboard, they meet postal and UPS shipping requirements. Select the sizes you need and keep a supply on

Mag Tape Mailer

Perfect packaging for a single mag tape! Trust the interlocking design of this carton to hold one 111/2" tape steel securely for shelf storage or mailing. Inside dimensions are 12" x

Floppy & Mini Mailers

Each of these handy mailers holds up to five diskettes. Side tuck-in wings help protect disc from damage in transit. Carton fastens securely with a front fold tab.

Increase handling efficiency and insure data integrity-order your mailers today! Note: Mailers must be ordered in multiples of 10.



			Price	each	
Item #		20 (Min)	50	100	
5913-X	Floppy	1.60	1.53	1.47	
5914-X	Mini	1.57	1.48	1.42	

DP Printout Mailers

Now data printouts can service mailing and shipping! These 1-piece die-cut shipping containers are made of 200 lb. test corrugated fibreboard with extra panels and folds to combat the rigors of transporation. Great for shipping, and smart for some types of storage. For 11" x 14%" reports; inside dimensions x 14%" reports; inside dimensions accommodate report covers. Containers are White. Quick to set up.

Price each

					1100 00011
Item #		Depth	50	100	250
5908-X	Data	31/4"	1.57	1.50	1.45
5909-X	Data	6"	2.75	2.60	2.50
5919-X	Letter	21/2"	1.16	1.35	1.25
5919-X	Legal	21/2"	2.15	2.00	1.90



Anti-Static Mailers

Now you can mail, ship and store your disks with confidence. Thick 90-lb. paperboard envelopes are lined with fused on Polyethlene anti-static foam, to eliminate dust and dissipate stray electronic charges on the surface. Rigid outer envelope resists bending. Each mailer holds one disk.

			Pric	e each
Item #		50 (Min)	100	500
5771-X	Floppy	\$1.35	1.30	1.25
5772-X	Mini	.95	.90	.85





Inter-Office DP Envelopes

Here's the faithful courier between the Data Processing Department and designate personnel. Strong 50-lb. white Kraft stock expands up to 2" to hold up to 400 sheets of DP printout. Front has spaces for 50 uses. Reversible flap reads "Return to Data Processing Dept." on back. Six small holes show recipient whether all contents have been removed. Overall size: 11" x 16" x 2".

			Price	each
Item #	50	100	250	500
5446-X	\$1.05	1.00	.96	.92



DP File Folders

Put your data printouts undercover in heavydity Manila file folders, sized for reports up to 11" x 14%" and scored to expand up to 1". Each folder will hold up to 300 sheets-ideal for shortterm reference of long-term storage. Index tabs across top in 3 positions. Manila is almost twice as heavy as standard file folders to give you lots of service for very little money.


			Price each	
Item #	50	100	250	500
5135-X	\$.76	.70	.59	1.45

First Class DP Envelopes

Unmistakably First Class Mail! Open side envelopes are printed with a conspicuous green diamond border and the words "FIRST CLASS MAIL", giving your reports a sense of urgency. Large 400 page (14%" x 11") capacity with Press-Tite Dri-Seal Flaps. Choose from sturdy 40-lb. Kraft stock or super-strong TYVEK. Dimensions of both are 11" x 16" x 2

				Price each		
Item #	Description	50	100	250	500	
5447-X	40 lb. Kraft	\$.94	.89	.85	.81	
5448-X	Tyvec®	1.05	1.00	.96	.92	

#5350-X Convex Preprinted – Size $3\frac{7}{8}$ " x $1\frac{7}{16}$ " #5352-X Convex Blank – Size $3\frac{7}{8}$ " x $1\frac{7}{16}$ "



#5351-X Crescent Preprinted – Size 37/8" x 1 13/16 #5353-X Crescent Blank – Size 37/8" x 17/16"



#5367-X Tape Cannister Labels – Blank Tape size $3^{7}/8^{\prime\prime}$ x $1^{13}/16^{\prime\prime}$; Cannister $5^{5}/8^{\prime\prime}$ x $1^{15}/16^{\prime\prime}$

Tape & Cannister Labels

Pre-printed and blank labels formatted specifically for tapes and reels are also available, as listed below. They'll give you positive stick, but peel away clean when it's time for a change.

Labels per Package: 1000


		Form	Price per Pkg.		
Item #		Width	1	3	5
5350-X	Convex Preprinted	47/8"	\$23.30	20.95	18.90
5351-X	Crescent Preprinted	47/8"	27.00	24.50	22.00
5352-X	Convex Blank	47/8"	19.90	17.90	16.10
5353-X	Crescent Blank	47/8"	23.50	21.00	19.00
5367-X	Reel/Cannister Blank	55/8"	39.00	35.20	31.65



Billboard Binders

Design your own covers! Just slide your own material into the crystal clear pockets that are tightly formed over the front, back, and spine of these vinyl binders. Use brochures, letterhead, posters, photographs, or other promotional material to make a personalized presentation that is uniquely yours. For $8\frac{1}{2}^{"} \times 11^{"}$ pages.

Color: Bl	: Black, White			Price each	
Item #	Capacity	8	25	50	100
0811-X	1"	4.45	4.15	4.05	3.85
0812-X	11/2"	5.10	4.70	4.60	4.40



Trouble free! These self-adhesive data processing labels are designed to tolerate high speed printing without tearing or jamming. They're precisely folded so there's no skewing or sideways motion when they're being run. They're clean – leave no adhesive bleed at the edge and no lint or debris to foul your printer. They're smudge-proof.

			Labels per	Pric	e per ca	rton
Item #	Label Size	Form Width	Carton	1	3	6
One-Acr	oss Labels	N. Walland				
5354-X	31/2" x 15/16"	41/4"	5.000	\$ 18.50	16.65	14.95
5356-X	4" x 17/16"	43/4"	5,000	35.00	31.50	28.35
Three-A	cross Labels					
5680-X	31/2" x 15/16"	113/4"	15,000	59.60	53.65	48.25
5681-X	4" x 15/16"	13"	15,000	81.00	72.80	65.50
5682-X	4" x 17/16"	13.2"	15,000	109.50	98.55	88.65
Four-Ac	ross Labels					
5355-X	31/2" x 15/16"	15.3"	20.000	79.50	71.55	64.40
5683-X	3" x 15/16"	13.3"	20,000	83.50	75.15	67.65
5684-X	33/10" x 15/16"	14.9"	20,000	85.50	76.95	69.25
Four-Ac	ross Labels -	- Cheshire ar	plication*			
5686-X	3.2" x .92"	147/8"	20,000	82.00	73.80	66.40
5687-X	$3.2'' \times \frac{7}{8}''$	147/8"	40,000	155.00	139.50	125.55

*Labels are positioned on backing paper to allow for mechanical application on Cheshire and similiar equipment.



Hanging File Binders

Get the loose-leaf benefits of a file folder with the bound-in security of a 3-ring binder. Bind papers in sequence for faster retrieval, less mis-filing, and fewer mislaid files. Sized right for $8\frac{1}{2}$ " \times 11" pages, these flexible plastic binders fit in any file drawer equipped with a suspension frame. Choose from "assorted", red, yellow, orange, blue, green, black, brown, and white — all with 1" capacity.

				Price each
Item #	12	25	50	100
1300-X	\$2.40	2.30	2.15	2.05



Desk Organizer

Where can you put bulky books you work with constantly? On the 16" x 16" base of this revolving desk carousel you can store binders, catalogs, other references. A touch of your finger turns the unit quietly on ball bearings. Carousel is made of hardwood, in walnut finish, stands 9" high. It arrives fully assembled, ready to save time and space while it keeps things organized.

			Price each
Item#	1	2	4 & up
1650-X	\$65.50	64.50	63.50




Data Printout Ruler magnifies print for easy viewing

Increases speed and accuracy - reduces eyestrain

Deluxe printout ruler magnifies one line at a time, "pops" it up for easy reading. Clear magnification area is 3/6", contrasted above and below with light blue lines that highlight the print line you are reading. The combination of a highlighter and a magnifier saves you time, cuts down on fatigue, and prevents visual line hopping. A long 15" means you can read even your widest reports without difficulty. And, as an added bonus all the

scales you need are right here. Outside scales are in both inches and centimeters. Inside scales correlate to horizontal and vertical columns so ruler can be used for computer programming, too.

			Pi	rice each
Item #	3 (Min.)	6	25	50
5314-X	\$6.95	6.70	6.55	6.40



Programmer's Ruler

It's faster to measure than to count—this ruler is a real timesaver. A horizontal spacing scale contains 150 print positions—more than enough to program on wide 132 column printout. One vertical spacing guide is scaled for 8 lines per inch. Another is scaled for 6 lines per inch. Standard inches are shown, too. A clear window is highlighted on both sides by a thin red line to simplify proofreading. Handy 15" length. Made of eye-easy plastic, clear and tinted. You'll find this to be an indispensable tool.

				Pric	e each
Item #	6	25	50	100	250
5313-X	\$3.75	3.50	3.25	3.05	2.90




DP Ruler highlights print

Less fatigue, greater accuracy and more efficiency! It's a ruler, but it's a life-saver, too. Made of transparent blue plastic, it has a yellow stripe that highlights one line at a time. A smaller second stripe is scaled to read reduced printout. Now you can read straight across a line without difficulty. Long 15" size makes even your widest reports easy to read. By isolating a single line you increase eye speed, reduce distraction and fatigue, and avoid line hopping and skipping. Ruler is conveniently marked for programmers with 150 print positions. Once you've used it the question is, "How did we get along without it?"

			Price each		
Item #	10(Min.)	25	50	100	
5311-X	\$1.75	1.60	1.45	1.30	

DP Templates



Standardize design and documentation for the most efficient program development. Use Devoke's Data Processing Templates for flowcharting – they'll save you time and reduce logic errors.

Our Program Template (A, above) has flow chart symbols in accordance with ANSI X3.5. Features include a card volume scale, plus scales in 6ths and 10ths of an inch. Made of .020" green transparent plastic, choose between full size (5" x 9") or 3/4 size (4" x 8").

Our Data Processing Symbols Template (B, above) includes the most commonly used symbols for data processing and flow charting. Scales are shown in 6ths, 8ths, and 10ths of an inch. Made of .020" green transparent plastic, template is 5" x 9".

		Price each		
Item #	Description	1	6	
5318-X	Program Template, full size	\$4.95	4.80	
5319-X	Program Template, 3/4 size	4.90	4.75	
5335-X	DP Symbols	4.95	4.80	


Drice Feeb

Produce clean, professional reports with our Forms Design Ruler

This top quality forms design ruler is specifically designed to meet the needs of programmers, system analysts, and forms designers. It's made of high grade, heavy gauge polished steel for long life and reduced slippage, machined to exact tolerances, and acid etched for image permanence. In addition to the features listed above, ruler includes metric, one inch, ½", ½0", and ½2" scales. This

is a forms design ruler you can count on for complete accuracy.

				I IICC Lacii
Item#	Description	1	6	25
5460-X	Forms Design Ruler	\$7.95	7.65	7.35



Dual 12/24

Hour

24 Hour Dial

16

Dial

Dials and digitals both offer high accuracy, bold read-out

Dual 12/24 Hour Clocks

Quartz and Electric

These dial clocks give you time on both a 12 and 24 hour basis. 12 faces are printed in large black and red numbers in 1-12 and 13-24 serieseasy to read, even from a distance. Choose timetested electric movement or precision quartz movement. Brown, high-impact plastic case. Overall diameter is 13%"; depth is 2%". Both unconditionally guaranteed for one year.

		P	rice each
Item #		1	4 & Up
5457-X	Electric	\$28.00	26.50
5458-X	Quartz*	37.50	36.00

*Requires one "C" cell battery, not included

24-Hour Dials

Quartz and Electric

Consecutive numbers ring the 14" face of these clocks for fast reading. Quartz model is accurate ± 15 seconds per month. Electric model has 18 ga. 5½ grounded cord. Case is Brown plastic; sweep second hand is Red. Both have hanging brackets. Both unconditionally guaranteed one year.

		Price each
Item #		4 & Up
Electric	\$35.00	33.00
Quartz*	48.00	45.50

*Quartz requires one "C" cell battery, not included.

14.35

24-Hour

Digital Quartz

You can tell computer time at a glance with this king-size 24-hour clock. Big White numbers, 2½" high, show in sharp contrast on Black background. Wall mount, or use on desk or counter tops with stand that's included. Quartz crystal movement is accurate to ±15 seconds per month. Running noise is barely audible-tiny blinking luminous diode indicates clock is operating. Overall size of Beige plastic case is 11½"W x 5"H x 3½"D. Neat contemporary design, great long-distance visibility. One year warranty.

		Price each
Item #	1	4 & Up
6150-X	\$96.00	92.00

*Requires one "D" cell battery, not included.

Desktop 24-Hour LED Clock



Small in size, but big and bold in readout. Desktop unit is 2¼"H x 6¼"W x 3¼"D, with 7" high red LED numerals. Clock has 24-hour memory alarm. Attractive Brown walnut grain plastic case.


1	4 & Up
\$19.95	18.95
	1 \$19.95

8 and 12-Channel Paper Tape Punch/Splicers


07

09

Save an average of 5 minutes per tape over other methods of preparation--that's over 2 hours on a box of 25 tapes!



23 00



12-Channel Tape Punch/Splicer

Now you can perforate and splice 12-channel carriage tape with ease, forming tape into a loop for use in the forms feed control units of line printers.

Perforating: Precision punch will prepare control tapes for printing forms with either 6 or 8 lines per inch. Tape alignment and perforation is guaranteed to meet or exceed industry standards.

Splicing: Registration pins and hold-down arms are provided to facilitate fast and accurate splicing of the tape into a loop.

	Price each
Punch/Splicer	\$200.00
Box of 25 tapes each with	30.00

8-Channel Splicer/Punch/Gauge

Make your own 8-channel forms feed control tapes and tape repairs with this precision made instrument. It's the most popular on the market because it is, quite simply, the best. Cutting shear stays forever sharp and never needs replacement. Bit punch is made of hardened tool steel, has positive index for fast and easy alignment, and it will not wear out. Machine will shear and perforate every type of 8-channel tape made. The standard of the industry! Order today from Devoke.

Item #		Price each
5476-X	Punch/Splicer/Gauge	\$140.00
5489-X	100 Ft. roll of sprocket hole punched tape w/ 100 mylar patches	25.00

Magic Chart™ Aids Programmers




Design new reports or modify existing onesquickly and accurately with Magic Chart. Draft your ideas right on Magic Chart with special marker. Add, alter, or eliminate data as neededink is removed with the wipe of a cloth. Xerox completed display for program specifications and documentation. Wipe clean and it's ready for your next report. Ideal for converting manual forms into preprinted continious forms.

Choice of 6 or 8 lines per vertical inch--both have 144 positions per line, at 10 characters per inch. 14" x 18" size. Streamline your layout and design chores--Order a Magic Chart today.

		Price	each
5171-X	Magic Chart Kit-6 lines/in	\$3	35.00
5172-X	Magic Chart Kit-8 lines/in	(35.00





Hygrometers reduce downtime by keeping a check on dangerous static electricity

Show humidity and temperature

Direct-reading dials — no calculation required

Easy to read 5" faces in 6" housing

Attractive solid brass cases

Low humidity can promote accumulation of static electricity which causes serious problems for your computer room — everything from paper jams and erratic feeding to loss of data and complete system shutdown. Monitoring the situation is just good preventative practice. A glance at the easy-to-read dial on these hygrometers will accurately show you humidity and temperature so you can take precautionary measures before problems occur.

Item #5980-X deluxe model shows temperature in both fahrenheit and centigrade with a dial range from 0 to 210°F (-20 to 100°C). Dial is white with contrasting black

numbers and a red tip pointer. Read direct no calculation needed. Rigidly tested before shipping. It's guaranteed for one year, warranted for five years. Handsome solid brass case, drilled for wall mounting.

case, drilled for wall mounting.


Item #5949-X standard model shows temperature in fahrenheit in a dial range from – 10° to 190°F. Dial is black with white numbers and a red tip pointer is set for direct reading. Also cased in brass, drilled for mounting. Guaranteed for one year.

Whichever model you select, it's good insurance against the major and minor losses you can continuously experience when static build-up crackles out of control.

		Price each
Item #	Description	different P
5980-X	Deluxe Hygrometer	\$98.00
5949-X	Standard Hygrometer	89.00

Now you can have computer-grade static protection with easy-to-install 18" square carpet tiles

You're probably all too familiar with the havoc that static can wreak on your electronic equipment — from mainframe to micro. And you may have tried lots of solutions: area mats, sprays, grounds, etc. But now, with Compu-Tile™ carpet squares you can have wall to wall static protection and forget the rest.



Compu-Tile is constructed with special conductive monofilaments in every yarn, so its static control properties last for the life of the carpet, regardless of wear and cleaning. And a long life it will be, too — it's earned an Extra Heavy Traffic Classification. Yarn weight is 24 oz. with 9.2 stitches per inch. Strength and dimensional stability are achieved through a fiberglass-reinforced backing which also provides superior tuft bind and ravel strength.

Count the areas in your organization that could benefit from Compu-Tile and order from Devoke today!

Compu-Tile — Each box contains 24 tiles to cover 6

square yards.

Specify color:
Beige, brown,

grey, blue.

Beyond static protection, Compu-Tile carpet is superior to tile in four ways. First, it absorbs sound rather than reflecting it — thereby improving the acoustics of your working environment. Second, it's easier to maintain. Third, it's much more comfortable. And fourth, it's more attractive — once installed, you can't tell that it's not traditional roll carpet.

Installation is simple, too. Pressure sensitive adhesive is applied with an ordinary paint roller. And because it always remains tacky, tiles can be easily lifted and repositioned for under floor access or tile replacement.

 Item #
 1
 5
 10
 25

 6002-X
 \$195.00
 175.00
 167.00
 158.00

Adhesive — Pressure Sensitive Acrylic Emulsion. Coverage per gallon is 45-55 square yards.

		Price/gallon
Item #	1	5+
6003-X	\$30.00	28.50



Antistatic Carpet Mats

These mats are specifically designed to control rapid build-up of static electricity that comes from the movement of people or externally charged objects such as furniture or rolling carts. They've been tested and proved superior in static protection to any other type carpet-even to computer room tile. Both design and manufacturing process meet IBM recommendations for electrical resistance in computer room floor covering.

Specially conductive threads are woven right into the 100% nylon pile to give protection that's unaffected by wear or cleaning. Mats drain off static the moment you set foot on them and reduce it to the lowest practical level. Full 5-year guarantee. Color: Beige

Item #	Size	Price each
5389-X	3' x 5'	\$65.00
5388-X	4' x 6'	108.95
5382-X	4' x 8'	135.00
5400-X	3' x 10'	133.00

Static can be the No. 1 enemy of your computer system


Use these mats and accessories to drain away trouble before it strikes

Ordinary static – the kind we all generate just by walking around – can spark trouble anywhere around data processing. It can knock out your CPU, cause peripheral equipment to malfunction – lead to data loss, data and program errors. You can block the problem with floor mats and carpet that take the sting out of static the moment you step on them.

Opaque Black Mats won't curl, have non-skid "cleats"



Here's a mat you'll never have to flip!
Unlike thinner polyolefin mats, this thick vinyl mat won't curl at the edges; never needs to be flipped.
This has enabled us to



mold in non-skid cleats on one side of the mat, so when you put it in place it stays put. An 8' grounding cord drains off static, attaches to bottom of mat. Choose between

60 two is 4 cluc lip. 60"

two mats — #2352-X is 45" W x 53" L and includes a 25" W x 12" L lip. #2453-X is a 48" W x 60" L rectangle.

		Price each
Item #	1	4+
2452-X	\$133.00	126.00
2453-X	163.00	155.00

Anti-Static Spray

Perfectly safe! Simply spray onto surface to be protected. Allow a few minutes to dry – it lasts until washed or worn away by heavy contact. Non-flammable, dries clear, won't stain or discolor. Stock up and solve static problems other solutions can't reach. 16-ounce bottle has pump spray.

	Price each	
3	6	12
\$4.10	3.95	3.80
		3 6



Crystal clear mat won't detract from your decor.

Static is dissipated through a protected grid, just below the mat's surface.


Non-skid grippers are molded into underside to prevent movement.

New Clear Stat™ Mats won't detract from your decor

Tough, specially compounded transparent vinyl is fusion-bonded to a heavier vinyl substrate for outstanding durability. Static dissipating material runs as an ultra-thin grid just beneath the surface of the overlay so it's completely protected from abrasion. Ten foot grounding cord assures complete static dissipation, even in the most static-prone environment. Non-skid grippers are molded to the underside at 1½" inter-

vals to prevent movement during use. Remarkable lie -flat characteristics, attractive in place. Mat measures 48" x 60".

		Price
Item #	1	4+
7503-X	\$198.00	188.00





Static protection with cushioned comfort

Here's a great combination of soft, cushioned surface and effective static dissipation. While these mats protect sensitive equipment from static discharges, they also provide welcome fatigue relief to operators.

Mats are made of urethane foam particles that have been idividually coated for controlled static conductivity, then compression molded into a high density, homogenous surface 5/16" thick. Each is electrically grounded by an 8 ft. cord with protective one meg ohm safety resistor. Wear does not affect conductive properties and mats can be swept, vacuumed and washed without loss of function. Mild surface friction also removes dust from shoes and minimizes air contamination. Small sizes are ideal for stand-up POS and CRT stations — even clean room or field service use.



Particles are individually coated for controlled conductivity, then compressed 15X for durability and anti-fatigue resilience.

			Price each
Item #	Size	1	4+
8450-X	18 x 24"	\$22.95	21.95
8451-X	24 x 36"	39.95	37.95
8452-X	24 x 54"	56.95	53.95
8453-X	24 x 72"	73.95	69.95



Good housekeeping reduces costly downtime — use special Vacuums

fr. White the state of the stat

Whisk away dust and debris with Compu-Vacs to reduce downtime of sensitive equipment. Portable

and wall-mount units are both lightweight, easy to

Portable Compu-Vacs

Pick up paper chips, dust and other debris from printers, disk drive areas, tape racks — wherever clean-up is required. This routine housekeeping pays off by reducing service calls.

This is the same portable vacuum used for years by service departments of leading computer manufacturers. Housing is unbreakable, guaranteed for life. Dirt capacity is almost 2X that of most portables; motor is almost twice as powerful. The 18' cord lets you cover wide areas from a single outlet. Triple filter (hag & fram & disk) keeps exhaust

Triple filter (bag & foam & disk) keeps exhaust air filtered clean. Exhaust outlet, plus hose, provides blower action.

UL & CSA listed; electrical rating 120V, 60 Hz, 5.2 amps, 1HP (peak), 102 CFM. Unit weighs 16 lbs.

These accessories are included 6' x 1\%" hose; shoulder strap; 2\%" - 1\%" adaptor; crevice tool; round brush; 20" extension wand; 2 paper filter bags. Order additional bags separately below.

Item #		Price each
5931-X	Portable Compu-Vac	\$115.00
5932-X	Filter Bags, Pkg. of 5	6.95

Wall Mount Vacuums

Get the convenience of a built-in vacuum system at a fraction of the cost! A single hangup Compu-Vac in one location can service a roomful of equipment. With extra mounting

brackets it can be moved from room to room. Removes paper chips, dust, other contaminants from hard-to-reach areas. Use it too to keep air conditioning ducts free of dust and to spot-clean floors.

UL & CSA listed; electrical rating 120V, 60 Hz, 5.2 amps, 2 stage, 1.7 HP (peak); 100 CFM. Capacity 2½ gallons, Weight 20 lbs.

Unit includes these accessories: 18' x 1½" hose; 6" metal nozzle; 6" brush shoe; 1 mounting bracket.

Item #		Price each
5935-X	Hang-Up Compu-Vac	\$225.00
	Extra Cartridge Filters	8.95
5936-X	Extra Mounting Bracket	15.95

ONE YEAR WARRANTY on Compu-Vacs covers defects in material and workmanship. Complete Warranty, accessory and supply list shipped with each unit.

DP Printout Receptacle secures confidential data until shredding



No longer do confidential printout and other documents have to lie around waiting to be shredded. Printout receptacles provide convenient security when and where you need it. A large mouth provides ample opening to receive thick quantities of material, yet unique interior baffling insures security – even if can is turned completely upside down. Hinged top is only removable when unlocked with a key. Fire resistant construction of heavy gauge steel features nylon feet to protect floors, and a vinyl bumper which surrounds receptacle at its widest area to protect furniture and walls. Both receptacles are $37\frac{1}{2}$ high. 21-gallon unit is 14×14 wide. 36-gallon unit is $18\frac{1}{2}$ x $18\frac{1}{2}$ wide. Color: Putty.

Item#	Description	Price each
7408-X	21 gallon receptacle	\$148.00
5407-X	36 gallon receptacle	164.00



Rugged disc tumbler lock comes with 2 brass numbered keys



Baffle and swing plate assembly prevents pilferage



Unlocked top swings back, slides off pin hinge

Self Extinguishing Receptacle prevents fire from spreading



Unique baffle system forces oxygen within receptacle down so fire becomes its own worst enemy and consumes itself – in less than a minute.

Eliminate the possibility of a waste fire turning into a computer room fire with Self Extinguishing Receptacles from Devoke. These 21-gallon cans have a unique baffle system that cuts off the oxygen supply to the inside of the receptacle, causing the flames to consume themselves. The fire burns out in less than a minute – never causing even a bubble or wave to the exterior of the receptacle. Handsome unit features sturdy steel construction, easy-swing self closing top, thick vinyl bumper, and no-mar feet. Unit is 35½" high; 14½" x 14½" wide. As a safety measure, it's a wise investment.

Item#	Description	Price each
5491-X	Cinnamon receptacle	\$85.00
5492-X	White receptacle	85.00



Security Pays! Keep your confidential papers absolutely confidential -- shred them into unreadable ribbons

Just imagine what can happen if your confidential, paperwork circulates where it shouldn't. You face a two way hazard:

- Your own vital information can be exposed;
- 2. There's always the risk of unwittingly violating the privacy protection of others.

Investment in shredding equipment pays off to infinity when you consider the potential danger of having confidential information appropriated from waste baskets and trash bins. For security's sake, it should be shredded so it's unreadable and virtually impossible to reconstruct.

And sound security procedures suggest that shredding take place at the point and time of need -- confidential paperwork should not be left exposed or temporarily stored. That's why we've selected the best in the industry, the Wilson Jones Ambassador line of shredders. Select the appropriate models to meet the different needs at different locations within your organization.

Compact 600 Model



For executives, secretaries and photocopier stations, this compact self-contained unit accepts up to 14 sheets of paper at a pass and operates with push button ease. This model is so compact it's never in the way. Only 14½"Wx13½" Dx27½"H. Shreds paper, plastic, staples, small paper clips and cards into 1/4" ribbons with throughput equivalent to 45 feet per minute. All metal construction with slideout waste bin. Operates quietly with 1/4 HP motor.

The compact 600 fits just about anywhere.

Warranty and Service

Shredders are warranteed for 90 days after delivery to the original user/purchaser against defects in materials and workmanship under normal use and service (Parts and labor). Further, the manufacturer warantees cutting heads and motor for a period of one year after delivery, under normal use and service (Parts only). Shredders are manufactured by Wilson-Jones, a trustworthy name in office and automation products, with nationwide service centers for user convenience.

Stand-mounted or Desktop 900 Models

Finer and faster! The shredder shown below cuts 3/16" wide ribbons and handles 106 feet per minute, as many as 16 sheets at one time. While its 9½" throat might suggest it's designed for lettersize paper, it's actually one of the most popular shredders for destruction of computer printout. Just fold the first sheet to fit into the throat, and the shredder will digest stack after stack of continuous forms.

The stand-mounted unit, Item #8818-X takes up to 60% less floor space than many similar models because the wire mesh waste trolley snugs under the framework, rolls out for easy removal and replacement of trash bags. Overall size is 36½"Hx20¼"Wx28½"D. Single shelf is handy for holding shreddable materials.

Desktop model, Item #8819-X, is the same shredder as described above -- without shelf, waste trolley or stand. Overall size is 11"Hx20¼"Wx21"D.



The popular 900 models deliver high capacity forms destruction with space saving design.



The heavy duty 1600 can shred miles of printout in less than an hour.

DP Printout 1600 Models

If you produce large volumes of printout, odds are that much of it is proprietary or confidential and should circulate to controlled shredding operations. The heavy-duty shredder shown above is engineered for this type of destruction. This shredder operates at 115 feet per minute with simple forward, stop and reverse push-button controls, with overload protection. It has a 3-tier stand for multiple feed of continuous forms through the 16" throat. The wire trolley is easy to bag, handles high volume with minimum attendance.

Overall size of this model, Item #8820-X, is 44-¾"Hx27"W-41¾"D. 1 HP motor. Speed and capacity of this unit also make it ideal for sheet paper destruction for an entire office floor. And it can process up to 20 pages simultaneously.

Item #8821-X, listed in the price table, is a higher speed model of the shredder described above, with throughput of continuous forms increased to 200 feet per minute. Single sheet capacity is 12, fed simultaneously.

Quality Built for Reliable Performance

All shredders shown here are distinguished by interior differences compared with others on the market. Cutting blades have been individually cut and hardened, and are not a lathed spindle like many others. Blades last longer, stay sharper so they cut paper, rather than rip it.

Dring per package of FO

Shredders

Item #	Description	Throat Width Shred Width		Weight	Price each
8817-X	Compact 600 Shredder	9"	1/4"	58 lbs.	\$ 795.00
8818-X	Stand-Mounted 900 Shredder	9"	3/16"	138 lbs.	\$1,595.00
8819-X	Desktop 900 Shredder	9"	3/16"	105 lbs.	\$1,395.00
8820-X	DP Printout 1600 Shredder	16"	1/4"	201 lbs.	\$2,995.00
8821-X	High Speed DP Printout 1600 Shredder	r 16"	1/4"	201 lbs.	\$3,195.00

Shredder Bags

			Frice per package of		
Item #	Description	1	5	10	
8822-X	For use with 600 Model Shredder	\$23.00	21.00	19.00	
8823-X	For use with 900 Model Shredder	34.00	32.00	30.00	
8824-X	For use with 1600 Model Shredder	42.00	40.00	38.00	

Shredders are shipped f.o.b. the point nearest you: Elizabeth, NJ; Atlanta, GA; Chicago, IL; or Cerritos, CA.

ective correction in m of this page.

Jnique circuitry is effi-Minicomputer Reges circuit redesign or

See bottom of this

Minicomputer Regulator. See facing page.

If you need reliable performance from your computer, here are some facts you

d know about pow PROBLEM	CAUSE	FREQUENCY	SOLUTION
Power Surges/Drops	Elevators, heaters, air- conditioners & other large equipment/machinery starting and stopping. Nearby lightning strikes.	Continually throughout a day — lasts 10 to 100 Micro-seconds	 Voltage Surge Protectors — cost effe 95 – 98% of applications. See bottom
Transients/Noise	Unfiltered power lines	Continual throughout a day	 Voltage Surge/Dropout Protectors. U cient low pass filter for noise control. More extensive problem is solved by ulator (facing page). In extreme case shielding may be required.
Brownouts/Dropouts	Overdemand of public utilities	Peak operating hours, e.g., air conditioning during afternoon hours in the summer	Voltage Surge/Dropout Protectors. Spage. Ministermentar Pagulater. See facing.


Voltage Surge Protectors

Surge Sentry® protects minicomputers, data entry and communications equipment Eliminates "no trouble found" service calls — reduces component failure

Short surges of high voltage - sometimes in nanoseconds - can cause misregistration, false logic and even destruction of delicate circuits in minicomputers, data entry terminals and other communications equipment. While your equipment is probably fused for over-current, it may not be protected from over-voltage - particularly distributed equipment located outside the main computer room. Malfunctions caused by these transient voltage surges are often misdiagnosed as equipment malfunction and can cause downtime and several service calls before the true problem is isolated.

Now, with the Voltage-Surge Protector, you can protect your equipment from these destructive power surges that can be caused by inductive load switching of transformers, air Item #5773-X conditioners, heaters, and other types of equipment - even by lightning and static. This device "clips" over-voltage transients before they can enter the equipment power supplies. This shunting action, triggered in pico-seconds, can dissipate up to 600,000 watts and prevent the unwanted transient from appearing on the output of power supplies or destroying the power supply itself.

This unit can pay for itself many times over by preventing downtime, lost data, circuit damage and service calls. Simply plug the three-prong 2" unit into a wall outlet, then plug the equipment you want to protect into a receptacle on the surge protector. Peace of mind! A neon light on the unit indicates that it is functioning properly. And, remember, only Surge Sentry lasts through millions of uses without burning out - only Surge Sentry sets the industry standard for speed and range of protection!



Electrical Specifications

E	700		м			_	п
	Ю	c	т	rı	С	а	

Applicable line voltage: 120V_{rms} nominal, 170VP to P nominal 200V nominal (see table below) Clamping level: Operating temperature: -25 to +75° C -50 to +100° C Storage temperature Less than 95% non-condensing Operating humidity: Less than 1 milliamp Leakage current: Dynamic short term current: Greater than 5,000 Amps (see table) Dynamic response time: Less than 1 nanosecond (see table) Failure mode (95%): Open circuit

Electrical Characteristics

	Stage 1	Stage 2	Units
Clamping level	200 ± 5%	230 ± 15%	Volts
Component clamping response	5 x 10 ⁻¹²	1 x 10 ⁻⁶	Seconds
100μ sec power dissipation	1 x 10 ³	1 x 10 ⁶	Watts
Dynamic impedance	100	10	Ohms
Rated energy dissipation	.1	100	Joules





Item #5781-X

Surge and Dropout Protection Models protect equipment that's susceptible to damage from a drop and subsequent upsurge in power. When power drops below a safe level unit shuts off, and a light goes out to let you know to check equipment before returning power. Also available with on/off switch for single point power control for an entire system.



Item #5776-X and #5777-X

These 120 Volt Twist-Lock Models are specially designed to use with twistlock plugs. Units come Bryant equipped with connectors - one male and one female. Dimensions are 2.5" H x 4.7" W x 1.5" D. Choose 20 or 30 amp connectors. Other twist lock models are available-please inquire.



Item #5775-X

Protect your entire system with a Systems Model from Devoke. There are six receptacles in this 120 volt unit - enabling you to protect your computer and several peripherals with just this one unit. Dimensions are 5.9" H x 3.1" W x 2" D, and unit comes equipped with a 6' cord.

Item #	Description Pri	ce each
5896-X	Standard Model	\$ 89.00
5773-X	Surge and Dropout Model	132.50
5781-X	Surge & Dropout Model w/switch	149.00
5775-X	Systems Model	112.00
5776-X	Twist Lock Model-20 amp capacity, 20 amp Connectors	135.00
5777-X	Twist Lock Model-20 amp capacity, 30 amp Connectors	135.00

Minicomputer Regulators provide voltage regulation and ultra isolation.

In delicate electronic equipment, noise and transients cause errors, while low volt-

age and short term disruptions can result in loss of memory. Our Mini-

computer Regulators provide instantaneous voltage regulation plus ultra isolation from both transverse and common mode noise for any type of electrical load. It also suppresses transients, protects against overloads, and serves as a portable dedicated line.

Common mode noise rejection exceeds 120 dB, while transverse noise rejection exceeds 60 dB—true isolation. And for brownout protection, input line voltage variations as great as 15% are

instantaneously regulated to a maximum output deviation of 3%. Nominal Output Voltage for all units is 120. Simply plug the unit into a wall socket, and plug your

equipment into one of the unit's output receptacles. Item #5427-X, 5428-X, and 5468-X each have two plug receptacles; item 5495-X has four. With the flip of the On/Off switch your equipment is protected.








Choose the unit that suits your needs below — they're all designed for office type environments and have a low sound level of 43 decibels

Item #	Max. Output VA Rating	Max. Amp Rating	Input Volt Range	Price ea.
5427-X	140	1.17	95-130	\$284.00
5428-X	250	2.08	95-130	338.00
5468-X	500	4.17	95-130	468.00
5495-X	1000	8.33	95-130	690.00

Eliminate guesswork! Power Line Monitor pinpoints problems



To select the correct

model, simply add up

the total amp draw of

all the equipment in

your system.

Simply plug it in! The BMI Power Line Monitor instantly diagnosis problems in your power line so you can take appropriate corrective action. An alarm will sound to signal power disturbances; red LED lights will let you know the exact source of your troubles at a glance. Monitor pinpoints these common power problems at pre-set thresholds:

Power Failure • < 80V RMS \pm for more than 500 ms \pm 20% Low Line Voltage • < 105V RMS \pm 3% for more than 100 ms \pm 10% High Line Voltage• > 125V RMS \pm 3% for more than 100 ms \pm 10% Voltage Spike• > 200V Peak \pm 10% for more than 10 μ s \pm 10% High Frequency Noise • > 2V PP \pm 10% for more than 50 ms \pm 10% at 100 KHz

Lights and alarm stay on until you press the clear button. Unit comes with a checklist that suggests possible causes and solutions for each type of power line disturbance. 120V, 60HZ.

Item #7110-X Price \$345




Sub-Floor Panel Lifters

Quickly and easily lift the panels that cover your computer room sub-floor. Keeps your hands and fingers safely out of the way – and eliminates the possibility of damage to your panels. Heavy duty double cup tool has two 4" suction cups made of a heavy, flexible, oil resistant rubber. A simultaneous trigger releases the panel. Order today – for safety and efficiency in your computer room.

		Price each		
Item #	1	3	5+	
5497-X	\$36.00	34.25	32.50	

Let us be your computer supply warehouse--we're only a phone call away!

Devoke Data Products 408/980-1366



Six Outlet Power Strip

Tap into instant power at your workstation, or wherever you need it. This multiple outlet strip plugs into any 110/120v outlet, giving you 6 plugins. Unit features circuit breaker with reset button, and light indicator on the ON/OFF switch, and 6 foot cord.

			Price each
Item #	1	5	10
5467-X	\$30.00	28.50	27.00

Easy to open when you know how...24 Hour security when your're not there

Thousands of possible combinations, virtually pick proof

Simple, yet effective security! Pushbutton combination locks are easy to open if you know the combination--even if your arms are full of printout. But, if you don't know the combination, you won't get in.

Positive latching prevents intruders from opening these locks with a credit card or screwdriver. They meet the full requirements of the U.S. Department of Defense for security in restricted areas.

You set the combination. Use single buttons, or buttons pushed in unison with

For the day shift, the combination is:


2

other buttons in any desired sequencefor thousands of possible combinations. These locks are virtually pick-proof.

And you can change the combination in less than a minute. Using the old combination and a special tool (included), you can change the combination anytime you like. This is ideal for changes in shifts, employee turnover, or changes in tenants.

Both Utility and Heavy Duty Locks are made of heavy brushed steel, and are built to last. All locks come with a full one year quarantee.





Lock opens easily from inside, too, just turn the $2\frac{1}{2}$ lever and pull.



Utility Locks provide low cost, practical security.

This lock is the simplest way to add much needed security to your computer room and other restricted areas. Three piece assembly is easily installed in minutes. Complete instructions are included.

Unit comes equipped for installation on wood or metal doors, and for right or left hinged doors. Fits doors 1-3/4" to 2-1/8" thick.

A Key Bypass model is also available to provide a key override capability to select personnel without giving up the security features of the combination lock. Two keys are included.

Select either brushed chrome or antique brass finish.

Item #	Description	Price each \$165.00	
5470-X	Standard Model		
5490-X	Key Bypass Model	212.00	

Heavy-Duty Locks are built for indoor/outdoor use

You'll appreciate the attractive, contempory appearance of our deluxe model locks--But don't be fooled by appearance! These locks are strong, built to last. In fact, they've been wear-tested for 1.5 million operations--that's 30 years of heavy use. Built of heavy-duty brushed chrome steel, they're even weatherproof for outdoor use.

Installation is easy with complete instructions included. Locks fit doors hinged right or left. Heavy-duty locks feature easy-to-open full doorknobs on both sides.

Key bypass models are also available to provide the functional advantage of a restricted master key system with the day to day use of the pushbutton codes for normal operation. Order #5293-X to hold a Russwin-Corbin core; #5494-X to hold a Falcon or Best core. Use your own core or order the optional Falcon core listed below.


Select from two attractive finishes: brushed chrome or antique brass.

Item#	Description	Price each
5493-X	Standard Model	\$250.00
5293-X	Key Bypass Model	275.00
5494-X	Key Bypass Model	275.00
5292-X	Optional Falcon Core	35.00



You'll be prepared when the lights go out

Don't fumble around in the dark! When there's a sudden power failure these lights come on automatically, letting you secure the safety of people and sensitive equipment.







Count up all your dark corridors, windowless rooms, and people-intensive areas and be prepared!

Our wall mount unit has two high output sealed beams that illuminate an area of 20' x 50' for up to 2 hours. A solid state switch detects normal power failures and lights go on. When power is re-stored lights turn off automatically and the maintenance-free lead calcium battery recharges to UL 924 requirements. A unique solid state device guards against damage from a short or overload. Automatic reset eliminates need for fuses or curcuit breakers. To install, simply plug into any standard wall outlet.

Our portable lamp weighs less than 5 pounds and will deliver up to 12 hours of light on a single charge. Unit plugs into wall outlet to charge battery and detect power failures. If power goes out the light comes on and unit is easily unplugged for take-along lighting. Unit has a rugged polyethylene case, 8" flourescent tube and Solid-Gel battery for long life.

			Pric	e each
Item #	Description	1	2	4+
4840-X	Wall Mount	\$79.95	78.50	75.00
5948-X	Portable	99.99	97.00	92.50
30020 BASS SAN				

Ite

Ite

Now it's easy to relocate your CRTs or other terminals

Extension Cables for users of EIA/RS 232 compatible equipment

Cable Selection Guide

(When ordering specify item#, gender, and length)

Data-only extension. For extending lines 1, 2, 3, and 7 with handshake jumpers. For use with most local terminals.

	Connector Gender			Cable		Price	
	Male/	Male/	Female/	Length		Each	
	Male	Female*	Female		1.	3	6
m#	6601-X	6602-X	6603-X	10	\$20.75	20.15	19.45
	6604-X	6605-X	6606-X	25	25.40	24.65	23.75

9-line extension. For extending lines 1-8 and 20.

	Co Male/ Male	Male/	nector Gender Cable Male/ Female/ Lengt Female* Female		Price Each 1 3		6	6	
m#	6607-X	6608-X	6609-X	10	\$24.15	23.45	22.60	Ī	
	6610-X	6611-X	6612-X	25	31.15	30.25	29.15		

15-line extension. For extending lines 1-8, 11, 12, 15, 17, 20, 22, 23 For most synchronous modems.

	Connector Gender			Cable	Price			
	Male/	Male/	Female/	Length		Each		
	Male	Female*	Female		1	3	6	
Item#	6613-X	6614-X	6615-X	10	\$28.25	27.40	26.40	
	6616-X	6617-X	6618-X	25	37.50	36.45	35.10	

25-line extension. For extending lines 1-25. Interchangeable with DEC# BC05D and TI# 9932II-001.

	Co	Connector Gender		Cable		Price		
	Male/ Male	Male/ Female*	Female/ Female	Length	1	Each 3	6	
Item#	CONTRACTOR OF THE PARTY	6620-X 6623-X	6621-X 6624-X	10 25	\$31.35 42.95	30.45 41.70	29.35 40.20	

*Most extension applications of these cables will require Male/female connectors.

NOTE: Other sizes and configurations of cables and connectors available. Call us for quote.



These EIA cables give you total flexibility in the positioning of your terminals. And it's so easy! Just follow these four steps:

- 1. Select and order the cables you need from the guide at left. (Call us at 408/980-1360.)
- When your cable arrives, disconnect the EIA connector from the back of your terminal.
- 3. Connect the extension cable to the original cable.
- Connect opposite end of extension cable to your relocated terminal.

These cables are quality engineered to provide true "no hassle" service. They feature connectors with gold pins machine crimped at 2½ tons (soldering presents a greater chance of shorted connectors or open connections.) Wire used is 100% shielded to prevent spurious signal interference. It's covered in a white pliable jacket that lays beautifully and looks great.

Ask about our Gender Changers, Null Modems, "Y" cables, and low capacitance cables (for over 100' long). Bulk wire and connectors also available.

Coaxial Cables – for IBM 3270 & others. RG62AU wire and BNC connectors.




			Pri	ce Each
Item #	Length	1	3	6
6625-X	10	\$15.95	15.50	14.95
6626-X	25	19.75	19.20	18.65
6627-X	50	25.95	25.00	24.50
6628-X	100	38.50	37.50	36.00

Twinaxial Cables – for IBM Systems 34, 38 and others.



			Pr	ice Each
Item #	Length	1	3	6
6629-X	25	\$106.60	103.75	101.20
6630-X	50	130.25	127.10	123.75
6631-X	100	178.60	174.15	169.60
6632-X	250	321.35	313.70	305.75

Wall Plates and Junction Panels



For a neat, professional installation. EIA connectors come with female mounting posts. Wall Plates come in your choice of brushed stainless or brass. Junction Panels available in gold anodized only. Custom panels to your specifications are also available.

EIA & Coaxial Wall Plates – specify brushed stainless or brass plates available with more connectors & for Wang & Twinax.

Item #	Description	Price each
6633-X	Coaxial plate w/female connector	\$15.00
6634-X	Coaxial plate w/o connector	6.30
6635-X	EIA plate w/female connector	10.50
6636-X	FIA plate w/o connector	5.50

EIA Junction Panels* — gold anodized Single Row, 16 connector, 19" x 3½".

Item #	Description	Price each
6645-X	EIA w/25 pin female connectors	\$130.00
6644-X	EIA w/o connectors	55.00

Double Row, 32 connectors, 19" X 7"

Item #	Description	Price each
6647-X	EIA w/25 pin female connectors	\$220.00
6646-X	EIA w/o connectors	75.00

*also available with EIA male connectors or for coaxial connectors.

Gold sockets for connectors.

Item#	Description	Price each
6641-X	Solder type socket	\$.26
6642-X	Crimp type socket	.20

Specialized Switches

Coax (BNC), Twinax, Parallel, and others



Here are those hard-to-find switch boxes for other than RS232 applications. All switches feature quality construction for ultimate reliability, and each one carries a full year's guararantee. Get the most out of your equipment by ordering the switch boxes you need from Devoke today. Switches all have one input connector and multiple output connector positions as listed below.

Coaxial (BNC)

		Price each	
Item #	Description	1	4+
6650-X	2 Position Coax	\$115.00	110.00
6651-X	4 Position Coax	133.00	127.00
6652-X	6 Position Coax	148.00	140.00

Twinaxial

6653-X	2 Position Twinax	\$195.00	185.00
0000		7	

Wang Dual Coaxial

6654-X	2 Position Wang	\$195.00	185.00

36 Line Parallel (Centronics type)

6655-X 2 Position Parallel \$245.00 232.00

V.35 Modem/Communication Line

6656-X 2 Position V.35 \$226.00 215.00

Gender Changers and Null Modems

These versatile problem solvers are easy to use and their compact design (less than 2" square) insures neat installation.

Our Gender Changers are the simplest way to solve RS232 gender interface problems, simply plug the cables you want to connect into each end of the gender changer. Item #6822-X has two female connectors for connecting two male EIA cables. Item #6823-X has two male connectors for connecting two female EIA cables.

Our Null Modems (Modem Bypass) allow two terminals or one terminal and the modem port on the computer to talk to each other—without using a modem. Great for adding a local terminal or testing a modem channel. Internal pin configuration: 1-1, 2-3, 3-2, 4&5-8, 6-20, 7-7, 8-4&5, 20-6. Item #6848-X has two female connectors; Item #6649-X has one female and one male connector.




Price each

		FIIC	e each
Item #	Description	1	4+
6822-X	F/F Gender Changer	\$28.00	26.60
6823-X	M/M Gender Changer	28.00	26.60
6648-X	F/F Null Modem	30.00	28.50
6649-X	M/F Null Modem	30.00	28.50

Connector Kits

RS232 and Coax (BNC)

It's easy and economical to assemble your own connectors when you have all the right parts. Order a supply of our connector kits so you'll always be prepared.



RS232 Round Cable Kits

Each kit includes a 2 part hood with screws, 25 gold plated pins or sockets, screws and clips to attach connector tie wrap, and strain relief. Solder kits have loaded contacts.

		Price each	
Item #	Description	1	10+
6657-X	Female crimp kit	\$ 9.50	9.00
6658-X	Male crimp kit	9.50	9.00
6659-X	Female solder kit	11.50	11.00
6660-X	Male solder kit	9.50	9.00



RS232 Flat Cable Kits

Each kit contains one connector assembled with 25 pins and strain relief. (Does not include screws)

Item #		Price each	
	Description	1	10+
6661-X	Female ribbon kit	\$10.00	9.50
6662-X	Male ribbon kit	10.00	9.50



Coax (BNC)

This screw-on connector is super easy to install.

Price each

Item #	Description	1	10+
6663-X	Male coax connector	\$4.00	3.80



Pin insertion/extraction tool

For use on crimp-type pins. (Not a crimping tool).

Price each

Description	1	10+
Tool	\$4.50	4.00

Bulk Cable

RS232 Standard Round, Flat, Ribbon and Coax

DATA PRODUCTS



Buy what you need by the foot! Here's the place to get top quality bulk cable fast. All of our cable is U.L. listed and comfortably meets or exceeds the high standards set for the minindustry. For you that means less data loss and "crosstalk" between lines. And with a full warehouse to draw from, you can expect the cable you need to be in stock, ready for fast shipment!

All our RS232 Round Cable uses 22 AWG stranded (7x30) primary and drain conductors. Even our Standard Cable is 100% shielded with Mylar foil that features 25% overlap (U.L. style #2464). It's PVC insulated and rated at 90°C, 300 volts. Unique white jacket is more pliable and attractive than the common grey or blue styles. For cable runs over 100 feet, use our Low Capacitance Cables (U.L. style #2335.) In addition to all the features of our standard cable, it's polypropylene insulated with twisted pair construction. Rated at 12-14 pico-forads per foot, you can run it safely up to 250 feet!

Our Flat Ribbon Cable is ideal for many applications requiring maximum flexibility. You can fold it, layer it, slit it lengthwise between any of the 25 (or 40) stranded conductors, or run it unobtrusively under carpeting. It features a U.L. listed PVC jacket (Grey).

Our Coaxial Cable with UL listed PVC jacket (Black) is surrounded by braided shield and equivalent to IBM Part #0323921 (RGRG62A/U).

Standard Shielded

Item #	Number of Conductors		Price per 100'-250	
X-0088	5 + drain	\$.34	.32	.31
8801-X	9 + drain	.51	.48	.47
8802-X	12 + drain	.57	.54	.51
8803-X	15 + drain	.68	.65	.61
8804-X	24 + drain	.85	.81	.77

Twisted Pair Shielded

8805-X	3 pr + drain	\$.57	. 54	.51
8806-X	5 pr + drain	.79	.75	.71
8807-X	7 per + drain	1.07	1.02	.97
8808-X	12 per + drain	1.45	1.38	1.31

Flat Ribbon

8809-X	25	\$1.21	1.15	1.09
8810-X	40	1.45	1.38	1.31
Coax				
8811-X	1	\$.31	.29	.28

Here's how to stretch cable transmission distance easily without the hassle and expense of modems or line drivers

Starbooster is a compact, low cost RS232 compatible signal booster that can more than double original cable transmission distances. It acts as both a line conditioner and a signal booster. When it receives signals it strengthens them,

reduces noise, corrects electrical characteristics, and then retransmits to the next Starbooster or receiving device. Here are the main functional differences between Starbooster and Modems or line drivers:

Starbooster costs less — in many cases Starbooster can easily save you hundreds of dollars. Plus, in most applications you'll need only one Starbooster; with modems or line drivers you always need two.

2. Starbooster is more compact and versatile in placement - typically modems and line drivers must be positioned close to your terminal or telephone line.

3. Starbooster supports all handshaking lines while modems and line drivers typically do not-this allows you the flexibility to use a wider vari-

ety of equipment currently on the market.

Starbooster is also a viable alternative to extended distance cable. Or by using it with extended distance (low capacitance) cable, you can extend transmission distances even further. Synchronous or asynchronous, Starbooster can transmit over extended distances at rates of up to 19,200

baud without sacrificing transmission speed for cable distance. Continue to extend distance by simply adding Starboosters.

Starbooster prevents false signaling, too. When the transmitting device is powered off, Starbooster's unique design insures that the receiving device assumes the transmitter to be in a noncommunicating mode. For equipment that supports power through its data transmission lines, you can order the inline powered model that doesn't require its own power source. This allows maximum flexibility in placement. For other equipment, order your Starbooster with power modules that plug into standard 120V power outlets.

For modest prices Starbooster will add unequalled flexibility and capacity to your system. Count the areas they can help you and order from Devoke today.

		Price	each
Item #	Description	1	4+
8813-X	Inline Starbooster	\$104.00	99.00
8814-X	Starbooster w/mod.	116.00	110.00

Solve your minicomputer interfacing problems once and for all!



The JANUS switching unit programs quickly and easily to interface asynchronous, RS-232conforming computers, terminals, and communications equipment.

Dual connectors let the extension cable mate with either a male or a female connector at each end.

To Use:

- Determine necessary connectors The switching unit
- Set slide switches
- Plug in cable
- Test for proper operation.
- 5. Equipment is ready for use.

Includes:

- A 15 foot extension cable with M/F double duty connectors
- · Complete user documentation
- 1 year guarantee

The user's manual fully explains these steps, shows typical switch setting and gives background information on interfacing in general.

Let JANUS solve your interfacing problems JANUS Interfacer with extension cable and user's guide.

Item #5479-X \$178.00

The JANUS Interfacer is the programmable cable set that serves as any of the following:

- Computer/Terminal interface
 Null Modem
- · Multiplexer/Terminal interface · Data Signal Monitor
- Computer/Modem interface
- Terminal/Modem interface

- Diagnostic Breakout Box
- Universal DB 25 Patch Cable

Problems ...

Lack of standardization has caused difficulties with terminal connections. Incompatibility between different manufacturers will continue to plague the industry for the foreseeable future. The loose RS-232 standard suffices as an industry specification but not as an interfacing protocol.

This annoying situation is made even worse by the failure of some manufacturers to supply external cables.

... and Solutions

The JANUS Interfacer is a functional, programmable cable which adapts quickly and inexpensively to asynchronous, RS-232 protocols by means of simple slide switches. A double set of connectors with male/female ends make Janus easily adaptable to any configuration. It allows easy interconnection of different manufacturers' computers, multiplexers, modems, couplers and terminal equipment.

Specifications

- · Applicability: For use in interfacing asynchronous, RS-232conforming computer/terminal equipment.
- Programming capability: The ten essential circuits are fully programmable to any useful configuration; remaining circuits are wired straight through.
- Monitoring capability: Four LED's, two for the two data channels and two for any other programmable circuits.
- Connectors and cables: DB25 connectors; extension cable mates with either male or female connector at each end.
- Physical: Switching unit, 5%" x 3\%" x \%". Extension cable, 15'. Total weight, 15.6 oz.

Special Purpose Cables

Versatile Problem Solvers.

Gender Changers

Here's the simplest way to solve RS232C problems. Simply plug the cables you want to connect into each end of the gender changer. Item #6822-X has two female connectors for connecting two male EIA cables. Item #6823-X has two male connectors for connecting two female EIA cables.

Null Modems (Modem Bypass)

Allows two terminals or one terminal and the modem port on the computer to talk to each other — without using a modem. Great for adding a local terminal or testing a modem channel. Internal pin configuration: 1-1, 2-3, 3-2, 4 & 5-8, 6-20, 7-7, 8-4 & 5, 20-6. Item #6848-X has two female connectors: Item #6649-X has one female and one male connector.

"M" Cables

This cable allows tremendous flexibility in networking and is very handy used in conjunction with our switch boxes for custom configuration. Cable has male connectors on each end, with both a female and male connector in the center. Has 12" legs. Order Item #6824-X.

Jumper Cables

12" cable has two male connectors.

	Pric	ce each
Description	1	4+
F/F Gender Channger	\$28.00	26.60
M/M Gender Changer	28.00	26.60
F/F Null Modem	30.00	28.50
M/F Null Modem	30.00	28.50
M/M & F/M "M" Cable	40.00	36.00
M/M 12" Jumper Cable	24.00	22.80
	F/F Gender Channger M/M Gender Changer F/F Null Modem M/F Null Modem M/M & F/M "M" Cable	Description 1 F/F Gender Channger \$28.00 M/M Gender Changer 28.00 F/F Null Modem 30.00 M/F Null Modem 30.00 M/M & F/M "M" Cable 40.00

Rack-Mount Switching Units feature advanced engineering with PC board construction

Space efficient design — up to 16 switches per rack!



Item #

Description

6816-X 2-way Dual Switching N

For port sharing or back-up applications these rack mountable switching modules are the best we've found. Each channel

switches all 24 leads of the EIA/ RS232 interface, with all connectors 25 pin female. PC Board construction means much higher reliability with reduced interference and "crosstalk". And with the Giltronix rack mountable 2-way switch you can fit 16 switches (8 dual modules) in a 19" wide rack. With others you can only fit 10 that's a 60% space advantage! Dual 2-way switch modules are 23/16" wide each.

Also available is a module with two 3-way switches. Each module is compatible with T-Bar racks for expanding or upgrading your current system. Capacity is ten 3-way switches (5 dual modules) per 19" wide rack. Dual 3-way switches are 31/2" wide each.

Both modules have connectors mounted vertically Instead of diagonally

the rear panel -

this makes access much easier. When less than full rack capacity is ordered, blank panels are available for neat, professional installation. All units may be special ordered with monitoring LED's — call for details.

	Price each
Module*	\$228.00
' 0010 W	115.00

6817-X 19"Wx51/4"H Rack (for item 6816-X) 115.00 6818-X Blank front panel** (for item 6817-X) 5.00 6819-X 3-way T-Bar Compatible Dual Module 338.00 6820-X 19"Wx51/4"H Rack (for item 6819-X) 115.00 6821-X Blank front panel** (for item 6820-X) 6.00

Remember each module houses two 2-way or 3-way switches.

New Automatic Switching Unit enables remote terminal or CPU port selection

Microprocessor control offers flexibility in software and hardware not possible with mechanical devices

Now with one simple keystroke you can select the peripheral or CPU port you want to access. Local or remote - select the printer in the next room or a terminal across the country — you don't even have to leave your chair. To use the ASU (Automatic Switching Unit), a computer or control device is connected to the ASU's common port. Then three to seven peripherals (depending on model) are connected to the switching ports. A simple command sequence from the computer will now direct the ASU to select the peripheral you want. And with user definable port names, you can address peripherals by any number or name you choose.

When the port selection is made, the ASU will display the selected port number continuously on the front panel. After the connection is established the data flow is totally transparent to the ASU, and the selected peripheral will remain connected until a new command sequence is entered.

You'll find the ASU very user-friendly. Menu selection provides operator prompts for all available data modes. And it automatically "learns" any standard baud rate (110-9600) so there's no need to reset switches if multiple data rates are used. For added flexibility and local control, a manual override

> Superior design incorporates solid state switching with no moving parts to

> assure extremely reliable operation. However, in the unlikely event of a failure, a comprehensive self-diagnostic capability checks all major hardware and software functions. A fault code then appears on the front panel display to alert the user to take corrective action.

Think of how you could use the Automatic Switching Unit enhance your system's

capabilities - then order from Devoke with confidence!

Specifications

Electrical 115/220/240 VAC at 50/60 HZ **Factory Set** UL approval-pending

Environmental

Operating temperature 0°C to +70°C

Physical

25 Pin Female (DB25s) Connectors: Dimensions: 10"Wx7"Dx3"H Weight

Interface

EIA RS-232C - 8 leads (2, 3, 4, 5, 6, 8, 20, 24)

		Price each
Item #	Description	
6813-X	ASU, 3 port	\$449.00
6814-X	ASU, 5 port	499.00
6815-Y	ASIL 7 port	549.00

NOTE: Front panel monitor LED's (TD, RD, RTS, CTS, DSR, DTR) available on special order — call us at (408) 980-1360 for details.




Order one blank panel for each unused module space in your rack

Now from Devoke: A premium line of switching devices to maximize the efficiency of your system

Save the cost of new terminals and more fully utilize the ones you already have

Do you find yourself constantly plugging and unplugging cables to get maximum use out of your CPU's, peripherals and modems? If so, your solution is probably here on this page. These switching devices allow you to build a great amount of versatility into your system at a low cost. These devices are so reliable they're backed up by a three year warranty-a first in the industry. And new LED line monitoring option is an exclusive feature you'll appreciate. Compare features, construction, and price. You'll agree-these are the best switching devices available on the market today.



Two Way Switch allows you to connect two printers to the same CPU, two CRTs to the same any two devices to one common device. 24 pins are switched and unit is compatible with any RS 232 device. Also available with monitoring of six signals: TD, RD, RTS, CTS, DSR, and DTR. Status of signals is displayed by LEDs on front panel.

Item #	Description	Price each
6800-X	Two Way Switch	\$159.00
6801-X	Two Way Switch w/monitors	218.00



Three Way Switch adds greater flexibility to your system. With this unit you can connect three devices to one common device-for example, three CRT's can use the same I/O port in your CPU. Any number of applications will help you make fullest use of your resources. Monitoring option available.

Item #	Description F	Price each
6802-X	Three Way Switch	\$198.00
6803-X	Three Way Switch w/monitors	s 243.00

You can't buy a better switching unit than Giltronix from Devoke. Here's why:

PC Board construction

Longer life;

Greater reliability

Monitoring Option
Up to 12 signals for troubleshooting

Quality Switch

Totally sealed ceramic construction

Gold plated contacts

Completely insulated; Soldered—not crimped

Easy to use knob-

Best quality pointer type



High reliability EIA or IEEE 488 available on special order

Switching Devices 55

5 Year Warranty

Giltronix warrants each of these devices to be free from defects in material and workmanship and to perform in accordance with the specifications for 5 years from the date of shipment. The unlimited first year warranty

includes parts, labor, and transportation back to you. During subsequent years, warranty provides for replacement of any defective parts. Full details available from Devoke on request.



Dual Three Way Switch houses two Three Way Switches in the same unit. Not only is it less space consuming, it's also more economical than if you were to buy two separate units. Connect three CRTs to your CPU with one switch, and let three computers share your printer with the other. Available with or without monitoring - unit pictured has monitoring option.


Item #	Description	Price each
6804-X	Dual Three Way Switch	\$359.00
6805-X	Dual Three Way Switch w/2 sets of monitors	449.00




Quadruple Three Way Switch is four Three Way Switches side by side in special rack mountable housing. Use each switch independently of the others for all of your three way switching needs. A similar Triple Three Way Switch is also available. Both units are available with or without monitor-- unit pictured above has monitoring option, call for pricing.

Item #	Description P	rice each
6809-X	Triple Three Way Switch	\$759.00
6811-X	Quadruple Three Way Switch	849.00

Some typical applications of Giltronix Switches from Devoke



Multiple Device Interconnect





Price each

1 & un

Fire Extinguishers won't damage your computer

Available in six sizes including two ceiling mount models



Protect delicate hardware, magnetic media, and important paper documents with a fire extinguisher made especially for the data processing environment. Many extinguishers will cause more damage to your computer room than the fire itself – not Devoke's. Filled with Halon 1211, these extinguishers have been tested and recognized by Underwriter's Laboratories and the National Fire Protection Agency.

Halon 1211 is a clean agent rated for A, B, and C type fires. Discharged as a vapor, this agent doesn't fog up the room during fire fighting efforts, and evaporates quickly after use, leaving your computer room clean. Unlike conventional CO² extinguishers, which discharge at -110°F, Halon 1211 discharges at a media and circuitry safe temperature between 15° and 25°F. And, Halon 1211 won't conduct electricity – that means you can spray it directly on your hardware without damaging sensitive circuitry.

Select the sizes you need and choose between hand held extinguishers and automatic ceiling mountable units. Hand held units come with a wall mounting bracket. Ceiling units have keyhole slots for quick installation — especially useful in unattended areas, as they activate automatically when temperatures exceed 165° F. 3-lb unit will flood up to 36 square feet with a maximum dimension of 6 feet. 6-lb unit will flood up to 64 square ft. with a maximum dimension of 8 ft.

One blast from the wrong extinguisher could ruin your equipment, so play it safe ... Count the areas in and around your computer room where you need specialized protection and order today. A smart investment!

Ceiling Mount Extinguishers

Canacity

Item #

ILCIII 77	Capacity		+ a up
5852-X	3 lb.	\$151.00	140.00
5853-X	6 lb.	175.00	161.00
Hand Held	Extinguishers		Price each
Item#	Capacity	1	4 & up
	Japaon		

nanu neiu	I lice each		
Item#	Capacity	1	4 & up
5866-X	2½ lb.	\$ 63.00	58.00
5867-X	5 lb.	93.00	86.00
5864-X	13 lb.	168.00	156.00
5865-X	17 lb.	190.00	175.00



Water Alarm with 30 foot remote sensor

Uses AC power for continuous signal

Even the smallest amount of water will activate the Devoke Water Alarm, setting off a loud (85 decibel) high-pitched warning signal. Unit uses AC power so it will sound continuously until it is disengaged. Use the remote sensor with a 30 foot cord to detect water in your sub-floor area while mounting the alarm box on a wall where it will be easily heard. Unit comes with a mounting bracket for easy installation. Dimensions are 5-1/8" x 2-5/16" x 1-7/8".

Also available is a battery operated alarm for use in areas where a continuous signal

is not required. Unit sits directly on the floor in areas that need to be monitored, thus does not include a remote sensor or mounting bracket. Uses one 9V alkaline battery.


AC Alarm with remote sensor

			Price each
Item #	1	3	5
6260-X	\$42.50	40.00	37.95
Janua Dat	toru Onor	atad Ala	w 1993

New! Battery Operated Alarm

		Price each
1	3	5
32.50	30.00	27.95
	1 32.50	1 3 32.50 30.00

Write On/Wipe Off Boards simplify control of day to day activities



- A. Item #1953-X BIG 24" x 36" Four-In-One Board is full 4-month calendar with generous write-in space for each day.
- **B. Item #1952-X** Program Control is 18" x 27" and has 25 entry lines down, 5 weeks across.
- C. Item #1950-X Monthly Schedule is 18" x 27", with 6 lines per daily entry.

Each board comes with a set of four pens: red, black, blue and green

Solve planning, scheduling and organizing problems effectively – with high visibility. Makes it simple to control day to day activities and keep an eye on deadlines. Control boards are easy to update. Simply damp-wipe off old information, write in new.

Plastic coated surface has grid lines printed in 2 colors on white for easy reading. Pens are supplied in 4 colors. Frames are anodized aluminum and include a handy pen tray across the bottom. Mount anywhere – hangers and tape are included.

Organize your activities - order today!

		Price each
1	2	4 & up
\$80.95	79.95	78.95
53.95	52.95	51.95
53.95	52.95	51.95
	53.95	\$80.95 79.95 53.95 52.95

Modular Microfiche System expands to meet your changing needs

1, 2, 3, 6 or 16-drawer cabinets for floor, counter, desk or work station use

Here's an expandable modular microfile system that can grow as needs grow, with handsome good looks and working efficiency. You can use the cabinets to create divider wall systems, or start with single draw-

ers for desk top reference. Cabinets are made of wood, finished in walnut grain, with anodized aluminum frames and steel inner structure. Cabinets offer the durability and utility you need, with the looks of fine furniture you'll appreciate. Drawers are smoothly molded in one piece of durable high-impact styrene, with deep pulls and swift glide runners. Drawers are Beige to complement the woodgrain cabinets.





Separate units go to separate work stations...

Drawers can be removed and taken to different work stations.

For microfiche indexes, see facing page.

Ordering Information

- 6 & 16 drawer cabinets are shipped with aluminum frames pre-assembled with side panels and lock bushings. Balance of assembly is simple, slide-in, snap-on procedure.
- When doors are ordered, SPECIFY LEFT OR RIGHT HINGE. Door includes lock and 2 keys. (Unit will be shipped with door installed.)
- 6 drawer cabinets can be stacked vertically with joining pins. If 4" legs are required for a base unit, select Item #7387-X below.
- 1, 2, 3-drawer cabinets are shipped completely assembled.
- All cabinet prices include drawers.

Item#		Fiche Capacity	w	Dimensions H	D	Shipping Weight	Price each
7380-X 7359-X	Drawer Only Drawer Divider	1200	71/2"	51/2"	141/2"	1 lbs.	\$ 16.00 .75
7381-X 7382-X 7383-X	1 Drawer Cabinet 2 Drawer Cabinet 3 Drawer Cabinet	1200 2400 3600	10½" 185/8" 26 ⁷ /8"	6 ³ / ₄ " 6 ³ / ₄ " 6 ³ / ₄ "	18 18 18	13 19 22	89.95 124.95 149.95
7386-X 7387-X	6 Drawer Cabinet 6 Drawer Cabinet	7200	185/8"	181/4"	181/8"	52	269.95
7486-X	w/4" legs 6 Drawer Cabinet w/Door*	7200 7200	18 ⁵ / ₈ " _.	22½" 18½"	18½" 18½"	54 58	279.95 319.95
7487-X	6 Drawer Cabinet w/Legs & Door*	7200	185/8"	221/4"	181/8"	60	329.95
7389-X 7489-X	16 Drawer Cabinet 16 Drawer Cabinet	19200	183/4"	50 ⁵ /8"	181/8"	86	575.00
x	w/Door*	19200	183/4"	505/8"	181/8"	101	665.00

NOTE: All drawers include two plastic dividers, 1" high. For drawer dividers 2%" high, order separately as Item #7359-X.



Cabinets can create divider walls

^{*} When doors are ordered, specify left or right hinge.





Easel Binder for easy access storage of fiche

Keeps fiche close at hand with titles fully visible

Easy Viewing! A clever easel assembly, hidden in the spine, holds binder at an ideal viewing angle when in use. Great for use with the fiche panels shown at the left, or with any other 3-hole punched, 8½" x 11" products in this catalog.

Close the binder and you have space efficient storage for up to 200 fiche. Use just one or build an entire library, depending on your needs. Top quality binder is constructed of .015 virgin vinyl in Black.

				Price each
Item#	6 (Min.)	12	25	50
9325-X	\$6.95	6.80	6.40	6.15



Indexed Microfiche Panels


Start an economical microfile with 11" x 8½" fiche panels designed for ring binder housing. Select durable paper (#7301-X) for good service at low cost. Or, select synthetic paper made of 3 plies of stretched polypropylene for longer wear (#7303-X).

Both materials are acid free to prevent chemical reaction to film images. Both pages have metal eyelet reinforcements at the binding holes. Capacity per page: 40 standard fiche (105mm x 148mm). Title area is %".

There's space for a page number at the top of each panel, plus letters down the side for indexing to a Contents Page, included with each fiche panel.

Color: White (Diazo)		Price each	
Item#	5	25	50
7301-X	\$4.65	4.45	4.25
7303-X	5.95	5.65	5.35

Microfiche tray puts up to 1200 fiche within easy reach



Store up to 1200 fiche in each one of these handy, portable trays

Practical, portable tray holds 1,200 microfiche or 800 fiche in individual envelopes. A 12-tab index set and 4 stop guides separate fiche into groups for faster reference.

Tray is made of lightweight, high impact plastic, convenient to take to work stations. Smoke colored plastic top protects fiche from contaminants when tray is not in use. Tray color is Putty; indexes are White, stop guides are Black. Plastic indexes have ½" tab extension; tab labels are supplied. Overall size is 7 ¼" W x 12" L x 55%" H.

			Price each
Item#	1	5	10
7495-X	\$23.95	22.95	21.85

For high capacity storage: Trays are designed to fit in cabinets on page 36 of this catalog



Microfiche Handviewer for on-the-spot reference

Take the information you need where you need it.



High grade optics produce sharp, clear magnification in this lightweight viewer. No batteries or power required. Just slide fiche, jacket or aperture card into slotted holder at top of unit. $15 \times$ magnification lens for reductions up to $42 \times$. Variable focus provides comfortable reading with or without eyeglasses. Take it anywhere for onthe-spot reference — snap closed vinyl carrying pouch that's included.

Item #7357-X

\$35.95 each

Hi-Lo* Microfiles

Simple, effective, economical – these work station microfiles hold fiche under continuous compression. A low bar and a high bar adjust the fanning action for fast retrieval and speedy, accurate refiling. Aided by the electrostatic attraction of plastic segregators, titles are readily visible at a touch. So uniquely designed, you can turn the file upside down without spilling a single fiche. Each file holds 300 fiche – and either file will fit nicely into the drawers and cabinets shown on the opposite page.


Files are made of welded steel wire with scratch-proof feet. 300 matte finish plastic segregators supplied full-cut for diazo fiche, center cut for striped fiche. Files are 63/4" W x 43/4" H.



Item #	Fiche type	Price each	
7378-X	Striped	\$59.95	
7379-X	Diazo	59.95	

Microfiche Indexes

Handy index sets for microfiche are available preprinted with the months, or blank in third or fifth cuts. All indexes are durable white plastic, 45%'' H x 63%'' W. Get your fiche files organized – Order today!



Description	Tabs per Set	Price per Set
Monthly-preprinted	12	\$3.50
Blank, 5 tabs across	50	6.95
Blank, 3 tabs across	50	6.95
	Monthly-preprinted Blank, 5 tabs across	Descriptionper SetMonthly-preprinted12Blank, 5 tabs across50

Long-wearing Fiche Panels are the start of a sensible microfiche filing system – Ideal for storage in Rotary Stands or Easel Binders




Long-Wearing Plastic Panels

Top efficiency in handling microfiche begins with these deluxe panels. Shingled pockets with deep cut sides have a lip angled slightly outward so in-and-out placement of fiche is smooth and easy. Panels are made of plastic, totally compatible with microfilm. It's strong and tough. Sharp fiche edges can't cut it.

Each panel is finished with axle channel on one side which is also hole punched for binder housing. There's a clear index channel at the outer edge; insertable index strips are included.

Panels are available in two sizes: 11" x $8\frac{1}{2}$ " is 3-hole punched and holds 40 fiche per panel. Larger 12" x $8\frac{1}{2}$ " size is 4-hole punched and holds 44 fiche per panel. Title exposure is $\frac{3}{8}$ ".

Color: W	Color: White, Blue, Orange		Pric	ce each
Item#	Size	5	20	60
7330-X	11" x 81/2"	\$6.40	6.20	6.00
7332-X	12" x 81/2"	6.90	6.70	6.50



Rotary Stands

For full 360° access to your active microfiles, these Rotary Stands will serve you well. They're particularly efficient when more than one person needs access at the same time. Stands are available in 2 capacities; to hold 50 or 100 panels. Heavy metal base sits solidly, requires about 20" x 20" clearance for full rotation. Axles for attaching fiche panels are included with stands.

Panels must be ordered separately. For maximum space utilization, order panel #7332-X, at left. When equipped with this panel, #7334-X Rotary Stand stores 2200 fiche; #7335-X Rotary Stand stores 4400 fiche.

No. of axles	Price each
50	\$105.00
100	136.00
	50



Easel Binders

Here's a system that will grow as you grow. Just add on as the need arises. This neat package includes one black easel binder and five long-wearing plastic fiche panels with insertable index strips. Each binder holds 200 fiche readily available.

Top quality easel binder has a mechanical locking wedge to reliably hold fiche panels on the slant for easy selection. Rings are mounted in the back cover so panels always lie flat and well aligned. Specify your choice of panel color: White, Blue, or Orange. Start now and build a library.

Item#	Panel Size	Capacity	Price per set
7342-X	11" x 8½"	200	\$44.00
7343-X	12" x 8½"	220	47.00



Fiche Pockets/Envelopes

Both our microfiche pockets and envelopes are constructed of quality acid-free paper for long-term, safe storage of 4 x 6 fiche or jackets.

#7306-X Fiche Pockets – Keep fiche with related hard copy. Just moisten gummed strips on back of envelopes and attach to file folders.

#7307-X Fiche Envelopes – Hold leader and trailer fiche together. Special envelopes are designed to keep titles fully visible.


			Price per M
Item #	1M	5M	10M
7306-X	\$96.85	92.00	87.50
7307-X	60.90	57.85	54.95



Fiche Mailers

Heavyweight, semi-rigid kraft stock makes a sturdy mailer to hold from 1 to 30 microfiche. A unique seal allows the envelopes to be slit on a mail opener without endangering the fiche. For interoffice use there's a thumb cut for ease of insertion, removal and visibility. Durable enough to do the job without need for reinforcing stiffener. Each mailer is preprinted with the caution: FILM – DO NOT BEND. Size is 4¾" x 6¾".

		PI	ice per 100
Item#	200	500	1000
7308-X	\$11.05	10.50	9.95



Fiche V-Pack

Clever! This V-file fans out 50 fiche for reference, then clicks shut to slide into a protective cover. Handy cover doubles as a stand for the file when your fiche are in use. Package includes acid-free envelopes with top and side openings for easy insertion and retrieval. Take-along sizes makes the V-file ideal for field use and workstation reference.

			Price each
Item#	1	2	6 & up
7318-X	\$10.50	9.95	9.50



Keep printed materials at your fingertips with 3-Ring Reference Rack

Easy access is ideal for systems manuals and other operating information



Just snap open rings – there's no need to remove complete channels with this handy reference rack. When rack is underloaded, channels will also slide back and forth across the base unit to allow more space for access to information.

Basic unit holds six 1" ring channels. Unlimited expansion is possible by adding 6" extensions to the rack. If used for confidential information, each ring channel can be removed and dropped into a file drawer; built-in hanger tabs fit suspension frames.

Rack adjusts to 30° or 45° for sitdown or standup reference. It's made of 20-gauge steel, baked enamel finish in Putty, with rubber feet for stability and scar-free use. Loose papers can be collected in handy storage compartment at the base. Ideal for computer rooms, service departments, parts stores, reservation desks, catalog libraries – anywhere there's need for fast reference.


Item #		Price each
1705-X	Complete Basic Unit	\$58.50
1706-X	6" Extension	27.05
1707-X	Pkg/6 Ring Channels	26.70
1708-X	Locking Bar	17.50

Build a working reference center with expandable Fixed Post Racks

Store punched pages or use book-holder accessories for unpunched bound items

For any material under constant reference, it's hard to beat this rack for utility. It holds up to $6^{\prime\prime}$ of standard, 3-hole punched sheets of paper, ready for viewing at convenient 30° angle. Material is easy to insert, change. Page holders slide out and click back into position easily. Rack is all metal, with baked enamel finish. Page holders are chromed. Rubber feet grip and protect surfaces. Overall size of $6^{\prime\prime}$ capacity rack, as shown, is $10^5 \mbox{\ensuremath{\%''}} \times 18^{1} \mbox{\ensuremath{\%''}} \times 8^{5} \mbox{\ensuremath{\%''}}.$







Expand the basic rack to fit your needs. Just unhook the side wings, add #1701-X base extensions in 6" increments, along with Page Holders or Book Holders. Note that #1703-X Book Holders are useful for racking bound or stapled books that aren't 3-hole punched. Both racks on this page can be expanded from inches to several feet for extensive reference use.

Item #		Price each
1700-X	Complete Basic Unit	\$33.50
1701-X	6" Base Extension	12.50
1702-X	Pkg. of 6 Page Holders	19.50
1703-X	Pkg. of 6 Book Holders	15.50
1704-X	Set of 25 A-Z Indexes	7.50

Vinyl Pockets and Half-Pockets

Protect heavily referenced pages in racks

Flexible vinyl page protectors have contoured binding side so pages turn easily. Full pockets open at top, accept unpunched material. Half-pocket is handy for holding small size items. Heat-sealed heavy-duty vinyl stands up to constant use. Overall size of both pockets is 11½" x 9".

Price each

 Item#
 50
 100
 500
 1000

 1408-X
 Full pocket
 \$.35
 .33
 .28
 .25

 1409-X
 Half pocket
 .35
 .33
 .28
 .25



#1409-X Half Pocket

Fireguard® Media Safe offers specialized protection for magnetic media and microfilm

Conventional fireproof safes are insulated to create a "Steam bath" effect when exposed to fire. This humidity protects paper documents, but can actually destroy magnetic media and microfilm faster than the fire itself! That's why your media needs Fireguard protection. Its patented insulation system and inner repository protects media from humidity. For security, a Group 2 key-change combination lock is used and a UL certified relocking device sets bolts if lock is punched in a burglary attempt.

Exterior is heavy gauge steel on extra strength frame. Attractive color selection: Door is Off-White with safe body in your choice of IBM Blue, Red, Gray Charcoal, Tan, Olive or Nile Green. Specify color when ordering.

Outside dimensions of Safe are 30-3/4"W x 41"H x 31-55/8"D

Heat/Humidity Levels UL Tested and Certified

Fireguard Media Safe carries UL Class 125 1 hr. label for fire endurance, humidity, impact and explosion hazards. UL tests confirmed interior temperatures remained below 125°F and humidity below 80% when units were exposed to temperatures reaching 1700°F in 1-hr. Certification also includes survival of 30-ft. drop after 1/2 hr. heating to 1550°F, and no generation of explosive gases after 1/2 hr. heating to 2000°F.

Safes are warranted for one full year from date of purchase against defects in materials and workmanship.


Inside dimensions are 19"W x 27"H x 16¼"D. In selecting interior accessories, be sure height required for all accessories does not exceed interior height of safe.

Item #	Description	Height Required	Approx. Ship Wt.	Price each
5875-X	EDP Fireguard Media Safe		830 lbs.	\$2,395.00
5879-X	Adjustable shelf for media	100	4 lbs.	28.00
5882-X	Rollout shelf for media	**	11 lbs.	64.00
5877-X	Hanger/bar/Door Pocket for mag tape	N/A	5 lbs.	48.00
5876-X	Diskette Tray (holds 90 disks)	8"	8 lbs.	40.00
5887-X	Wire Rack for 2315 Disk packs	161/2"	3 lbs.	32.00
5888-X	Wire Rack for 5440 Disk packs	161/2"	3 lbs.	30.00

* For Adjustable Shelf add 1" to height of media




Safes are shipped F.O.B. Layfayette, Indiana. Special shipping arrangements for safes are required. Contact Devoke for details.



Outfit the interior of your safe to fit your storage needs. If accessories you need aren't listed, ask our Sales Desk personnel--many more accessories are available. Accessories are factory installed.

Apple II System Saver

Cooling fan, surge protector, power switch-in a single device



Advanced peripheral cards generate more heat, block natural air flow through Appie II. Result? High temperatures that can reduce life of both cards and computer. This System Saver drops into side ventilation slots — a quiet fan draws fresh air across the mother board, over the power supply, and out the side vents for heat relief. Plug Apple II power input through System Saver and it also protects hardware and data from dangerous power surges and spikes. Unit has upfront switch, plus two power outlets for monitor and printer. You'll never need to use the Apple switch again!

		Price each
Item #	1	4 & up
5499-X	\$95.00	89.95

Special desk for Apples and other micros

This specially designed bi-level desk is a great way to work with your microcomputer in neat, organized space. The top elevated shelf holds your monitor 8" above the tabletop at comfortable eye-focus level, with plenty of space left over for manuals and references. A metal shelf 12^{1} /2" W x 9" D x 4" H fastens under the top shelf to hold two Apple disk drives (or equivalent).

The main tabletop is 42" wide x 30" deep, stands 27" high — ideal for keying. Top and shelf are 11/6" thick, made of wood composition and nicely finished in Walnut woodgrain plastic laminate. Sturdy, 3 x 1", 16-gauge tubular steel legs are welded, finished in Matte Black to match the full-width modesty panel of 18-gauge steel.

		Price each
Item #	1	6
5893-X	\$271.00	244.00



Micro Printer Stands Made for

Stack feed paper underneath

Catch paper at back in tray

			Price each
Item #	Width	1	4 & up
2802-X	14"	\$37.95	36.50
2803-X	22"	39.95	38.50

Made for each other! Put your Printer atop this stand, stack feed paper underneath and feed it up from the the back. Elevation is 4" to accommodate a good-size stack. Output paper will neatly stack in the back of the stand, but for positive containment you should use our CRT Tray shown on Page 6. On a flat surface it will slant back enough to keep your printouts neatly aligned. Select stands from two widths, listed below by inside dimensions. Both stands are 13"

Order By Phone: (408) 980-1360

^{**}For Rollout add 1/2" height of media. Clear height is 171/4"

Six Outlet Power Strip



Tap into instant power at your workstation, or wherever you need it. This multiple outlet strip plugs into any 110/112 volt outlet, giving you 6 plug-ins. Ideal for your desk area, or anywhere you have too many cords and not enough outlets. Works great attached to the underside of CRT Stands. Unit features a circuit breaker to protect against overloads, with built in reset button, and light indicator on the ON/OFF switch. Double insulated 6-ft. cord has groundedplug. Backplate has holes for wall mounting. Overall size is 13 x 2 x 1½", color is black. A safe and neat solution to the problem of long dangling cords.

Item	1	5	10
5467-X	\$30.00	28.50	27.00

Bulk Tape Eraser



Powerful 60Hz magnetic field erases reels, cassettes and cartridges to level of virgin tape in seconds. Unit is designed to be burnout proof with thermal protective device on automatic shut-off and re-set cycle. Cycolac® case is hand-contoured. Fingertip pressure activates microswitch; unit operates on 110-120 VAC. UL listed, CSA certified. Usable with tapes up to ½" wide.

		Price each
Item #	1	2 & Up
5114-X	\$59.95	56.95

Information Log



Holds 960 1-line entries

Push Button Access

A great time saver for frequently referenced names, addresses, numbers. Precut strip cards and keyboard tabs help you index data as you wish. Overall size is 9"W x 10½"D x 5½"H, plugs into any AC outlet. A great "memory bank"!

	FIICE Eaci
Item #	
2540-X	\$87.75

Room Air Cleaner

It makes a difference! Ecologizer recirculates air in a 14' x 18' room every 33 minutes--filters out odors, smoke, dust, pollen. Quiet 60 cfm fan pulls air through unique dual filter so air is cleaner, fresher continously. Filter lasts about 3 months. Plug UL-listed unit into any 120V outlet, run it 24 hours a day if you wish--it costs just pennies per month.

Color: Beige, Brown		Price eacl	
Item #		1	4 & Up
5929-X	Ecologizer	\$39.95	38.95
5930-X	Extra Filters	4.95	4.55

Power Lock Switch

This little black box is a key operated switch that stops free access to equipment where control is preferred. After mounting box, plug equipment into receptacle. Attach cover plate with tool supplied for this purpose--plate can't be removed without it. Then, plug box into wall outlet via 6-ft. cord with 3-prong plug. Removable key activates switch. Electrical rating is 10 amps at 125 volts. Case is plastic. UL approved.

Item #	1	2	4 & Up
6301-X	\$29.95	28.50	27.50

Cord Covers

More power to you, with greater safety! Covers prevent tripping, protect loose wires. Insert cord in slot in bottom, secure cover to floor or carpet with tape supplied. Tapered edges lie flat; non-conductive vinyl withstands heavy traffic. Package of 3; specify size and color: Black, Brown, Putty.

	For Cord		Price
Item #	Diameter	Length	Pkg/3
2538-X	up to 5/16"	6 ft.	\$29.85
2539-X	up to 1/2"	6 ft.	35.85
2542-X	up to 3/4"	6 ft.	38.85

Underdesk/Area Warmer

Toasty warm for less than a dime a day! This area warmer attaches with adhesive fasteners to any flat surface, keeps problem areas warm without boosting the thermostat. Unit plugs into standard 115V outlet, operates on 150 watt element with high/low controls. Overall size is 1 x 16 x 22", finish is Walnut woodgrain. Because it radiates heat in a low, steady, evenly disbursed pattern, it turns complaints into contentment for all those spots central heat doesn't reach. 1-year warranty.

	Price each		
Item #	1	2 & Up	
2390-X	\$49.95	48.95	


Mag Tape Mailers

Corrugated containers designed specifically for mag tape will save you time and take good care of your tapes--in the mail or in storage. Interlocking design of this package holds a single 11½" tape reel securely. Inside dimensions are 12" x 12" x 1-3/4".

		ice eaci
10 (min)	20	50
\$2.65	2.50	2.40
	4 12 10 10	10 (min) 20

Duine each













Order Form



MINIMUM ORDER IS \$15.00 PLEASE PRINT OR TYPE				
BILL TO:	^ D	ME C		
COMPANY	(DEV		1500 Mari	
ATTENTION	(408)	980-1360	California	
STREET ADDRESS	1/2/20			
CITY STATE ZIP	☐ Check Enclose	ed 🗆 Shi	p C.O.D.	
TELEPHONE ()	☐ We have an ac	count, bill us		
SHIP TO:	☐ Open an acco	unt for our firm	n	
COMPANY	We are listed in [Oun & Bradstreet	YES NO	
ATTENTION	OUR BANK	TE	L. NO. () _	
STREET ADDRESS				
CITY STATE ZIP				
JINIE ZII ZII	BANK ACCOUN	NT NO		
Special Shipping Instructions	☐ Charge to my	Credit Card		
		□ S MASTE	RCARD	
YOUR ORDER NO DATE				
TELEPHONE NO. ()		D		
NAME OF				
PERSON ORDERING (PRINT OR TYPE)	ISSUING BANK			
SIGNATURE OF PERSON	Yes, I would like to ha	ave my name adde	ed to your	
PLACING ORDER		eive Devoke Catalo		
IMPORTANT: When ordering please tell us label code number—even when as shown on label on back cover	COMPANY			
ordering by telephone or on your own Purchase Order forms.	TITLE/DEPT.			
Enter Code Here: 1234 Aaron White, Purch Mgr.	ADDRESS			
225 South Corporate Way Pleasenville, NY 12757	CITY			
		ts Catalog		
QUANTITY ITEM NO. DESCRIPTIO	N	COLOR	UNIT PRICE	TOTAL
		_	-	_
		-		
		-		-
				_
100% Satisfaction Guara	ntood	TOT	AL AMOUNT	
100/0 Salistaction Guard		California Buvers add 6º		s applicable

ORDERING INFORMATION

TERMS: Net 30 days from date of invoice. NEW ACCOUNTS: If you haven't done business with us before, just fill in the New Account information section of this Order Form.

FREIGHT: All shipments are F.O.B. shipping point to make it easy, we pre-pay freight charges and add them to your invoice. We also add \$1.00 Service Charge to orders shipped on open account via UPS and USPS. We ship most items UPS unless you specify otherwise or unless the item is beyond UPS size or weight restrictions. Large or heavy items are shipped by

DAMAGES IN SHIPMENT: Despite our best efforts items occasionally will be damaged in transit. Freight carriers are liable for damages only when damage is indicated on the bill of lading before you sign for the shipment. Inspect outside and contents of all cartons received. If damaged, write details on bill of lading and

save shipment, including outside container and inside packing material. Ask the delivery carrier to make an inspection immediately. File damage claim promptly after inspection. For assistance and replacement information, call our Customer Service Dept. at (408) 980-1347. Do not return merchandise that has been damaged in transit without prior authorization.

RETURNS: If return is due to our error, we'll give you full credit, refund or replacement, including shipping charges, as soon as we receive returned merchandise. If return is due to your error, or you've changed your mind, we'll give you full credit, refund or replacement of the purchase price of the products. You pay only shipping charges. All returns should be made in the same condition and packaging as you received them. PROMPT ADJUSTMENT: In our continuing efforts to improve service to our valued customers, you will find a fast-action Pre-Authorized Return Form included

with your shipment. If for any reason you want to return your purchase, or any part of it, there's no longer any need to telephone us or write us to authorize the return unless our shipment to you arrived by motor freight or was damaged in transit. In these instances, please write or telephone our Customer Service Dept. at: (408) 980-1347 for return assistance and instructions. For shipments made by u.P.S. or parcel post, just complete the Pre-Authorized ized Return Form, enclose it with merchandise and send it back to us. Fill out this form completely, including the section "Action you want us to take" so adjustments can be made promptly, and as you wish them to be made.

PRICES: Raw material costs beyond our control may make it necessary to change prices in this catalog before publication of the next issue. Such changes are infrequent.

Our new Bi-Level MicroStation will hold your complete system



Compact unit gives you convenience and function you would'nt expect at the price

For micros with detachable keyboards, it's hard to find a better home than this compact station. Within its 32" width, your complete system can come together with space for everything.

But there's more to MicroStation than compact size. Monitor elevation is 71/2" for optium viewing comfort--no slumping or squinting required! A big bonus is the built-in aluminum copy bridge to hold your references directly in front of you. It can be positioned left, right or center along the monitor shelf, swings up for access

Then, there's the aluminum footrest, angled for your comfort. Frame is welded steel tubing for strength and durability, finished in scratch-resistant Black enamel. Leveling glides are included. Wood shelves are high density particle board, surfaced with plastic woodgrain laminate.

Overall size of MicroStation is 32" W x 30" D x 33" H. Keyboard height is 26". Clearance under monitor shelf is 6%". Surface area of keyboard shelf is 23 x 30"; top shelf is 161/2 x 313/4". Copy bridge measures 16 x 10%'

MicroStation ships flat--assembles in minutes with a screwdriver. Order yours today--we'll ship U.P.S. Just tell us how many, and your choice of color: Walnut, Oak, Almond or Teak.

			Price each
Item #	1	3	6
6713-X	\$169.00	165.00	160.00

Note steel channel supports bottom shelf and wood cross-brace. Copy bridge swings up for full access to keyboard shelf.



Hear yourself think--SoundTrap brings microprinter noise to a screeching halt



SoundTrap fits most 80 col. dot matrix printers. Optional stand elevates unit to accomodate paperflow.

Give your Epson, Okidata, NEC or other likesize printer a quiet place of its own: SoundTrap. You'll get noise reduction up to 29 dB and sound energy reduction up to 800%. This means you and your printer can work side by side, simultaneously, without straining your ears or raising your voice. You can hear yourself think!

SoundTrap itself sits flat on a surface. But it's twice as functional with the optional stand that elevates SoundTrap about 21/2" on a flat plane, or tilts the unit about 51/2" to create an automatic paper path. Tilted, you can read your printout as your data emerges--with the greatest of ease. Tilted, SoundTrap also holds reference data on the front lip that's a convenient space-Price each

Item #	Description	1	4 & up
6371-X	SoundTrap	\$109.00	105.00
6372-X	SoundTrap Stand	19.95	18.95

Overall size of SoundTrap is about 71/4" H x 18½" W x 17¾" D. It's made of injection molded, tough ABS plastic, completely lined with sound absorbing foam. Color is Putty.



When stand is engaged in tilt position, you can read printout without craning your neck. Tilt position saves work space, too.



CRT Face Wipes

Here's an on-the-spot solution to static dust, oily fingerprints and other contaminations attracted to your CRT screens, Fifty towelettes are pre-saturated with a special cleaning and antistatic solution. Their tape-mounted dispenser pack also holds a cotton drying/buffing cloth. In a few minutes you can belay the effects of static, restore non-glare features to your screens, and have a clean, bright view of your

Price per Pkg/50

	Trice per i k		per i kg/50
Item #	2(min)	6	12
6370-X	\$12.95	12.50	12.00

DP Printout Mailers

Here's how DP printouts can survive the rigors of transportation. One-piece die-cut 200 lb. test corrugated folds and clicks into a very sturdy mailer for 11 x 14%" reports-unbound, or bound with cover. Inside depth is 31/4". Boxes are white. Not only a secure way to ship, but a sensible way to store, too. Keep a supply on hand for ready use.

Item #	50	100	250
5908-X	\$1.57	1.50	1.45





Bulk Rate U.S. Postage PAID. DEVOKE CO.

1500 Martin Avenue Santa Clara, CA 95050

