

General Systems Division Programming Announcement

P681-5

Release Date: January 16, 1981

Immediately File Attached Sales Manual Text in Appropriate Sales Manual Section

Distribution:

GS Managers (Sales/CE/SE/Admin.) Marketing Representatives Systems Engineers

Administrative Account Specialists

IBM Internal Use Only

5280 FORMAT DESIGN AID (5798-RCR) **FDP ANNOUNCED**

The 5280 Format Design Aid offers the 5280 user the ability to create DE/RPG source code by simply entering the desired display image at a 5280 Display Station. The FDP automatically creates DE/RPG "Z" and "A" specifications. This capability will significantly reduce the time to develop data entry programs, and hence improve application development productivity.

Highlights

- · Generates DE/RPG source code for data entry programs from format images created at the display
- Provides multiple format support for data entry programs.
- Provides TFILE processing support for data entry programs.
- Documents formats as they are created.
- Generates DE/RPG source code for menu programs from fixed format images created at the display screen.
- Documents menu programs as they are created.
- Provides a listing and/or sequencing of the generated DE/RPG source code.
- Provides support for the 1920, 960, and 480 character displays.

After the FDP is used to create the DE/RPG "Z" and "A" specifications for the screen formats, the DE/RPG Source Entry Program (SYSSEP) can be used to modify the source program to include such things as user exits for more complex applications.

Specified Operating Environment

System Requirements

The minimum configurations required to perform the functions of this FDP as delivered from the Program Information Department (PID) are as follows:

5285 Programmable Data Station

Minimum main storage

required:

48K

Diskette drives

required:

two diskette 1D or one diskette 2D

5288 Programmable Data Station

Minimum main storage

required: Diskette drives 64K

required:

two diskette 1D or

one diskette 2D

Data station required:

a 5281 or 5282

5286 Programmable Data Station

Minimum main storage

64K

required: Diskette drives

required:

two diskette 1D or

one diskette 2D

The 5280 Format Design Aid requires a 30K partition.

Programming Systems

This Field Developed Program (FDP) requires the following programming for execution, maintenance,

and modifications:

5280 System Control Programming

5708-SC1

5708-UT1 5708-DE1

5280 Utilities 5280 DE/RPG

This FDP is written using the 5280 DE/RPG programming language. Release 1 of the above programming was used to test this FDP. Subsequent releases may affect the functioning of this FDP.

Industry: Cross

Language: 5280 DE/RPG

Programming System: Does not apply

Scheduled Availability from PID: January 23, 1981

SECOM Key: 5798RCROO

Marketing Support

Available Now:

Announcement Notice

GB30-1548

Available After January 23, 1981

Program Description/

Operations Manual

SB30-1549

An invalid form number response will result if orders for publications available after January 23, 1981 are entered prior to that date.

Note: Ordering instructions are in the Availability Notice and will be in a subsequent update to the GSD Guide for Ordering Programs. Documentation can be ordered from Mechanicsburg.

Filing Instructions—GSD Sales Manual

Remove

File

Volume 1 (Marketing)

- Price Section

Prog. Price Addendum

Prog. Price Addendum

January 81

January 81

Vol 1 Rev 2 Add 1

Vol 1 Rev 2 Add 2

pgs. v and vi

pgs. v and vi

L. W. Gray

Vice President-Marketing

PROGRAMMING PRICE ADDENDUM JANUARY 81 VOL 1 REV 2 ADD 2

PROGRAM FEAT NUMBER NUM	PROGRAM/FEATURE DESCRIPTION	AVAIL	U (<u>V PROC</u>	CHARGES MONTHLY OT		<u> </u>		PROGRAM SER	VICES LA		<u>PD</u>	<u>1L</u>
#6050	Diskette 2D @ 1024 bytes/sector		N									
5714-UT1	Interactive Data Base Utilities - Source Entry Utilities (SEU) - Screen Design Aid (SDA) - Data File Utility (DFU) - Query Utility Licensed M/R - Programs, MGS Files,	Now Now 03/81 Now Now		\$65	С	1	Y *	#	N/A	CE		N
•	Command Definitions, UDS Applications Diskette 2D @ 1024 bytes/sector		N N									
5799-BEP #9049	System/38 Log Recovery (PRPQ P84042) Diskette 2 @ 128 bytes/sector	03/81	N	\$50	С	1	Y *	*	N/A	SE		N
5280 PROGRAMMING												
#9511	5250-3270 Emulation Basic License DSLO Dskt 1 @ 256 b/s (#9510 is prerequisite)	06/81	N N N	\$35 \$26	C	1	Y #	**	N/A	CE		N
**5520 PROGRAM												
#9248 #9348 #9448	Administrat Processing Prog Lic M/R Code Diskette 2D @ 512 B/S - Model 20 Diskette 2D @ 512 B/S - Model 30 Diskette 2D @ 512 B/S - Model 40 Diskette 2D @ 512 B/S - Model 50	Now Now Now Now		\$309	С	1	Y *	#	N/A	CE		N

5280 PROGRAMMING												
5798-RCR #9043	5280 Format Design Aid Diskette 1 @ 512 bytes/sector	01/16/81	N	\$60	0 1	1	N 02/28	3/82 N/A	N/A	N		N

This page intentionally left blank